030591.0010.CIP1

**Box Patent Application** To: Commissioner for Patents Washington, D.C. 20231

# CONTINUATION-IN-PART APPLICATION

TRANSMITTAL

Sir:

Transmitted herewith for filing is a Continuation-in-Part of International Application No. PCT/US99/07333 which claims the benefit of U.S. Application No. 60/080,671, Filed April 3, 1998.

Thomas Stormann, Lance G. Hammerland, Laura L. Storjohann, James Inventor(s):

G. Busby, James E. Garrett, Rachel T. Simin

G-PROTEIN FUSION RECEPTORS AND CHIMERIC GABAB Title:

RECEPTORS

I.	PAPERS ENCLOSED	HEREWITH FOR	FILING UNDER 3'	7 CFR § 1.53(b):

	<u>33</u>	Page(s) of Written Description			
	7	Page(s) Claims			
	1	Page(s) Abstract			
	<u>102</u>	Other: Sequence Listing			
	<u>116</u>	Sheets of Drawings Informal X Formal			
II.	ADDI	ADDITIONAL PAPERS ENCLOSED IN CONNECTION WITH THIS FILING:			
		Declaration			
	Power of Attorney: Separate or Combined with Declaration				
		Assignment to and assignment cover sheet			
CERTIFICATE OF MAILING					

(37 C.F.R. §1.10)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as 'Express Mail Post Office To Addressee' in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231.

EL 675944098 US	Gretchen Dieckmann
Express Mail Label No.	Name of Person Mailing Paper
•	Grada (i) a de ma
October 3, 2000	Gretcher Decknam
Date of Deposit	Signature of Person Mailing Paper

State

Telephone

City

Country

Verified Statement establishing "Small Entity" under 37 CFR §§ 1.9 and 1.27

Zip Code

Fax

4. 4. 4.	2 2 2
-,7	7
A STATE OF THE STA	67444
1	
# # 17. # # 17.	
3	
S. S. S. S. S.	
Ţ	
And And	

IV.	MET	ETHOD OF PAYMENT OF FEES			
		A check in the amount of \$			
	$\boxtimes$	This application is being filed without fee or Declaration under 37 CFR § 1.53.			
			Res	pectfully submitted,	
			BRO	DBECK, PHLEGER & HARRISON LLP	
Dated				Dalat (9	
October 3, 2000		By:	Douglas C. Murdock		
				Reg. No. 37,549	

12390 El Camino Real San Diego, CA 92130 Telephone: (858) 720-2500 Facsimile: (858) 720-2555

## CONTINUATION-IN-PART APPLICATION

UNDER 37 CFR § 1.53(B)

TITLE:

G-PROTEIN FUSION RECEPTORS AND

CHIMERIC GABA<sub>B</sub> RECEPTORS

APPLICANT(S):

Thomas Stormann, Lance G. Hammerland, Laura L.

Storjohann, James G. Busby, James E. Garrett,

Rachel T. Simin

Correspondence Enclosed:

Continuation-in-Part Transmittal (3 pgs); Cover Sheet (1pg); Description (33 pgs); Claims (7 pgs); Abstract (1 pg); Sequence Listing (102 pgs); Figures (116); and

Postcard

"EXPRESS MAIL" Mailing Label Number <u>EL675944098US</u> Date of Deposit <u>October 3</u>, <u>2000</u> I hereby certify under 37 CFR §1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, <u>D.C.</u> 20231.

Gretchen Dieckmann

10

15

20

25

30

## G-PROTEIN FUSION RECEPTORS AND CHIMERIC GABAB RECEPTORS

#### **RELATED APPLICATIONS**

The present application is a continuation in part of PCT/US99/07333 which claims priority to Garrett *et al.* U.S. Serial No. 60/080,671, filed April 3, 1998, which is hereby incorporated by reference herein in its entirety including the drawings.

## FIELD OF THE INVENTION

The present invention relates to a G-protein fusion receptors, chimeric  $GABA_B$  ( $\gamma$ -aminobutyric acid) receptors, nucleic acid encoding such receptors, and uses of such receptors and nucleic acid encoding such receptors.

#### **BACKGROUND**

The references cited herein are not admitted to be prior art to the claimed invention.

Chimeric receptors made up of peptide segments from different receptors have different uses such as being used to assess the functions of different sequence regions and to assess the activity of different compounds at a particular receptor. Examples of using chimeric receptors to assess the activity of different compounds are provided by Dull *et al.*, U.S. Patent No. 4,859,609, Dull *et al.*, U.S. Patent No. 5,030,576, and Fuller *et al.*, U.S. Patent No. 5,981,195.

Dull *et al.* U.S. Patent No. 4,859,609, and Dull *et al.* U.S. Patent No. 5,030,576, indicate the production and use of chimeric receptors comprising a ligand binding domain of a predetermined receptor and a heterologous reporter polypeptide. The Dull *et al.* patents provide as examples of chimerics: (1) a chimeric receptor made up of the insulin receptor extracellular chain, and the EGF receptor transmembrane and cytoplasmic domains without any HIR B-chain sequence; and (2) a hybrid receptor made up of the verb oncogene product intracellular domain fused to the EGF receptor extracellular and transmembrane domains.

Fuller *et al.* International Publication No. WO 97/05252 feature chimeric receptors made up of metabotropic glutamate receptor (mGluR) domains and calcium receptor

(CaR) domains. The chimeric receptors allow the coupling of functional aspects of a mGluR with a CaR.

An example of the use of chimeric receptors to assess the functions of different sequence regions receptors are found in studies identifying regions of different guanine nucleotide-binding protein coupled receptors important for guanine nucleotide-binding protein coupling. (See, Kobilka *et al.*, *Science 240*:1310-1316, 1988; Wess *et al.*, *FEBS Lett. 258*:133-136, 1989; Cotecchia *et al.*, *Proc. Natl. Acad. Sci. USA 87*:2896-2900, 1990; Lechleiter *et al.*, *EMBO J. 9*:4381-4390, 1990; Wess *et al.*, *Mol. Pharmacol. 38*:517-523, 1990; and Pin *et al.*, *EMBO J. 13*:342-348, 1994.)

10

15

20

25

30

5

#### **SUMMARY OF THE INVENTION**

The present invention features G-protein fusion receptors and chimeric GABA<sub>B</sub> receptors (GABA<sub>B</sub>Rs), nucleic acid encoding such receptors, and the use of such receptors and nucleic acid. G-protein fusion receptors comprise at least one domain from a CaR, a mGluR, and/or a GABA<sub>B</sub> receptor fused directly or through a linker to a guanine nucleotide-binding protein (G-protein). Chimeric GABA<sub>B</sub>Rs comprise at least one of a GABA<sub>B</sub>R extracellular domain, a GABA<sub>B</sub>R transmembrane domain, or a GABA<sub>B</sub>R intracellular domain and one or more domains from a mGluR subtype 8 (mGluR8) and/or a CaR.

G-proteins are peripheral membrane proteins made up of an subunit, a subunit, and a subunit. G-proteins interconvert between a GDP bound and a GTP bound form. Different types of G-proteins can affect different enzymes, such as adenylate cyclase and phospholipase-C.

Thus, a first aspect of the present invention describes a G-protein fusion receptor comprising:

an extracellular domain comprising an amino acid sequence substantially similar to either an extracellular CaR amino acid sequence, an extracellular mGluR amino acid sequence, or an extracellular GABA<sub>B</sub> receptor amino acid sequence;

a transmembrane domain joined to the carboxy terminus of said extracellular domain, said transmembrane domain comprising a transmembrane domain amino acid sequence substantially similar to either a transmembrane CaR amino acid sequence, a transmembrane mGluR amino acid sequence, or a transmembrane GABA<sub>B</sub> receptor amino acid sequence;

10

15

20

25

30

an intracellular domain joined to the carboxy terminus of said transmembrane domain comprising all or a portion of an intracellular amino acid sequence substantially similar to either an intracellular CaR amino acid sequence, an intracellular mGluR amino acid sequence, or an intracellular GABA<sub>B</sub> receptor amino acid sequence, provided that said portion is at least about 10 amino acids;

an optionally present linker joined to the carboxy terminus of said intracellular domain, where said optionally present linker is a polypeptide 3 to 30 amino acids in length, wherein said amino acids of the optionally present linker are selected from the group consisting of alanine, proline, serine, and glycine; and

a G-protein joined either to said intracellular domain or to said optionally present linker, provided that said G-protein is joined to said optionally present linker when said optionally present linker is present.

"Substantially similar" refers to at least 40% sequence similarity between respective polypeptide regions making up a domain. In preferred embodiments, substantially similar refers to at least 50%, at least 75%, at least 90%, at least 95% sequence similarity, or 100% (the same sequence), between polypeptide domains. The degree to which two polypeptide domains are substantially similar is determined by comparing the amino acid sequences located in corresponding domains. Sequence similarity is preferably determined using BLASTN (Altschul *et al.*, *J. Mol. Biol. 215*:403-410, 1990).

The different receptor components of the G-protein receptor can come from the same receptor protein or from a chimeric receptor made up of different receptor domains. By swapping different domains compounds able to effect different domains of a particular receptor can be identified and the activity of different compounds at different domains can be measured.

In different embodiments the CaR region(s) present in the G-protein fusion are substantially similar to, comprise, or consist of portion(s) of a mammalian CaR, preferably the human CaR; mGluR region(s) present in the G-protein fusion are substantially similar to, comprise, or consist of portion(s) of a mammalian mGluR, preferably a human mGluR; and GABA<sub>B</sub>R region(s) present in the G-protein fusion are substantially similar to, comprise, or consist of portion(s) of a mammalian GABA<sub>B</sub>R, preferably a human GABA<sub>B</sub>R.

10

15

20

25

30

In preferred embodiments concerning GABA<sub>B</sub>R regions that are present: the GABA<sub>B</sub>R extracellular domain is substantially similar to a GABA<sub>B</sub>R extracellular domain provided in SEQ. ID. NOs. 2-4; the GABA<sub>B</sub>R transmembrane domain is substantially similar to the GABA<sub>B</sub>R transmembrane domain provided in SEQ. ID. NOs. 7-9; and the GABA<sub>B</sub>R intracellular domain is substantially similar to a GABA<sub>B</sub>R intracellular domain provided in SEQ. ID. NOs. 12-14.

In preferred embodiments concerning CaR regions that are present: the CaR extracellular domain is substantially similar to the CaR extracellular provided in SEQ. ID. NO. 1; the CaR transmembrane domain is substantially similar to the CaR transmembrane domain provided in SEQ. ID. NO. 6; and the CaR intracellular domain is substantially similar to the CaR intracellular domain such as that provided in SEQ. ID. NO. 11.

Various different mGluR subtypes present in different organisms, including humans, are described in different patent publications as follows: mGluR<sub>1</sub> - WO 94/29449, EP 569 240 A1, WO 92/10583 and U.S. Patent No. 5,385,831; mGluR<sub>2</sub> - WO 94/29449, WO 96/06167, and EP 711 832 A2; mGluR<sub>3</sub> - WO 94/29449, and WO 95/22609; mGluR<sub>4</sub> – WO 95/08627, WO 95/22609, and WO 96/29404; mGluR<sub>5</sub> - WO 94/29449; mGluR<sub>6</sub> - WO 95/08627; mGluR<sub>7</sub> – U.S. Patent No. 5,831,047, WO 95/08627 and WO 96/29404; and mGluR<sub>8</sub> – U.S. Patent Nos. 6,051,688, 6,077,675, 6,084,084 and EP 816 498 A2. (Each of these references are hereby incorporated by reference herein.)

In preferred embodiments concerning mGluR regions that are present: the mGluR extracellular domain is substantially similar to either human mGluR 1, human mGluR 2, human mGluR 3, human mGluR 4, human mGluR 5, human mGluR 6, human mGluR 7, or human mGluR 8; the mGluR transmembrane domain is substantially similar to either human mGluR 1, human mGluR 2, human mGluR 3, human mGluR 4, human mGluR 5, human mGluR 6, human mGluR 7, or human mGluR 8; and the mGluR intracellular domain is substantially similar to either human mGluR 1, human mGluR 2, human mGluR 3, human mGluR 4, human mGluR 5, human mGluR 6, human mGluR 7, or human mGluR 8. Preferred embodiments also include any mGluR splice variant.

In preferred embodiments concerning the optionally present linker, said optionally present linker is a polypeptide 3 to 30 amino acids in length, wherein said amino acids of the optionally present linker are selected from the group consisting of alanine, proline, serine, and glycine; and more preferably, the optionally present linker is comprised of alanine amino acids.

10

15

20

25

30

Another aspect of the present invention describes a recombinant cell comprising an expression vector encoding for a G-protein fusion receptor, and a cell where the G-protein fusion receptor is expressed. Preferably, the G-protein fusion receptor is functional in the cell.

Another aspect of the present invention describes a recombinant cell produced by combining (a) a cell where a G-protein fusion receptor is expressed, and (b) a vector comprising nucleic acid encoding a G-protein fusion receptor and elements for introducing heterologous nucleic acid into the cell. Preferably, the G-protein fusion receptor is functional in the cell.

Another aspect of the present invention describes a process for the production of a G-protein fusion receptor. The process is performed by growing host cells comprising a G-protein fusion receptor.

Another aspect of the present invention describes a method of measuring the ability of a compound to affect G-protein fusion receptor activity.

Another aspect of the present invention describes a chimeric GABA<sub>B</sub>R comprising an extracellular domain, a transmembrane domain and an intracellular domain, wherein at least one domain is from a GABA<sub>B</sub>R and at least one domain is from CaR or mGluR8. The extracellular domain comprises an amino acid sequence substantially similar to a CaR extracellular domain (SEQ. ID. NO. 1), a GABA<sub>B</sub>R1a extracellular domain (SEQ. ID. NO. 2), a GABA<sub>B</sub>R1b extracellular domain (SEQ. ID. NO. 3), a GABA<sub>B</sub>R2 extracellular domain (SEQ. ID. NO. 4), or a mGluR8 extracellular domain (SEQ. ID. NO. 5).

The transmembrane domain comprises an amino acid sequence substantially similar to a CaR transmembrane domain (SEQ. ID. NO. 6), a GABA<sub>B</sub>R1a transmembrane domain (SEQ. ID. NO. 7), a GABA<sub>B</sub>R1b transmembrane domain (SEQ. ID. NO. 8), a GABA<sub>B</sub>R2 transmembrane domain (SEQ. ID. NO. 9), or a mGluR8 transmembrane domain (SEQ. ID. NO. 10).

The intracellular domain comprises an amino acid sequence substantially similar to a CaR intracellular domain (SEQ. ID. NO. 11), a GABA<sub>B</sub>R1a intracellular domain (SEQ. ID. NO. 12), a GABA<sub>B</sub>R1b intracellular domain (SEQ. ID. NO. 13), a GABA<sub>B</sub>R2 intracellular domain (SEQ. ID. NO. 14), or a mGluR8 intracellular domain (SEQ. ID. NO. 15).

10

15

20

25

30

Preferred chimeric GABA<sub>B</sub>Rs contain at least one mGluR8 intracellular, transmembrane or extracellular domain, or at least one CaR intracellular, transmembrane or extracellular domain. More preferably, the chimeric GABA<sub>B</sub>R contains at least one CaR domain.

In preferred embodiments concerning mGluR8 regions that are present: the mGluR8 extracellular domain is substantially similar to the mGluR8 extracellular domain provided in SEQ. ID. NO. 5; the mGluR8 transmembrane domain is substantially similar to the mGluR8 transmembrane domain provided in SEQ. ID. NO. 10; and the mGluR8 intracellular domain is substantially similar to the mGluR8 receptor intracellular provided in SEQ. ID. NO. 15.

Preferably, the domains are functionally coupled such that a signal from the binding of an extracellular ligand is transduced to the intracellular domain when the chimeric receptor is present in a suitable host cell. A suitable host cell contains the elements for functional signal transduction for receptors coupled to a G-protein.

Another aspect of the present invention describes a nucleic acid comprising a nucleotide sequence encoding for a chimeric GABA<sub>B</sub>R.

Another aspect of the present invention describes a recombinant cell comprising an expression vector encoding for a chimeric GABA<sub>B</sub>R, and a cell where the chimeric GABA<sub>B</sub>R is expressed. Preferably, the chimeric GABA<sub>B</sub>R is functional in the cell.

Another aspect of the present invention describes a recombinant cell produced by combining (a) a cell where a chimeric GABA<sub>B</sub>R is expressed, and (b) a vector comprising nucleic acid encoding the chimeric GABA<sub>B</sub>R and elements for introducing heterologous nucleic acid into the cell. Preferably, the chimeric GABA<sub>B</sub>R is functional in the cell.

Another aspect of the present invention describes a process for the production of a chimeric receptor. The process is performed by growing host cells comprising a chimeric GABA<sub>B</sub>R.

Another aspect of the present invention describes a method of measuring the ability of a compound to affect GABA<sub>B</sub>R or mGluR activity. The method is performed by measuring the ability of a compound to affect chimeric GABA<sub>B</sub>R or mGluR activity.

Another aspect of the present invention describes a fusion receptor polypeptide comprising a receptor and a G-protein  $\alpha$  subunit, wherein said G-protein  $\alpha$  subunit is fused to the intracellular domain of said receptor, provided that the receptor is not an adrenoreceptor.

Various examples are described herein. These examples are not intended in any way to limit the claimed invention.

Other features and advantages of the invention will be apparent from the following drawings, the description of the invention, the examples, and the claims.

5

10

15

20

25

#### BRIEF DESCRIPTION OF DRAWINGS

Figures 1a-1d illustrate the amino acid sequences of a human CaR extracellular domain (SEQ. ID. NO. 1), a human GABA<sub>B</sub>R1a extracellular domain (SEQ. ID. NO. 2), a human GABA<sub>B</sub>R1b extracellular domain (SEQ. ID. NO. 3), a human GABA<sub>B</sub>R2 extracellular domain (SEQ. ID. NO. 4), and a human mGluR8 extracellular domain (SEQ. ID. NO. 5).

Figures 2a-2b illustrate the amino acid sequences of a human CaR transmembrane domain (SEQ. ID. NO. 6), a human GABA<sub>B</sub>R1a transmembrane domain (SEQ. ID. NO. 7), a human GABA<sub>B</sub>R1b transmembrane domain (SEQ. ID. NO. 8), a human GABA<sub>B</sub>R2 transmembrane domain (SEQ. ID. NO. 9), and a human mGluR8 transmembrane domain (SEQ. ID. NO. 10).

Figures 3a-3b illustrate the amino acid sequences of a human CaR intracellular domain (SEQ. ID. NO. 11), a human GABA<sub>B</sub>R1a intracellular domain (SEQ. ID. NO. 12), a human GABA<sub>B</sub>R1b intracellular domain (SEQ. ID. NO. 13), a human GABA<sub>B</sub>R2 intracellular domain (SEQ. ID. NO. 14), and a human mGluR8 intracellular domain (SEQ. ID. NO. 15).

Figures 4a-4b illustrate the amino acid sequence of G  $_{15}$  (SEQ. ID. NO. 16) and G  $_{16}$  (SEQ. ID. NO. 17).

Figures 5a-5r illustrate the cDNA sequences encoding for human CaR (SEQ. ID. NO. 18), human GABA<sub>B</sub>R1a (SEQ. ID. NO. 19), human GABA<sub>B</sub>R1b (SEQ. ID. NO. 20), and human GABA<sub>B</sub>R2 (SEQ. ID. NO. 21).

Figures 6a-6h illustrate the cDNA sequence for rat GABA<sub>B</sub>R1a (SEQ. ID. NO. 22) and rat GABA<sub>B</sub>R1b (SEQ. ID. NO. 23).

Figures 7a-7c illustrate the amino sequence for rat GABA<sub>B</sub>R1a (SEQ. ID. NO. 24) and rat GABA<sub>B</sub>R1b (SEQ. ID. NO. 25).

Figure 8 illustrates the ability of a chimeric CaR/GABA<sub>B</sub>R2 (CaR extracellular and transmembrane domains, and intracellular GABA<sub>B</sub>R2 domain) to transduce a signal. Signal production was measured by detecting an increase in the calcium-activated

10

15

20

25

chloride current. The line in the middle of the increase signifies a wash step.

Figures 9a-9p illustrate the cDNA sequence for human mGluR2 (SEQ. ID. NO. 26), chimeric hCAR/hmGluR2 (SEQ. ID. NO. 30), chimeric hmGluR2/hCaR (SEQ. ID. NO. 34), and chimeric hmGluR8/hCaR (SEQ. ID. NO. 38).

Figures 10a-10f illustrate the amino acid sequence for human mGluR2 (SEQ. ID. NO. 27), chimeric hCAR/hmGluR2 (SEQ. ID. NO. 31), chimeric hmGluR2/hCaR (SEQ. ID. NO. 35), chimeric hmGluR8/hCaR (SEQ. ID. NO. 39).

Figures 11a-11v illustrate the cDNA sequence for the phCaR/hmGluR2\*Gqi5 fusion construct (SEQ. ID. NO. 32), pmGluR2//CaR\*G qi5 fusion construct (SEQ. ID. NO. 36), pmGluR2//CaR\*G qi5+3Ala linker fusion construct (SEQ. ID. NO. 46), and the mGluR8//CaR\*G qi5 fusion construct (SEQ. ID. NO. 40).

Figures 12a-12h illustrate the amino acid sequence for the phCaR/hmGluR2\*Gqi5 fusion construct (SEQ. ID. NO. 33), pmGluR2//CaR\*G  $\,_{q}$ i5 fusion construct (SEQ. ID. NO. 37), pmGluR2//CaR\*G  $\,_{q}$ i5+3Ala linker fusion construct (SEQ. ID. NO. 47), and the mGluR8//CaR\*G  $\,_{q}$ i5 fusion construct (SEQ. ID. NO. 41).

Figures 13a-13m illustrate the cDNA sequence for the GABA-R2\*Gqo5 fusion construct (SEQ. ID. NO. 42) and the GABA-BR1a\*Gqo5 fusion construct (SEQ. ID. NO. 44).

Figures 14a-14e illustrates the amino acid sequence for the GABA-BR2\*Gqo5 fusion construct (SEQ. ID. NO. 43) and the GABA-BR1a\*Gqo5 fusion construct (SEQ. ID. NO. 45).

Figure 15 illustrates the ability of different G-protein fusions to transduce signal resulting from ligand binding. mGluR2//CaR\*Gqi5 is shown by SEQ. ID. NO. 37, CaR/mGluR2\*Gqi5 is shown by SEQ. ID. NO. 33, mGluR8//CaR\*Gqi5 is shown by SEQ. ID. NO. 41.

Figures 16a-16e illustrates the amino acid sequence for the ph8SPmGluR4 chimeric construct (SEQ. ID. NO.48), the amino acid sequence for the phmGluR4//CaR\*AAA\*G $\alpha_q$ i5 fusion construct (SEQ. ID. NO. 49), and the phmGluR8//CaR\*AAA\*G $\alpha_q$ i5 fusion construct (SEQ. ID. NO. 50).

10

15

20

25

30

The CaR, mGluR, and the GABA<sub>B</sub>R are structurally similar in that they are each a single subunit membrane protein possessing an extracellular domain, a transmembrane domain comprising seven putative membrane spanning helices connected by three intracellular and three extracellular loops, and an intracellular carboxy-terminal domain. Signal transduction is activated by the extracellular binding of an agonist. The signal is transduced to the intracellular components of the receptor causing an intracellular effect.

Signal transduction from agonist binding to an extracellular region can be modulated by compounds acting at a downstream transmembrane domain or the intracellular domain. Downstream effects include antagonist actions of compounds and allosteric actions of compounds.

The transmembrane domain provides different types of target sites for compounds modulating receptor activity in different environments. As noted above, the transmembrane domain contains extracellular, transmembrane, and intracellular components.

Compounds modulating GABA<sub>B</sub>R, CaR, or mGluR activity can be obtained, for example, by screening a group or library of compounds to identify those compounds having the desired activity and then synthesizing such compound. Thus, included in the present invention is a method of making a GABA<sub>B</sub>R, CaR, or mGluR active compound by first screening for a compound having desired properties and then chemically synthesizing that compound.

#### Metabotropic Glutamate Receptors (mGluRs)

mGluRs are G protein-coupled receptors capable of activating a variety of intracellular secondary messenger systems following the binding of glutamate (Schoepp *et al.*, *Trends Pharmacol. Sci. 11*:508, 1990; Schoepp and Conn, *Trends Pharmacol. Sci. 14*:13, 1993, hereby incorporated by reference herein).

Activation of different mGluR subtypes *in situ* elicits one or more of the following responses: activation of phospholipase C, increases in phospholipasitide (PI) hydrolysis, intracellular calcium release, activation of phospholipase D, activation or inhibition of adenylyl cyclase, increases and decreases in the formation of cyclic adenosine monophosphate (cAMP), activation of guanylyl cyclase, increases in the formation of cyclic guanosine monophosphate (cGMP), activation of phospholipase A<sub>2</sub>, increases in arachidonic acid release, and increases or decreases in the activity of voltage- and ligand-

10

15

20

25

30

gated ion channels (Schoepp and Conn, *Trends Pharmacol. Sci.* 14:13, 1993; Schoepp, *Neurochem. Int.* 24:439, 1994; Pin and Duvoisin, *Neuropharmacology* 34:1, 1995, hereby incorporated by reference herein).

Eight distinct mGluR subtypes have been isolated. (Nakanishi, *Neuron* 13:1031, 1994; Pin and Duvoisin, *Neuropharmacology* 34:1, 1995; Knopfel et al., *J. Med. Chem.* 38:1417; *Eur. J. Neuroscience* 7:622-629, 1995, each of these references is hereby incorporated by reference herein.) The different mGluRs possess a large amino-terminal extracellular domain (ECD) followed by a seven putative transmembrane domain (7TMD) comprising seven putative membrane spanning helices connected by three intracellular and three extracellular loops, and an intracellular carboxy-terminal domain of variable length (cytoplasmic tail).

Human mGluR8 is described by Stormann *et al.*, U.S. Patent Nos. 6,051,688, 6,077,675, and 6,084,084, and mouse mGluR8 is described by *Duvoisin et al.*, *J. Neurosci.* 15:3075-3083, 1995, (both of these references are hereby incorporated by reference herein). mGluR8 couples to G<sub>i</sub>. Agonists of mGluR8 include L-glutamate and L-2-amino-4-phosphonobutyrate.

mGluR8 activity can be measured using standard techniques. For example, G<sub>i</sub> negatively couples to adenylate cyclase to inhibit intracellular cAMP accumulation in a pertussis toxin-sensitive fashion. Thus, mGluR8 activity can be measured, for example, by measuring inhibition of forskolin-stimulated cAMP production as described by *Duvoisin et al.*, *J. Neurosci.* 15:3075-3083, 1995.

mGluRs have been implicated in a variety of neurological pathologies. Examples of such pathologies include stroke, head trauma, spinal cord injury, epilepsy, ischemia, hypoglycemia, anoxia, and neurodegenerative diseases such as Alzheimer's disease (Schoepp and Conn, *Trends Pharmacol. Sci. 14*:13, 1993; Cunningham *et al.*, *Life Sci.* 54: 135, 1994; Pin et al., *Neuropharmacology* 34:1, 1995; Knopfel et al., *J. Med. Chem.* 38:1417, 1995, each of which is hereby incorporated by reference herein).

#### Calcium Receptor

The CaR responds to changes of extracellular calcium concentration and also responds to other divalent and trivalent cations. The CaR is a G-protein coupled receptor containing an extracellular Ca<sup>2+</sup> binding domain. Activation of the CaR, descriptions of CaRs isolated from different sources, and examples of CaR active compound are provided

10

15

20

25

30

in Nemeth *NIPS 10*:1-5, 1995, Brown *et al.* U.S. Patent No. 5,688,938, Van Wagenen *et al.*, International Application Number PCT/US97/05558 International Publication Number WO 97/37967, Brown E.M. et al., *Nature* 366:575, 1993, Riccardi D., et al., *Proc. Nat'l. Acad. Sci. USA* 92:131-135, 1995, and Garrett J.E., et al., *J. Biol. Chem.* 31:12919-12925, 1995. (Each of these references are hereby incorporated by reference herein.) Brown *et al.* U.S. Patent No. 5,688,938 and Van Wagenen *et al.*, International Application Number PCT/US97/05558 International Publication Number WO 97/37967, describe different types of compounds active at the CaR including compounds which appear to be allosteric modulators and CaR antagonists.

The CaR can be targeted to achieve therapeutic effects. Examples of target diseases are provided in Brown *et al.* U.S. Patent No. 5,688,938, and Van Wagenen *et al.*, International Application Number PCT/US97/05558 International Publication Number WO 97/37967, and include hyperparathyroidism and osteoporosis.

#### γ-Aminobutyric acid Receptors (GABA<sub>B</sub>Rs)

GABA<sub>B</sub>Rs are G-protein coupled metabotropic receptors. GABA<sub>B</sub>Rs modulate synaptic transmission by inhibiting presynaptic transmitter release and by increasing K<sup>+</sup> conductance responsible for long-lasting inhibitory postsynaptic potentials. (*See*, Kaupmann *et al.*, *Nature 386*:239-246, 1997, hereby incorporated by reference herein.)

GABA<sub>B</sub>Rs are found in the mammalian brain, in locations outside of the brain, and in lower species. Outside of the brain, GABA<sub>B</sub>Rs have been identified on axon terminals and ganglion cell bodies of the autonomic nervous system, on fallopian tube and uterine intestinal smooth muscle cells, in the kidney cortex, urinary bladder muscle and on testicular interstitial cells. (*See*, Bowery, *Annu. Rev. Pharmacol. Toxicol. 33*:109-147, 1993, hereby incorporated by reference herein.)

Different GABA<sub>B</sub>Rs subtypes exist. Kaupmann *et al.*, *Nature 386*:239-246, 1997, indicate that they cloned GABA<sub>B</sub>Rs. Nucleic acid encoding two GABA<sub>B</sub>R proteins were indicated to be cloned from rat brain: GABA<sub>B</sub>R1a and GABA<sub>B</sub>R1b. GABA<sub>B</sub>R1a differs from GABA<sub>B</sub>R1b in that the N-terminal 147 residues are replaced by 18 amino acids. GABA<sub>B</sub>R1a and GABA<sub>B</sub>R1b appear to be splice variants. The cloned GABA<sub>B</sub>Rs were indicated to negatively couple adenylyl cyclases and show sequence similarity to the metabotropic receptors for L-glutamate (mGluR). Northern blot analysis indicated that

10

15

20

25

30

GABA<sub>B</sub>R1a and GABA<sub>B</sub>R1b is present in brain and testis, but not in kidney, skeletal muscle, liver, lung, spleen, or heart.

Kaupmann *et al.*, International Application Number PCT/EP97/01370, International Publication Number WO 97/46675, indicate that they have obtained rat GABA<sub>B</sub>R clones, GABA<sub>B</sub>R1a and GABA<sub>B</sub>R1b; and humans GABA<sub>B</sub>R clones, GABA<sub>B</sub>R1a/b (representing a partial receptor clone) and GABA<sub>B</sub>R1b (representing a full-length receptor clone). Amino acid sequence information, and encoding cDNA sequence information, is provided for the different GABA<sub>B</sub>R clones.

Another GABA<sub>B</sub>R subtype is GABA<sub>B</sub>R2. Northern blot analysis reveals than an approximately 6.3 Kb human GABA<sub>B</sub>R2 transcript is abundantly expressed in the human brain. Expression is not detected in the heart, placenta, lung, liver, skeletal muscle, kidney and pancreas under conditions where GABA<sub>B</sub>R2 transcript was identified in the human brain. Within the human brain GABA<sub>B</sub>R2 is broadly expressed at variable levels.

GABA<sub>B</sub>R functions as a heterodimer of the subunits GABA<sub>B</sub>R1 or GABA<sub>B</sub>R2. (Jones *et al. Nature 396*:674-679, 1998, hereby incorporated by reference herein.)

GABA<sub>B</sub>Rs have been targeted to achieve therapeutic effects. Kerr and Ong, DDT 1:371-380, 1996, describe different compounds indicated to be GABA<sub>B</sub>R agonists and GABA<sub>B</sub>R antagonists. Kerr and Ong also review therapeutic implications of affecting GABA<sub>B</sub>R activity including, spasticity and motor control, analgesia, epilepsy, cognitive effects, psychiatric disorders, alcohol dependence and withdrawal, feeding behavior, cardiovascular and respiratory functions, and peripheral functions.

Bittiger *et al.*, *Tips 4*:391-394, 1993, review therapeutic applications of GABA<sub>B</sub>R antagonists. Potential therapeutic applications noted by Bittiger *et al.* include cognitive processes, epilepsy, and depression.

#### **G-Protein Fusion Receptors**

Examples of some different types of G-protein fusion receptors, and advantages of some receptors, are provided below. Using the present application as guide additional G-protein receptors fusion can be constructed.

G-protein fusion receptors contain an intracellular domain of a receptor fused to a G-protein subunit (G). G fusions to adrenoreceptors have been reported by Bertin *et al.*, Receptors and Channels 5:41-51, 1997; Wise and Milligan, Journal of Biological Chemistry 39:24673-24678, 1997; and Bertin *et al.*, Proc. Natl. Acad. Sci. USA 91:8827-

10

15

20

25

30

8831, 1994 (each of which are hereby incorporated by reference herein). These studies were indicated to produce a functional chimeric by fusing the  $_{2A}$ -adrenoreceptor to the  $_{3}$  or the  $_{2}$ -adrenoreceptor to the  $_{3}$  .

The G-protein fusion receptors described by the present invention include a G-protein fused to an intracellular domain, where the intracellular domain when present in a wild type receptor does not interact with that type of G-protein. Thus, the present invention also describes swapping of signals by fusing an intracellular domain to a G normally not coupled to that intracellular domain. The use of such fusion proteins, while applicable to chimeric GABA<sub>B</sub>Rs, is not limited to chimeric GABA<sub>B</sub>Rs. Indeed, such technology can be applied to receptors containing an extracellular domain, transmembrane domain and intracellular domain of a wild type receptor.

Preferred G-proteins fusion receptors contain an intracellular domain fused to a promiscuous G that couples to phospholipase C resulting in the mobilization of intracellular calcium. Increases in intracellular calcium can be conveniently measured through the use of dyes. Such techniques are well known in the art and are described, for example by Brown *et al.* U.S. Patent No. 5,688,938.

In an embodiment G-proteins fusions can also be used to decrease receptor desensitization.

Examples of promiscuous G 's coupling to phospholipase C include naturally occurring G-proteins such as G <sub>15</sub> and G <sub>16</sub>, and chimeric G-protein such as Gqo5 and Gqi5. Gqo5 and Gqi5 are made of a Gq portion where the five amino acids at the C-terminal are from either G<sub>0</sub> or G<sub>i</sub>, respectively (Conklin *et al.*, *Nature 363*:274-277, 1993, hereby incorporated by reference herein). The Gq portion of such chimeric receptors provides for phospholipase C coupling while the terminal G<sub>0</sub> or G<sub>i</sub> portion allows the chimeric G-protein to couple to different receptor proteins that are normally involved in inhibitor effects on adenylate cyclase.

In an embodiment of the present invention the employed G-protein is from a human source or is made up of different G-protein components each from a human source.

G-proteins fusions can be created, for example, by fusing directly or indirectly the intracellular domain of a receptor protein to a polypeptide having an amino acid sequence substantially similar to G <sub>15</sub>, G <sub>16</sub>, Gqo5 or Gqi5. In different embodiments, the receptor

10

15

20

25

30

is fused directly or indirectly to a G-protein consisting of the amino acid sequence of G 15, G 16, Gqo5 or Gqi5.

The intracellular domain portion of a receptor protein fused directly or indirectly to a G-protein should be at least about 1 amino acid in length. In different embodiments the portion is at least about 10 amino acids, is at least about 50 amino acids, at least about 100 amino acids, or the full length of an intracellular domain.

The intracellular domain can be directly linked to a G-protein or can be indirectly linked through an optionally present linker. Optionally present linkers are preferably about 3 to about 30 amino acids in length. Preferred linkers are made up of alanine, glycine, or a combination thereof.

#### Chimeric Receptors

Examples of some different types of chimeric receptors, and advantages of some receptors, are provided below. Using the present application as guide additional chimeric receptors can be constructed.

### Chimeric GABA<sub>B</sub>R Extracellular Domain

Chimeric GABA<sub>B</sub>Rs containing a GABA<sub>B</sub>R extracellular domain are particularly useful for studying the importance of the GABA<sub>B</sub>R extracellular domain and assaying for compounds active at the extracellular domain. Preferably chimeric GABA<sub>B</sub>Rs containing a GABA<sub>B</sub>R extracellular domain also contain a CaR intracellular domain.

A variety of different activities have been generally attributed to GABA<sub>B</sub>R subtypes. (*E.g.*, Kerr and Ong, DDT 1:371-380, 1996.) Kaupmann *et al.*, *Nature* 386:239-246, 1997, report that in preliminary experiments involving GABA<sub>B</sub>R1a they did not detect positive coupling to the adenylyl cyclase or coupling to the phospholipase effector system.

An intracellular CaR domain can be used to couple with G-proteins which activate phospholipase C and mobilize intracellular calcium. Mobilization of intracellular calcium is readily detected, for example, by fluorescent indicators of intracellular Ca<sup>2+</sup>.

An additional advantage of using the intracellular CaR domain is that CaR G-protein activation is not rapidly desensitized. Thus, the intracellular CaR domain can be used to produce a stronger intracellular signal than a signal produced from a receptor which is desensitized rapidity.

10

15

20

25

30

More preferably, the chimeric GABA<sub>B</sub>R contains an intracellular CaR domain, and also contains either a CaR or a GABA<sub>B</sub>R transmembrane domain. Advantages of using a CaR transmembrane domain include separating the effects occurring at a GABA<sub>B</sub>R extracellular domain from effects occurring at a transmembrane domain; and providing additional intracellular elements, present on transmembrane intracellular loops, useful for coupling to G-protein.

A GABA<sub>B</sub>R transmembrane domain is useful for examining whether the transmembrane GABA<sub>B</sub>R can be targeted to affect GABA<sub>B</sub>R activity, and obtaining compounds active at the GABA<sub>B</sub>R transmembrane domain. For example, a transmembrane GABA<sub>B</sub>R can be used to screen for transmembrane allosteric modulators and antagonists.

#### Chimeric GABA<sub>B</sub>R Transmembrane Domain

Chimeric GABA<sub>B</sub>Rs containing a GABA<sub>B</sub>R transmembrane are particularly useful for studying the importance of the GABA<sub>B</sub>R transmembrane domain and assaying for compounds active at the transmembrane domain. Preferably Chimeric GABA<sub>B</sub>Rs containing a GABA<sub>B</sub>R transmembrane domain contain an extracellular domain which is either mGluR8 or CaR, and an intracellular CaR domain.

More preferably, the chimeric GABA<sub>B</sub>R contains an extracellular domain from either mGluR8 or CaR, a GABA<sub>B</sub>R transmembrane, and an intracellular CaR domain. A chimeric GABA<sub>B</sub>R containing extracellular mGluR8 or CaR domains can readily be stimulated using mGluR8 or CaR ligands.

#### Chimeric GABA<sub>B</sub>R Intracellular Domain

Chimeric GABA<sub>B</sub>Rs containing a GABA<sub>B</sub>R intracellular domain are particularly useful for studying the importance of the GABA<sub>B</sub>R intracellular domain and assaying for compounds active at the intracellular domain. Preferably, the chimeric receptors contain an extracellular domain from either mGluR8 or CaR. The extracellular mGluR8 or CaR domains can readily be activated using mGluR8 or CaR ligands.

## **Receptor Domains**

Domains of a G-protein fusion receptor, a chimeric receptor, and G, substantially similar to a particular sequence can be readily produced using the disclosure provided

10

15

20

25

30

herein in conjunction with information well known in the art. Substantially similar sequences can be obtained taking into account sequence information for a particular type of receptor obtained from different sources, different types of amino acids which are to some extent interchangeable, and the ease of experimentation with which functional receptor activity can be assayed.

Substantially similar sequences includes amino acid alterations such as deletions, substitutions, additions, and amino acid modifications. A "deletion" refers to the absence of one or more amino acid residue(s) in the related polypeptide. An "addition" refers to the presence of one or more amino acid residue(s) in the related polypeptide. Additions and deletions to a polypeptide may be at the amino terminus, the carboxy terminus, and/or internal. Amino acid "modification" refers to the alteration of a naturally occurring amino acid to produce a non-naturally occurring amino acid. A "substitution" refers to the replacement of one or more amino acid residue(s) by another amino acid residue(s) in the polypeptide. Derivatives can contain different combinations of alterations including more than one alteration and different types of alterations.

The sequences of polypeptides can be compared from different sources to help identify variable amino acids not essential for receptor activity. For example, Figure 7 provides the rat GABA<sub>B</sub>R1a and GABA<sub>B</sub>R1b amino acid sequences. The rat GABA<sub>B</sub>R1a and GABA<sub>B</sub>R1b amino acid sequences can be compared with the human GABA<sub>B</sub>R1a and GABA<sub>B</sub>R1b sequences to identify conserved and variable amino acids. Derivatives can then be produced where a variable amino acid is changed, and receptor activity can be readily tested.

Similarly, the amino acid sequences for CaR, mGluR8, and G-proteins from different sources are either known in the art or can readily be obtained. Examples of such references are provided above.

While the effect of an amino acid change varies depending upon factors such as phosphorylation, glycosylation, intra-chain linkages, tertiary structure, and the role of the amino acid in the active site or a possible allosteric site, it is generally preferred that a substituted amino acid is from the same group as the amino acid being replaced. To some extent the following groups contain amino acids which are interchangeable: the basic amino acids lysine, arginine, and histidine; the acidic amino acids aspartic and glutamic acids; the neutral polar amino acids serine, threonine, cysteine, glutamine, asparagine and, to a lesser extent, methionine; the nonpolar aliphatic amino acids glycine, alanine, valine,

10

15

20

25

30

isoleucine, and leucine (however, because of size, glycine and alanine are more closely related and valine, isoleucine and leucine are more closely related); and the aromatic amino acids phenylalanine, tryptophan, and tyrosine. In addition, although classified in different categories, alanine, glycine, and serine seem to be interchangeable to some extent, and cysteine additionally fits into this group, or may be classified with the polar neutral amino acids.

While proline is a nonpolar neutral amino acid, its replacement represents difficulties because of its effects on conformation. Thus, substitutions by or for proline are not preferred, except when the same or similar conformational results can be obtained. The conformation conferring properties of proline residues may be obtained if one or more of these is substituted by hydroxyproline (Hyp).

Examples of modified amino acids include the following: altered neutral nonpolar amino acids such as -amino acids of the formula  $H_2N(CH_2)_nCOOH$  where n is 2-6, sarcosine (Sar), tbutylalanine (t-BuAla), t-butylglycine (t-BuGly), N-methyl isoleucine (N-MeIle), and norleucine (Nleu); altered neutral aromatic amino acids such as phenylglycine; altered polar, but neutral amino acids such as citrulline (Cit) and methionine sulfoxide (MSO); altered neutral and nonpolar amino acids such as cyclohexyl alanine (Cha); altered acidic amino acids such as cysteic acid (Cya); and altered basic amino acids such as ornithine (Orn).

Preferred derivatives have one or more amino acid alteration(s) which do not significantly affect the receptor activity of the related receptor protein. In regions of receptor domains not necessary for receptor activity, amino acids may be deleted, added or substituted with less risk of affecting activity. In regions required for receptor activity, amino acid alterations are less preferred as there is a greater risk of affecting receptor activity.

Derivatives can be produced using standard chemical techniques and recombinant nucleic acid techniques. Modifications to a specific polypeptide may be deliberate, as through site-directed mutagenesis and amino acid substitution during solid-phase synthesis, or may be accidental such as through mutations in hosts which produce the polypeptide. Polypeptides including derivatives can be obtained using standard techniques such as those described by Sambrook *et al.*, *Molecular Cloning*, Cold Spring Harbor Laboratory Press (1989). For example, Chapter 15 of Sambrook describes procedures for site-directed mutagenesis of cloned DNA.

10

15

20

25

30

### Receptor Nucleic Acid

G-protein fusion and chimeric receptor nucleic acid can be produced based on the information provided herein along with standard recombinant nucleic acid techniques. Examples of references describing recombinant nucleic acid techniques include *Molecular Cloning*, Sambrook *et al.*, Cold Spring Harbor Laboratory Press (1989); and *Current Protocols in Molecular Biology*, Frederick *et al.*, John Wiley & Sons, Inc. (1995).

Due to the degeneracy of the genetic code different nucleic acid sequences can encode for a particular polypeptide. Thus, a large number of nucleic acids encoding for a receptor having the same amino acid sequence can be produced.

An embodiment of the present invention uses human nucleic acid encoding for the domains from CaR, GABA<sub>B</sub>R1A, GABA<sub>B</sub>R1B, GABA<sub>B</sub>R2 and/or mGluR8. The amino acid sequences of different domains is provided in Figures 1-3.

#### Recombinant Cells

Nucleic acid expressing a functional G-Protein fusion or a chimeric receptor can be used to create transfected cells lines expressing such receptors. Such cell lines have a variety of uses such as being used for high-throughput screening for compounds modulating receptor activity; being used to assay binding to the receptor; and as factories to produce large amounts of a receptor.

A variety of cell lines can couple exogenously expressed receptors to endogenous functional responses. Cell lines such as NIH-3T3, HeLa, NG115, CHO, HEK 293 and COS7 which are expected to lack CaR, mGluR8, and GABA $_{\rm B}$ R can be tested to confirm that they lack these receptors.

Production of stable transfectants can be accomplished by transfection of an appropriate cell line with, for example, an expression vector such as pMSG vector, in which the coding sequence for the G-protein fusion or chimeric GABA<sub>B</sub>R cDNA has been cloned. Expression vectors containing a promoter region, such as the mouse mammary tumor virus promoter (MMTV), drive high-level transcription of cDNAs in a variety of mammalian cells. In addition, these vectors contain genes for selecting cells stably expressing cDNA of interest. The selectable marker in the pMSG vectors encode an

10

15

20

25

30

enzyme, xanthine-guanine phosphoribosyl transferase (XGPRT), conferring resistance to a metabolic inhibitor that is added to the culture to kill nontransfected cells.

The most effective method for transfection of eukaryotic cell lines with plasmid DNA varies with the given cell type. The expression construct will be introduced into cultured cells by the appropriate technique, such as Ca<sup>2+</sup> phosphate precipitation, DEAE-dextran transfection, lipofection or electroporation. Expression of the receptor cDNA in cell lines can be assessed by solution hybridization and Northern blot analysis.

## **Binding Assays**

The present invention also includes using G-protein fusion receptors or chimeric GABA<sub>B</sub>R in a binding assay. G-protein fusion receptors or chimeric GABA<sub>B</sub>Rs having a particular GABA<sub>B</sub>R domain can be used, for example to facilitate obtaining compounds able to bind to that particular receptor domain; and to determine whether a compound which binds to a particular domain. For example, in a complete chimeric GABA<sub>B</sub>R containing extracellular, transmembrane, and intracellular domains, the presence of one or more domains from CaR or mGluR are useful to present GABA<sub>B</sub>R domain(s) to a binding agent in a form more like the GABA<sub>B</sub>R domain(s) in the wild type receptor compared to an incomplete GABA<sub>B</sub>R receptor fragment lacking one or more domains.

Binding assays can be carried out using techniques well known in the art. Binding assays preferably employ radiolabeled binding agents.

An example of a binding procedure is carried out by first attaching chimeric GABA<sub>B</sub>R to a solid-phase support to create an affinity matrix. The affinity matrix is then contacted with potential GABA<sub>B</sub>R binding agents. A large library of compounds may be used to determine those compounds binding to the affinity matrix. Bound compounds can be eluted from the column.

#### Therapeutic Modulation

As pointed out above, different types of diseases and disorders can be treated using compounds modulating CaR, mGluR, or GABA<sub>B</sub>R activity. Additionally, such compounds can be used prophylactically. Compounds modulating GABA<sub>B</sub>R2 activity can be administered to patients who would benefit from such treatment. Patients are mammals, preferably humans.

10

15

20

25

30

Modulators of CaR, mGluR, or GABA<sub>B</sub>R activity can be administered to a patient using standard techniques. Techniques and formulations generally may be found in Remington's Pharmaceutical Sciences, 18<sup>th</sup> ed., Mack Publishing Co., Easton, PA, 1990 (hereby incorporated by reference herein).

Suitable dosage forms, in part, depend upon the use or the route of entry, for example, oral, transdermal, transmucosal, or by injection (parenteral). Such dosage forms should allow the therapeutic agent to reach a target cell whether the target cell is present in a multicellular host or in culture. For example, pharmacological compounds or compositions injected into the blood stream should be soluble. Other factors are well known in the art, and include considerations such as toxicity and dosage forms which retard the therapeutic agent from exerting its effect.

Therapeutic compounds can be formulated as pharmaceutically acceptable salts and complexes thereof. Pharmaceutically acceptable salts are non-toxic salts in the amounts and concentrations at which they are administered. The preparation of such salts can facilitate the pharmacological use by altering the physical characteristics of the compound without preventing it from exerting its physiological effect. Useful alterations in physical properties include lowering the melting point to facilitate transmucosal administration and increasing the solubility to facilitate administering higher concentrations of the drug.

The pharmaceutically acceptable salt of a compound may be present as a complex. Examples of complexes include an 8-chlorotheophylline complex (analogous to, *e.g.*, dimenhydrinate:diphenhydramine 8-chlorotheophylline (1:1) complex; Dramamine) and various cyclodextrin inclusion complexes.

Pharmaceutically acceptable salts include acid addition salts such as those containing sulfate, hydrochloride, fumarate, maleate, phosphate, sulfamate, acetate, citrate, lactate, tartrate, methanesulfonate, ethanesulfonate, benzenesulfonate, *p*-toluenesulfonate, cyclohexylsulfamate and quinate.

Pharmaceutically acceptable salts can be obtained from acids such as hydrochloric acid, maleic acid, sulfuric acid, phosphoric acid, sulfamic acid, acetic acid, citric acid, lactic acid, tartaric acid, malonic acid, methanesulfonic acid, ethanesulfonic acid, benzenesulfonic acid, p-toluenesulfonic acid, cyclohexylsulfamic acid, fumaric acid, and quinic acid.

10

15

20

25

30

Pharmaceutically acceptable salts also include basic addition salts such as those containing benzathine, chloroprocaine, choline, diethanolamine, ethylenediamine, meglumine, procaine, aluminum, calcium, lithium, magnesium, potassium, sodium, ammonium, alkylamine, and zinc, when acidic functional groups, such as carboxylic acid or phenol are present. For example, see <u>Remington's Pharmaceutical Sciences</u>, 18<sup>th</sup> ed., Mack Publishing Co., Easton, PA, p. 1445, 1990. Such salts can be prepared using the appropriate corresponding bases.

Carriers or excipients can also be used to facilitate administration of therapeutic agents. Examples of carriers include calcium carbonate, calcium phosphate, various sugars such as lactose, glucose, or sucrose, or types of starch, cellulose derivatives, gelatin, vegetable oils, polyethylene glycols and physiologically compatible solvents. Examples of physiologically compatible solvents include sterile solutions of water for injection (WFI), saline solution and dextrose.

GABA<sub>B</sub>R modulating compounds can be administered by different routes including intravenous, intraperitoneal, subcutaneous, intramuscular, oral, topical (transdermal), or transmucosal administration. For systemic administration, oral administration is preferred. For oral administration, for example, the compounds can be formulated into conventional oral dosage forms such as capsules, tablets, and liquid preparations such as syrups, elixirs, and concentrated drops.

Alternatively, injection (parenteral administration) may be used, *e.g.*, intramuscular, intravenous, intraperitoneal, and subcutaneous. For injection, compounds are formulated in liquid solutions, preferably, in physiologically compatible buffers or solutions, such as saline solution, Hank's solution, or Ringer's solution. In addition, the compounds may be formulated in solid form and redissolved or suspended immediately prior to use. Lyophilized forms can also be produced.

Systemic administration can be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are well known in the art, and include, for example, for transmucosal administration, bile salts and fusidic acid derivatives. In addition, detergents may be used to facilitate permeation. Transmucosal administration, for example, may be through nasal sprays, rectal suppositories, or vaginal suppositories.

For topical administration, compounds can be formulated into ointments, salves, gels, or creams, as is well known in the art.

The amounts of various GABA<sub>B</sub>R modulating compounds to be administered can be determined by standard procedures taking into account factors such as the compound IC<sub>50</sub>, EC<sub>50</sub>, the biological half-life of the compound, the age, size and weight of the patient, and the disease or disorder associated with the patient. The importance of these and other factors to be considered are well known to those of ordinary skill in the art. Generally, the amount is expected to preferably be between about 0.01 and 50 mg/kg of the animal to be treated.

10

15

20

5

#### **EXAMPLES**

Examples are provided below illustrating different aspects and embodiments of the present invention. The examples include techniques that can be used to produce and use G-protein fusion receptors and chimeric receptors. These examples are not intended to limit the claimed invention.

## Example 1: Construction of G-Protein Fusions

This example illustrates different G-protein fusion receptor\_constructs and techniques used to produce different G-protein fusion receptor constructs. Numbering of nucleotide position for all the following constructs is such that nucleotide number 1 corresponds to the A of the ATG start codon of the nucleotide sequence encoding the designated protein.

## I. FULL-LENGTH CONSTRUCTS

#### 25 A. phCaR

The cDNA encoding the human CaR (Garrett et al., (1995) J. Biol. Chem.270:12919) is harbored in the Bluescript SK(-) plasmid (Stratagene). This construct is referred to as phCaR.

## 30 B. phmGluR2

A full length human mGluR2 cDNA was amplified from human cerebellum MarathonReady cDNA (Clontech) using PCR primers based on the human mGluR2 cDNA sequence (Genbank Accession # 4504136). The obtained PCR fragment was

subcloned into the pT7Blue TA vector (Novagen). A Hind III-Not I fragment containing the human mGluR2 cDNA was then subcloned into the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as phmGluR2.

## 5 <u>C. $phG\alpha q$ </u>

A full length human  $G\alpha_q$  cDNA was amplified from human cerebral cortex Quick-Clone cDNA (Clontech) using PCR primers based on the human  $G\alpha_q$  cDNA sequence (Genbank Accession # 4504044). The obtained PCR fragment was subcloned into the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as ph $G\alpha_q$ .

10

## D. phmGluR8

The cDNA encoding the full length human mGluR8 cDNA (Stormann *et al.*, U.S. Patent Nos. 6,051,688, 6,077,675, and 6,084,084) is harbored in the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as phmGluR8.

15

20

## E. ph8SPmGluR4

A full length human mGluR4 cDNA was amplified from human cerebellum MarathonReady cDNA (Clontech) using PCR primers based on the human mGluR4 cDNA sequence (Genbank Accession #X80818). The obtained PCR fragment was cloned into the pT7Blue TA vector (Novagen). A 2977 bp BamHI fragment containing the human mGluR4 cDNA was then subcloned into the vector pcDNA3.1/Hygro+ (Invitrogen). This construct is referred to as phmGluR4.

25

Next, the predicted signal peptide of mGluR4 was replaced with the predicted signal peptide and 87 bp of 5' UTR from phmGluR8 using a recombinant PCR strategy similar to those described above. The first reaction used a phmGluR8 construct with two primers, 3.1-535F (sense 21-mer, complementary to vector sequence upstream of the hmGluR8 insert; sequence 5'-ggcattatgcccagtacatga-3'), and the hybrid primer 8/4RP (antisense 42-mer, containing 21 nucleotides complementary to human mGluR8 and 21 nucleotides complementary human mGluR4; sequence 5'-

30

caageeteteteecaggeattteecacaggtggtattge-3'). These primers were used to amplify a 469 bp PCR fragment of human mGluR8.

In a separate PCR reaction using phmGluR4 as template, a 472 bp fragment of

10

15

20

25

30

human mGluR4 was amplified using a hybrid primer 4/8RP (sense 42-mer, exactly complementary to primer 8/4RP) and oligo mG4-472R, (antisense 18-mer, complementary to the human mGluR4 cDNA; sequence 5'-ctgaagcaccgatgacac-3'). The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers mG4-472R and 3.1-535F, and Turbo Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested with NarI and NheI (New England Biolabs) and subcloned into phmGluR4 digested with the same two restriction enzymes. The sequence of the resultant chimeric construct, ph8SPmGluR4, was verified by ABI automated DNA sequence analysis.

The replacement of the predicted signal peptide of mGluR4 with that of mGluR8 greatly increased the activity of this receptor in *in vitro* assays

## II. Gαqi5

The cDNA encoding the human  $G\alpha_q$ i5 cDNA (Conklin et al (1993) Nature 363:274-77) is harbored in the Bluescript SKII(-) plasmid (Stratagene). This construct is referred to as  $G\alpha_q$ i5. The nucleic acid and amino acid sequences for  $G\alpha_q$ i5 are provided by SEQ. ID. NOs. 28 and 29 respectively.

#### III. phCaR/hmGluR2

This chimera contains the extracellular domain of the human CaR and transmembrane domain and intracellular cytoplasmic tail of human mGluR2. The chimeric junction between the CaR and hmGluR2 was created using a recombinant PCR strategy similar to those described above.

The first reaction used two primers, CA1156 (sense 19-mer, corresponding to nucleotides 1156-1174 of human CaR), and the hybrid primer CA/2 (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 1774-1794 of human CaR and 21 nucleotides complementary to nucleotides 1660-1680 of the human mGluR2). These primers were used to amplify a 659 bp PCR fragment of human CaR.

In a separate PCR reaction using phmGluR2 as template, a 692 bp fragment of the human mGluR2 was amplified using a hybrid primer 2/CA (sense 42-mer, exactly complementary to primer CA/2) and oligo 2-2330m, (antisense 23-mer, complementary to

10

15

20

25

30

nucleotides 2309-2331 of the human mGluR2 cDNA). The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers CA1156 and 2-2330m, and the Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested with SexA1 (Boehringer Mannheim) and BamHI (New England Biolabs) and subcloned into phCaR digested with the same two restriction enzymes. In the final cloning step, the 3' end of human mGluR2 was subcloned into this construct using the restriction enzymes BsrGI and BamHI (both New England Biolabs). The sequence of the resultant chimeric construct, phCaR/hmGluR2, was verified by ABI automated DNA sequence analysis.

## IV. phCaR/hmGluR2\*Gqi5

This construct contains the phCaR/hmGluR2 chimeric receptor fused to human  $G\alpha_q i5. \ A \ HindIII\text{-}BamHI \ fragment containing the phCaR/hmGluR2 \ construct was subcloned into pcDNA3.1/Hygro(+) (Invitrogen) to aid in constructing this fusion protein. The chimeric junction between the C-terminus of phCaR/hmGluR2 and the N-terminus of <math>G\alpha_q i5$  was created using a recombinant PCR strategy similar to those described above.

The first reaction used two primers, 2-1713 (sense 21-mer, corresponding to nucleotides 1710-1730 of human mGluR2) and the hybrid primer 2/Q (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 2596-2616 of human mGluR2, and 21 nucleotides complementary to nucleotides 1-21 of pG $\alpha_q$ i5). These primers were used to amplify a 927 bp PCR fragment of phCaR/hmGluR2. In a separate PCR reaction all of G $\alpha_q$ i5 was amplified using a hybrid primer Q/2 (sense 42-mer, exactly complementary to primer 2/Q) and the and the T3 primer commercially available from Stratagene.

These two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers 2-1713 and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with Bsu361 and BamHI (New England Biolabs) and subcloned into phCaR/hmGluR2 digested with the same two restriction enzymes. The sequence of the resultant chimeric fusion construct, phCaR/hmGluR2\*G $\alpha_q$ i5, was verified by DNA sequence analysis.

10

15

20

25

30

## V. phmGluR2//CaR Construct

This chimera contains the extracellular and transmembrane domains of human mGluR2 linked to the intracellular cytoplasmic tail domain of the human CaR. The chimeric junction was created using three separate PCR reactions.

The first reaction used two primers, 2-1713 (sense 21-mer, corresponding to nucleotides 1710-1730 of human mGluR2, Genbank Accession # 4504136) and the hybrid primer 2/CT (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 2452 – 2472 of human mGluR2 and 21 nucleotides complementary to nucleotides 2602-2622 of the human CaR). These primers were used to amplify a 783 bp PCR fragment of human mGluR2. In a separate PCR reaction using phCaR in the BlueScript SK<sup>-</sup> plasmid as template, a 750 bp fragment of the human CaR was amplified using a hybrid primer CT/2 (sense 42-mer, exactly complementary to primer 2/CT) and the T3 primer commercially available from Stratagene.

The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers 2-1713 and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with BsrG I and Not I (New England Biolabs) and subcloned into pmGluR2 digested with the same two restriction enzymes. The sequence of the resultant chimeric construct, pmGluR2//CaR, was verified by ABI automated DNA sequence analysis.

# VI. pmGluR2//CaR\*Gαqi5 Construct

This construct contains the hmGluR2//CaR chimeric receptor fused to human  $G\alpha_q i5$ . The chimeric junction between the C-terminus of hmGluR2//CaR and the N-terminus of  $G\alpha_q i5$  was created using a recombinant PCR strategy similar to that described above for the construction of phmGluR2//CaR.

The first reaction used two primers, CRP10A (sense 18-mer, corresponding to nucleotides 2812-2829 of phCaR) and the hybrid primer CaRQ (antisense 42-mer, containing 21 nucleotides complementary to nucleotides 3214–3234 phCaR, and 21 nucleotides complementary to nucleotides 1-21 of pG $\alpha_q$ i5). These primers were used to amplify a 443 bp PCR fragment of hmGluR2//CaR. In a separate PCR reaction, all of G $\alpha_q$ i5 was amplified using a hybrid primer QCaR (sense 42-mer, exactly complementary

30

5

10

to primer CaRQ) and the T3 primer commercially available from Stratagene.

The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers CRP10A and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with BstE II and Not I (New England Biolabs) and subcloned into pmGluR2//CaR digested with the same two restriction enzymes. The sequence of the resultant chimeric fusion construct, pmGluR2//CaR\*G $\alpha_q$ i5, was verified by ABI automated DNA sequence analysis.

## VII. Fusion Receptor Protein Linker Addition Constructs

## A. phmGluR2//CaR\*AAA\*Gαqi5

A linker encoding three alanine residues was incorporated into the phmGluR2//CaR\*G $\alpha_q$ i5 construct by mutagenesis (Stratagene QuickChange Mutagenesis Kit). A sense 40-mer, 2CQ+LP, contained 16 nucleotides corresponding to 3219-3234 of human CaR, followed by the 9 nucleotide sequence (GCGGCCGCC) encoding three alanine residues and a NotI restriction enzyme site, and then 15 nucleotides corresponding to nucleotides 1-15 of  $G\alpha_q$ i5. 2CQ+LP was annealed to an antisense 40-mer, 2CQ+LM, the exact complement of 2CQ+LP. These oligos were used in the mutagenesis reaction according to the manufacturer's protocol. Restriction enzyme analysis and DNA sequence analysis confirmed the insertion of the 9 nucleotide linker (GCGGCCGCC) between the C-terminus of phmGluR2//CaR and the N-terminus of  $G\alpha_q$ i5. This construct was designated phmGluR2//CaR\*AAA\* $G\alpha_q$ i5.

## B. Human $GABA_BR2*AAA*G\alpha_qo5$ and human $GABA_BR1a*AAA*G\alpha_qo5$

These constructs contain the human GABA<sub>B</sub>R2 (hGABA<sub>B</sub>R2: Genbank Accession # AJ 012188) and human GABA<sub>B</sub>R1a (hGABA<sub>B</sub>R1a: Genbank Accession # AJ 012185) fused at their C-terminus to the N-terminus of human  $G\alpha_q$ 05 (h $G\alpha_q$ 05: *Nature* 363:274-276, 1993). Human GABA<sub>B</sub>R2, hGABA<sub>B</sub>R1a, and h $G\alpha_q$ 05 were cloned into the plasmid pcDNA3.1/Hygro+ (Invitrogen) and are designated phGABA<sub>B</sub>R2, phGABA<sub>B</sub>R1a, and ph $G\alpha_q$ 05. The first reaction used two primers, XcmI-R2 (sense 20-mer, corresponding to nucleotides 2650-2669 of phGABA<sub>B</sub>R2) and the hybrid primer R2/Go5(-) (antisense 45-

10

15

20

25

30

mer, containing 18 nucleotides complementary to nucleotides 2806-2823 of phGABA<sub>B</sub>R2 and 18 nucleotides complementary to nucleotides 1-18 of hG $\alpha_q$ o5). These two complementary areas flank a 9 nucleotide sequence coding for 3 alanine sequences with a unique NotI restriction site. These primers were used to amplify a 200 base-pair PCR fragment.

In a separate PCR reaction, part of  $hG\alpha_qo5$  was amplified using a hybrid primer  $R2/G\alpha_qo5(+)$  (sense 45-mer), exactly complementary to R2/Go5(-) and XbaI-Go5 primer (22-mer containing 22 nucleotides complementary to nucleotides 873-895 of  $hG\alpha_qo5$ ) These primers were used to amplify a 914 base-pair PCR product. The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers; XcmI-R2 and XbaI-Go5, and Pfu polymerase (Stratagene).

The resulting chimeric PCR product was digested with the restriction endonucleases XcmI and XbaI (New England Biolabs) and subcloned into phGABA<sub>B</sub>R2 digested with the same two restriction enzymes. The resulting clone was then digested with HindIII and XbaI and subcloned into phG $\alpha_q$ o5 cut with HindIII and XbaI resulting in the chimeric hGABA<sub>B</sub>R\*AAA\*G $\alpha_q$ o5. The chimeric junction between the C-terminus hGABA<sub>B</sub>R1a, the Ala linker, and the N-terminus of hG $\alpha_q$ o5 was created using a recombinant PCR strategy similar to those described above.

To construct hGABA<sub>B</sub>R1a\*AAA\*Gqo5, the first reaction used a commercially available T7 primer (Novagen) and the NtI hGBR1 primer (CAGAGTCATGGCGGCCGCCTTATAAAGCAAATGCACTCG) corresponding to nucleotide numbers 1-9 of hG $\alpha_q$ o5 and nucleotide numbers 2863-2883 of hGABA<sub>B</sub>R1a.

## C. phmGluR8//CaR\*AAA\*Gα<sub>q</sub>i5

A linker encoding three alanine residues was incorporated into the phmGluR8//CaR\*G $\alpha_q$ i5 construct by mutagenesis (Stratagene QuickChange Mutagenesis Kit), exactly as described in Section A, above to create phmGluR2//CaR\*AAA\*G $\alpha_q$ i5. The same primers, 2CQ+LP and 2CQ+LM, were used for this mutagenesis. Restriction enzyme analysis and DNA sequence analysis confirmed the insertion of the 9-nucleotide linker (GCGGCCGCC) between the C-terminus of phmGluR8//CaR and the N-terminus of G $\alpha_q$ i5. This construct was designated phmGluR8//CaR\*AAA\*G $\alpha_q$ i5.

10

15

20

25

## D. ph8SPmGluR4//CaR\*AAA\*Gαqi5

This chimera contains the extracellular and transmembrane domains of the human 8SPmGluR4 construct and intracellular cytoplasmic tail of human CaR fused to  $G\alpha_qi5$  through the three alanine residue linker.

The chimeric junction between the human 8SPmGluR4 and hCaR was created using a recombinant PCR strategy similar to those previously described. The first reaction used two primers, mG4-2028R (sense 19-mer, corresponding to nucleotides of human 8SPmGluR4; sequence5'-catctaccgcatcttcgag-3'), and the hybrid primer 4CT (antisense 42-mer, containing 21 nucleotides complementary to human 8SPmGluR4 and 21 nucleotides complementary human CaR; sequence 5'-acgcacctcctcgatggtgttctgctccgggtggaagaggat –3'). These primers were used to amplify a 549 bp PCR fragment from human 8SPmGluR4.

In a separate PCR reaction, using phmGluR2//CaR\*AAA\*G $\alpha_q$ i5 as a template, a 743 bp fragment of the human CaR\*AAA\*G $\alpha_q$ i5 was amplified using the hybrid primer CT4 (sense 42-mer, exactly complementary to primer 4CT) and oligo Gaqi58R, (antisense 21-mer, complementary to G $\alpha_q$ i5 cDNA; sequence 5'- ctcgatctcgtcgttgatccg -3'). The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers mG4-2028R and Gaqi58R, and Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested sequentially with KpnI and NotI (New England Biolabs) and subcloned into ph8SPmGluR4 prepared with the same two restriction enzymes. This intermediate construct was known as ph8SPmGluR4//CaR(no stop). In the final cloning step, a fragment containing the  $G\alpha_q$ i5 cDNA was released from phmGluR8//CaR\*AAA\* $G\alpha_q$ i5 using the restriction enzymes ApaI and NotI (both New England Biolabs) and subcloned into the ph8SPmGluR4//CaR(no stop) construct, which was prepared with the same restriction enzymes. The sequence of the resultant chimeric construct, ph8SPmGluR4//CaR\*AAA\* $G\alpha_q$ i5, was verified by ABI automated DNA sequence analysis.

#### VIII. phmGluR8//CaR Construct

This chimera contains the extracellular and transmembrane domains of human mGluR8 linked to the intracellular cytoplasmic tail domain of the human CaR. The

30

10

15

20

25

30

chimeric junction between hmGluR8 and the CaR was created using a recombinant PCR strategy similar to those described above.

The first reaction used two primers, CH5A (sense 19-mer, corresponding to nucleotides 2187-2205 of human mGluR8, Stormann *et al.*, U.S. Patent Nos. 6,051,688, 6,077,675, and 6,084,084) and the hybrid primer CH5B (antisense 40-mer, containing 22 nucleotides complementary to nucleotides 2523 – 2544 of human mGluR8, and 18 nucleotides complementary to nucleotides 2602-2619 of the human CaR). These primers were used to amplify a 375 bp PCR fragment of human mGluR8. In a separate PCR reaction using phCaR in the BlueScript SK(-) plasmid as template, a 750 bp fragment of the human CaR was amplified using a hybrid primer CH5C (sense 40-mer, exactly complementary to primer CH5B) and the T3 primer commercially available from Stratagene.

The two PCR products generated from the above two reactions were annealed together in equimolar ratios in the presence of the external primers CH5A and T3, and the Pfu DNA polymerase (Stratagene). The resulting chimeric PCR product was digested with BsrG I and Xba I (New England Biolabs) and subcloned into pmGluR8 digested with the same two restriction enzymes. The sequence of the resultant chimeric construct, pmGluR8//CaR, was verified by DNA sequence analysis.

## IX. mGluR8//CaR\*Gαqi5 Construct

This construct contains the hmGluR8//CaR chimeric receptor fused to human  $G\alpha_q$ i5. The chimeric junction between the C-terminus of hmGluR8//CaR and the N-terminus of  $G\alpha_q$ i5 was created using a recombinant PCR strategy similar to that described above for the construction of phmGluR2//CaR\* $G\alpha_q$ i5.

The first reaction used two primers, CRP10A (sense 18-mer, corresponding to nucleotides 2812-2829 of phCaR) and the hybrid primer Gqi5/CaR (antisense 40-mer, containing 21 nucleotides complementary to nucleotides 3214-3234 phCaR, and 19 nucleotides complementary to nucleotides 1-19 of pG $\alpha_q$ i5). These primers were used to amplify a 441 bp PCR fragment of hmGluR8//CaR.

In a separate PCR reaction all of  $G\alpha_q$ i5 was amplified using a hybrid primer CaR/Gqi5 (sense 40-mer, exactly complementary to primer Gqi5/CaR) and the Apa I-mut primer (20-mer). The two PCR products generated from the above two reactions were

10

15

20

25

30

annealed together in equimolar ratios in the presence of the external primers CRP10A and Apa I-mut, and the Pfu DNA polymerase (Stratagene).

The resulting chimeric PCR product was digested with BstE II and Apa I (New England Biolabs) and subcloned into pmGluR8//CaR digested with the same two restriction enzymes. The sequence of the resultant chimeric fusion construct, pmGluR8//CaR\*Gaqi5, was verified by DNA sequence analysis.

## Example 2: Functional Expression of CaR/GABA<sub>B</sub>R2

In vitro transcribed RNA (7 ng) encoding a chimeric CaR/GABA<sub>B</sub>R2 (CaR extracellular and transmembrane domains, and intracellular GABA<sub>B</sub>R2 domain) was coinjected with *in vitro* transcribed RNA (2 ng) encoding G 15 into *Xenopus* oocytes. Following a 72-hour incubation, the oocytes were voltage-clamped using standard electrophysiological techniques (Hille, B., <u>Ionic Channels of Exictable Membranes</u>, pp.30-33, Sinauer Associates, Inc., Sunderland, Ma., 1992). Activation of the chimeric receptor was detected by increases in the calcium-activated chloride current.

Application of the CaR activator 100 Gd<sup>3+</sup>, resulted in reversible, oscillatory increases in the calcium-activated chloride current as shown in Figure 8. These data demonstrate the functional response of the chimeric CaR/GABA<sub>B</sub>R2 receptor upon activation via a site within the CaR extracellular domain. In this assay, the G 15 subunit acts to promote signal transduction through intracellular pathways that mobilize intracellular Ca<sup>++</sup>.

## Example 3: Expression of Different G-Protein Fusion Receptors

The ability of different G-protein fusions to transduce signal resulting from ligand binding is shown in Figure 15. The different G-protein fusion receptors used in this example were as follows: mGluR2//CaR\*Gqi5 (SEQ. ID. NO. 37), CaR/mGluR2\*Gqi5 (SEQ. ID. NO. 33), and mGluR8//CaR\*Gqi5 SEQ. ID. NO. 41.

Oocytes suitable for injection were obtained from adult female Xenopus laevis toads using procedures described in C. J. Marcus-Sekura and M. J. M. Hitchcock, Methods in Enzymology, Vol. 152 (1987).

Receptor fusion cRNAs were dissolved in water and 50 nl (12.5 ng/oocyte) were injected into individual oocytes. Following injection, oocytes were incubated at 16°C in MBS containing 1 mM CaCl<sub>2</sub> for 2 to 7 days prior to electrophysiological recording.

10

15

20

25

30

Test substances were applied by superfusion at a flow rate of about 5 ml/min. Receptor fusion activation was determined by measuring the increase in calcium-activated chloride current ( $I_{Cl}$ ). Increases in  $I_{Cl}$  were quantified by measuring the peak inward current stimulated by activating agent, relative to the holding current at -60 mV. Application of 100  $\mu$ M L-glutamate elicited a response from the mGluR2//CaR\*Gaqi5 and mGluR8//CaR\*Gaqi5. Application of 100  $\mu$ M Gd³+ activated the CaR/mGluR2\*Gqi5.

## Example 4: Expression of Different G-Protein Fusion Receptors in Mammalian Cells

HEK293 cells were transiently transfected with the p8SPhmGluR4//CaR\*AAA\*Gαqi5 or phmGluR8//CaR\*Gαqi5 plasmid DNAs using the following protocol. Initially, 150 cm² tissue culture flasks containing HEK293 cells at 75% confluence were transfected with 24 ug of plasmid DNA using Gibco BRL Life Technologies' Lipofectamine reagent. Following liposomal gene delivery the cells were allowed to recover for 24 hours. They were then plated overnight at 100,000 cells per well in black, clear bottom, Collagen I coated 96-well plates (Becton Dickenson, Biocoat) using DMEM supplemented with 10% fetal bovine serum (Hyclone Laboratories). The cells were assayed for function 48 hours after transient transection.

On the day of the assay, tissue culture medium was aspirated from the wells of a 96-well plate and 80  $\mu$ L of Assay Buffer (Assay Buffer is: 20 mM HEPES, 146 mM NaCl, 5 mM KCl, 1 mM MgCl<sub>2</sub>, 1 mM CaCl<sub>2</sub>, 1 mg/ml BSA, 1 mg/ml glucose, pH 7.4) supplemented with 6  $\mu$ M of the Ca<sup>2+</sup>-sensitive dye, Fluo-3 AM (Molecular Probes) and 0.025% Pluronic (Molecular Probes) was added to each well.

The plate was then incubated in the dark for 1 hour at room temperature to efficiently load the cells with Fluo-3. At the end of the incubation, extracellular Fluo-3 was removed by washing the plate with Assay Buffer. Assay Buffer was added back to each well (final volume = 160  $\mu L$ ) prior to beginning the assay. The plate was loaded into a fluorescence imaging plate reader (FLIPR) robotic device (Molecular Devices) with the laser setting at 0.8 Watts. At a time of 15 seconds after initiation of the assay, 40  $\mu L$  of Assay Buffer containing 150  $\mu M$  L-AP4 was added to the 160  $\mu L$  of Assay Buffer in each well of the plate to yield a final concentration of 30  $\mu M$  L-AP4.

Relative fluorescence intensity (excitation  $\lambda$  = 488 nm / emission  $\lambda$  = 510 nm) was monitored at relevant time intervals throughout the assay period to measure L-AP4-induced receptor activation.

Other embodiments are within the following claims. Thus, while several embodiments have been shown and described, various modifications may be made, without departing from the spirit and scope of the present invention.

10

15

20

25

30

### Claims

## 1. A G-protein fusion receptor comprising

an extracellular domain comprising an extracellular domain amino acid sequence substantially similar to either an extracellular CaR amino acid sequence, an extracellular mGluR amino acid sequence, or an extracellular GABA<sub>B</sub> receptor amino acid sequence;

a transmembrane domain joined to the carboxy terminus of said extracellular domain, said transmembrane domain comprising a transmembrane domain amino acid sequence substantially similar to either a transmembrane CaR amino acid sequence, a transmembrane mGluR amino acid sequence, or a transmembrane GABA<sub>B</sub> receptor amino acid sequence;

an intracellular domain joined to the carboxy terminus of said transmembrane domain comprising all or a portion of an intracellular amino acid sequence substantially similar to either an intracellular CaR amino acid sequence, an intracellular mGluR amino acid sequence, or an intracellular GABA<sub>B</sub> receptor amino acid sequence, provided that said portion is at least about 10 amino acids;

an optionally present linker joined to the carboxy terminus of said intracellular domain; and

a G-protein joined either to said intracellular domain or to said optionally present linker, provided that said G-protein is joined to said optionally present linker when said optionally present linker is present.

- 2. The G-protein fusion receptor of claim 1, wherein said extracellular domain consists of said extracellular domain amino acid sequence, said transmembrane domain consists of said transmembrane domain amino acid sequence; and said intracellular domain consists of said transmembrane domain amino acid sequence.
- 3. The G-protein fusion receptor of claim 2, wherein said optionally present linker is present and is a polypeptide 3 to 30 amino acids in length.
- 4. The G-protein fusion receptor of claim 2, wherein said optionally present linker is not present.

10

15

20

25

30

The G-protein fusion receptor of claim 3 or 4, wherein said G-protein is selected from the group consisting of: G 15, G 16, Gqo5, and Gqi5

- 6. The G-protein fusion of claim 5, wherein any of said CaR sequence present is a human CaR sequence, any of said mGluR sequence present is from a human mGluR, and any of said GABA<sub>B</sub> receptor sequence present is from human mGluR.
  - 7. A nucleic acid comprising a nucleotide sequence encoding for the G-protein fusion of any one of claims 1-6.
  - 8. An expression vector comprising a nucleotide sequence encoding for the G-protein fusion of any one of claims 1-6 transcriptionally coupled to a promoter.
  - 9. A recombinant cell comprising the expression vector of claim 8 and a cell wherein the G-protein fusion is expressed and is functional.
  - 10. A recombinant cell produced by combining a vector comprising the nucleic acid of claim 9 and elements for introducing heterologous nucleic acid into a cell wherein the G-protein fusion receptor is expressed, and said cell.
  - 11. A process for the production of a G-protein fusion receptor comprising: growing procaryotic or eukaryotic host cells comprising a nucleic acid sequence expressing the G-protein fusion receptor of any one of claims 1-6, under suitable nutrient conditions allowing for cell growth.
  - 12. A method of measuring the ability of a compound to effect G-protein fusion activity comprising the steps of:
  - a) providing said compound to a cell expressing the G-protein fusion receptor of any one of claims 1-6, and
- b) measuring the ability of said compound to affect the activity of said receptor as an indication of the ability of said compound to effect G-protein fusion receptor activity.
  - 13. A chimeric receptor comprising

5

10

15

20

25

30

an extracellular domain comprising an extracellular domain amino acid sequence substantially similar to a sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4 and SEQ ID NO: 5;

a transmembrane domain comprising a transmembrane domain amino acid sequence substantially similar to a sequence selected from the group consisting of SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, and SEQ ID NO: 10; and

an intracellular cytoplasmic domain comprising an intracellular domain amino acid sequence substantially similar to a sequence selected from the group consisting of SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, and SEQ ID NO: 14;

wherein at least one domain is present which comprises an amino acid sequence substantially similar to a sequence selected from the group consisting of: SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 7, SEQ ID NO: 8, and SEQ ID NO: 9, SEQ ID NO: 12, SEQ ID NO: 13, and SEQ ID NO: 14; and at least one domain is present which comprises an amino acid sequence substantially similar to a sequence selected from the group consisting of: SEQ ID NO: 1, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 10, SEQ ID NO: 11, and SEQ ID NO: 15.

- 14. The chimeric receptor of claim 13 wherein said extracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 2, 3, and 4; said transmembrane domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID Nos: 6, 7, 8, 9, and 10; and said intracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 11 and 15.
- 15. The chimeric receptor of claim 14, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 2; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence SEQ ID NO: 7; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 11.
- 16. The chimeric receptor of claim 14, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 3; said

10

15

20

25

30

NOs: 11, 12, 13, 14, and 15.

transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 8; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.

17. The chimeric receptor of claim 14, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence SEQ ID NO: 4; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 9; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.

18. The chimeric receptor of claim 13, wherein said extracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 1, 2, 3, 4 and 5; said transmembrane domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID Nos: 7, 8, and 9; and said intracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID

- 19. The chimeric receptor of claim 18, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 7; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 11.
- 20. The chimeric receptor of claim 18, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 8; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.
- 21. The chimeric receptor of claim 18, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid

10

15

20

25

30

sequence of SEQ ID NO: 9; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO 11.

- 22. The chimeric receptor of claim 13, wherein said extracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 1, 2, 3, 4, and 5; said transmembrane domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID Nos: 6, 7, 8, 9, and 10; and said intracellular domain has a sequence similarity of at least 90% with an amino acid sequence selected from the group consisting of SEQ ID NOs: 12, 13, and 14.
- 23. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 6; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 12.
- 24. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 7; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 12.
- 25. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 8; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 13.
- 26. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid

10

15

20

30

sequence of SEQ ID NO: 6; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 13.

- 27. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 9; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 14.
- 28. The chimeric receptor of claim 22, wherein said extracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 1; said transmembrane domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 6; and said intracellular domain has a sequence similarity of at least 90% with the amino acid sequence of SEQ ID NO: 14.
- 29. The chimeric receptor of any one of claims 13-28, wherein said receptor functional couples to a G-protein.
- 30. The chimeric receptor of any one of claims 13-28, wherein said chimeric receptor consists of said extracelluar domain, said transmembrane domain, said intracellular domain, and an optionally present G-protein  $\alpha$  subunit covalently joined to said intracellular domain.
- 31. The chimeric receptor of claim 30, wherein said chimeric receptor consists of said extracelluar domain, said transmembrane domain, and said intracellular domain.
  - 32. The chimeric receptor of claim 30, wherein said G-protein  $\alpha$  subunit consists of the amino acid sequence of SEQ ID Nos: 16 or 17.
  - 33. A nucleic acid comprising a nucleotide sequence encoding for the chimeric receptor of any one of claims 13-32.

10

15

20

25

30

- 34. An expression vector comprising a nucleotide sequence encoding for the chimeric receptor of any one of claims 13-32 transcriptionally coupled to a promoter.
- 35. A recombinant cell comprising the expression vector of claim 34 and a cell wherein the chimeric receptor is expressed and is functional.
  - 36. A recombinant cell produced by combining a vector comprising the nucleic acid of claim 33 and elements for introducing heterologous nucleic acid into a cell wherein the chimeric receptor is expressed, and said cell.
  - 37. A process for the production of a chimeric receptor comprising: growing procaryotic or eukaryotic host cells comprising a nucleic acid sequence expressing the chimeric receptor of any one of claims 13-32, under suitable nutrient conditions allowing for cell growth.
  - 38. A method of measuring the ability of a compound to effect GABA<sub>B</sub>R or mGluR activity comprising the steps of:
  - a) providing said compound to a cell expressing the chimeric receptor of any one of claims 13-32, and
  - b) measuring the ability of said compound to affect the activity of said receptor as an indication of the ability of said compound to effect  $GABA_BR$  or mGluR activity.
  - 39. The method of claim 38, wherein said method measures activity at a GABA<sub>B</sub>R.
    - 40. The method of claim 38, wherein said method measures activity at a mGluR.
  - 41. A fusion receptor polypeptide comprising a receptor and a G-protein  $\alpha$  subunit, wherein said G-protein  $\alpha$  subunit is fused to the intracellular domain of said receptor, provided that said receptor is not an adrenoreceptor.

# The graph of the state of the s

### **ABSTRACT**

The present invention features G-protein fusion receptors and chimeric GABA<sub>B</sub> receptors (GABA<sub>B</sub>Rs), nucleic acid encoding such receptors, and the use of such receptors and nucleic acid. G-protein fusion receptors comprise at least one domain from a CaR, a mGluR, and/or a GABA<sub>B</sub> receptor fused directly or through a linker to a guanine nucleotide-binding protein (G-protein). Chimeric GABA<sub>B</sub>Rs comprise at least one of a GABA<sub>B</sub>R extracellular domain, a GABA<sub>B</sub>R transmembrane domain, or a GABA<sub>B</sub>R intracellular domain and one or more domains from a mGluR subtype 8 (mGluR8) and/or a CaR.

5

to the temptal of

# ClustalW Formatted Alignments

SEQ ID 1 MAFYSCCWVLLALTWHTSAYGPDQR SEQ ID 2 MLLLLLAPLFLRPPGAGGAQTPNA SEQ ID 3 MGPGAPFARVGWPLPLLVVMAAGVA SEQ ID 4 MASPRSSGQPGPXPPPPPPARLLL SEQ ID 5 MVCEGKRSASCPCFFLLTAKFYWIL

SEQID 1 A Q K K G D I I L G G L F P I H F G V A A K D Q D SEQID 2 T S E G C Q I I H P P W E G G I R Y R G L T R D Q SEQID 3 P V W A S H S P H L P R P H S R V P P H P S S E R SEQID 4 L L L L P L L L P L A P G A W G W A R G A P R P P SEQID 5 T M M Q R T H S Q E Y A H S I R V D G D I I L G G

SEQID 1 LKSRPESVECIRYNFRGFRWLQAMI SEQID 2 VKAINFLPVDYEIEYVCRGEREVVG SEQID 3 RAVYIGALFPMSGGWPGGQACQPAV SEQID 4 PSSPPLSIMGLMPLTKEVAKGSIGR SEQID 5 LFPVHAKGERGVPCGELKKEKGIHR

SEQID 1 FAIEEINSSPALLPNLTLGYRIFD T SEQID 2 PKVRKCLANGSWTDMDTPSRCVRIC SEQID 3 EMALEDVNSRRDILPDYELKLIHHD SEQID 4 GVLPAVELAIEQIRNESLLRPYFLD SEQID 5 LEAMLYAIDQINKDPDLLSNITLGV

SEQID 1 CNTVSKALEATLSFVAQNKIDSLNL SEQID 2 SKSYLTLENGKVFLTGGDLPALDGA SEQID 3 SKCDPGQATKYLYELLYNDPIKIIL SEQID 4 LRLYDTECDNAKGLKAFYDAIKYGP SEQID 5 RILDTCSRDTYALEQSLTFVQALIE

 SEQ ID 1
 D E F C N C S E H I P S T I A V V G A T G S G V S

 SEQ ID 2
 R V D F R C D P D F H L V G S S R S I C S Q G Q W

 SEQ ID 3
 M P G C S S V S T L V A E A A R M W N L I V L S Y

 SEQ ID 4
 N H L M V F G G V C P S V T S I I A E S L Q G W N

 SEQ ID 5
 K D A S D V K C A N G D P P I F T K P D K I S G V

SEQID 1 TAVANLLGLFYIPQVSYASSSRLLS SEQID 2 STPKPHCQVNRTPHSERRAVYIGAL SEQID 3 GSSSPALSNRQRFPTFFRTHPSATL SEQID 4 LVQLSFAATTPVLADKKKYPYFFRT SEQID 5 I GAAASSVSIMVANILRLFKIPQIS

```
SEQID 1 NKNQFKSFLRTIPNDEHQATAMADI
SEQID 2 FPM S G G W P G G Q A C Q P A V E M A L E D V N
SEQID 3 HNPTRVKLFEKWGWKKIATIQQTTE
SEQID 4 V P S D N A V N P A I L K L L K H Y Q W K R V G T
SEQID 5 YASTAPELS DNTRYDFF SRVVPPD S
SEQID 1 I EYFRWNWVGTIAADDDYGRPGIEK
SEQID 2 SRRDILPDYELKLIHHDSKCDPGQA
SEQID3 VFTSTLDDLEERVKEAGIEITFRQS
SEQID4 LTQDVQRFSEVRNDLTGVLYGEDIE
SEQID 5 Y Q A Q A M V D I V T A L G W N Y V S T L A S E G
SEQID 1 FREE A E E R D I C I D F S E L I S Q Y S D E E
SEQID 2 TKYLYELLYNDPIKIILMPGCSSVS
SEQID3 FFSDPAVPVKNLKRQDARIIVGLFY
SEQID 4 ISDTESFSNDPCTSVKKLKGNDVRI
SEQ ID 5 NYGESGVEAFTQISREIGGVCIAQS
SEQID 1 EIQHVVEVIQNSTAKVIVVFSSGPD
SEQID 2 TLVAEAARMWNLIVLSYGSSSPALS
SEQID3 ETEARKVFCEVYKERLFGKKYVWFL
SEQID 4 ILGQFDQNMAAKVFCCAYEENMYGS
SEQ ID 5 OKIPREPRPGEFEKIIKRLLETPNA
SEQ ID 1 LEPLIKEIVRRNITGKIWLASEAWA
SEQID 2 NR Q R F P T F F R T H P S A T L H N P T R V K L
SEQ ID 3 I G W Y A D N W F K I Y D P S I N C T V D E M T E
SEQID 4 KYQWIIPGWYEPSWWEQVHTEANSS
SEQID 5 RAVIMFANEDDIRRILEAAKKLNQS
SEQID 1 SSSLIAMPQYFHVVGGTIGFALKAG
SEQID 2 FEKWGWKKIATIQQTTEVFTSTLDD
SEQID 3 AVEGHITTEIVMLNPANTRSISNMT
SEQID 4 RCLRKNLLAAMEGYIGVDFEPLSSK
SEQID 5 GHFLWIGSDSWGSKIAPVYQQEEIA
SEQID 1 QIPGFREFLKKVHPRKSVHNGFAKE
SEQID 2 LEERVKEAGIEITFRQSFFSDPAVP
SEQID3 SQEFVEKLTKRLKRHPEETGGFQEA
SEQID 4 QIKTISGKTPQQYEREYNNKRSGVG
SEQID 5 EGAVTILPKRASIDGFDRYFRSRTL
```

```
SEQID 1 FWEETFNCHLQEGAKGPLPVDTFLR
SEQID 2 VKNLKRQDARIIVGLFYETEARKYF
SEQID 3 PLAYDAIWALALALNKTSGGGGRSG
SEQID 4 PSKFHGYAYDGIWVIAKTLQRAMET
SEQID 5 ANNRRNVWFAEFWEENFGCKLGSHG
SEQID 1 GHEESGDRFSNSSTAFRPLCTGDEN
SEQ ID 2 CEVYKERLFGKKYVWFLIGWYADNW
SEQID 3 VRLED F N Y N N Q T I T D Q I Y R A M N S S S
SEQID 4 LHAS SRHQRIQD FNYTDHTLGRIIL
SEQ ID 5 KRNSHIKKCTGLERIARDSSYEOEG
SEQID 1 ISSVETPYIDYTHLRISYNVYLAVY
SEQID 2 FKIYDPSINCTVDEMTEAVEGHITT
SEQ ID 3  FEGVSGHVVFDASGSRMAWTLIEOL
SEQID 4 NAMNETNFFGVTGQVVFRNGERMGT
SEQID 5 KVQ FV I D A V Y S M A Y A L H N M H K D L C P
SEQID 1 SIAHALQDIYTCLPGRGLFTNGSCA
SEQID 2 EIVMLNPANTRSISNMTSQEFVEKL
SEQID 3 QGGSYKKIGYYDSTKDDLSWSKTDK
SEQID 4 IKFTQFQDSREVKVGEYNAVADTLE
SEQID 5 GYIGLCPRMSTIDGKELLGYIRAVN
SEQID 1 DIKKVEAWQVLKHLRHLNFTNNMGE
SEQID 2 TKRLKRHPEETGGFQEAPLAYDAIW
SEQID3 WIGGSPPADQTLVIKTFRFLSQK
SEQID 4 IINDTIRFQGSEPPKDKTIILEQLR
SEQID 5 FNGSAGTPVTFNENGDAPGRYDIFQ
SEQID 1 Q V T F D E C G D L V G N Y S I I N W H L S P E D
SEQID 2 ALALALNKTSGGGGRSGVRLEDFNY
SEQ ID 3
SEQID4 KISLP
SEQID 5 YQITNKSTEYKVIGHWTNQLHLKVE
SEQID 1 GSIVFKEVGYYNVYAKKGERLFINE
SEQID 2 NNQTITDQIYRAMNSSSFEGVSGHV
SEQ ID 3
SEQ ID 4
SEQ ID 5 DMQWAHREHTHPASVCSLPCKPGER
```

The same of the control of the contr

```
SEQID 1 EKILWSGFSREVPFSNCSRDCLAGT
SEQID 2 V F D A S G S R M A W T L I E Q L Q G G S Y K K I
SEQ ID 3
SEQ ID 4
SEQID 5 KKTVKGVPCCWHCERCEGYNYQVDE
SEQID 1 RKGIIEGEPTCCFECVECPDGEYSD
SEQID 2 GYYD STKDDL SWSKTDKWIGG SPPA
SEQ ID 3
SEQ ID 4
SEQID 5 LSCELCPLDQRPNMNRTGCQLIPII
SEQID 1 ETDASACNKCPDDFWSNENHTSCIA
SEQID2 DQTLVIKTFRFLSQK
SEQ ID 3
SEQ ID 4
SEQID5 KLEWHSPW
SEQID 1 KEIEFLSWTEPF
SEQ ID 2
SEQ ID 3
SEQ ID 4
SEQ ID 5
```

```
The state of the s
```

G I A L T L F A V L G I F L T A F V L G V F I K F R N T P I SEQ ID 6 L F I S V S V L S S L G I V L A V V C L S F N I Y N S H V R SEQ ID 7 L F I S V S V L S S L G I V L A V V C L S F N I Y N S H V R SEQ ID 8 LYSILSALTILGMIMASAFLFFNIKNRNQK SEQ ID 9 SEQID 10 AVVPV FVAILGII ATT FV IVT FVRYND TPI SEQ ID 6 V K A T N R E L S Y L L L F S L L C C F S S S L F F I G E P YIQNSQPNLNNLTAVGCSLALAAVFPLGLD SEQ ID 7 YIQNSQPNLNNLTAVGCSLALAAVFPLGLD SEQ ID 8 LIKMSSPYMNNLIILGGMLSYASIFLFGLD SEQ ID 9 SEQID 10 V R A S G R E L S Y V L L T G I F L C Y S I T F L M I A A P SEQ ID 6 QDWTCRLRQPAFGISFVLCISCILVKTNRV SEQ ID 7 GYHIGRNQFPFVCQARLWLLGLGFSLGYGS SEQ ID 8 GYHIGRNQFPFVCQARLWLLGLGFSLGYGS SEQ ID 9 GSFVSEKTFETLCTVRTWILTVGYTTAFGA SEQID 10 DTIICS FRRV FLG LGMC FS YAALLTK TNR I LLVFEAKIPTSFHRKWWGLNLQFLLVFLCT SEQ ID 6 SEQ ID 7 MFTKIWWVHTVFTKKEEKKEWRKTLEPWKL SEQ ID 8 MFTKIWWVHTVFTKKEEKKEWRKTLEPWKL MFAKTWRVHAIFKNVKMKKKIIKDQKLLVI SEQ ID 9 SEQID 10 HR I FE Q G K K S V T A P K F I S P A S Q L V I T F S L I SEQ ID 6 FMQ I V I C V I W L Y T A P P S S Y R N Q E L E D E I I F SEQ ID 7 YATVGLLVGMDVLTLAIWQIVDPLHRTIET SEQ ID 8 YATVGLLVGMDVLTLAIWQIVDPLHRTIET SEQ ID 9 V G G M L L I D L C I L I C W Q A V D P L R R T V E K Y S M SEQID 10 S V Q L L G V F V W F V V D P P H I I I D Y G E Q R T L D P SEQ ID 6 ITCHEGSLMALGFLIGYTCLLAAICFFFAF FAKEEPKED I DVS I LPQLEHCS SRKMNTW L SEQ ID 7 SEQ ID 8 FAKEEPKED I DVS I LPQLEHCS S R K M N T W L SEQ ID 9 EPDPAGRDISIRPLLEHCENTHMT!WLG!V SEQID 10 EKARGVLKCD ISDLSLICSLGYSILLMVTC SEQID 6 KSRKLPENFNEAKFITFSMLIFFIVWISFI SEQ ID 7 GIFYGYKGLLLLGIFLAYETKSVSTEKIN SEQ ID 8 GIFYGYKGLLLLGIFLAYETKSVSTEKIN SEQ ID 9 YAYKGLLMLFGCFLAWETRNVSIPALNDSK SEQID 10 TVYAIKTRGVPETFNEAKPIGFTMYTTCII

SEQID6 PAYASTYGKFVSAVEVIAILAASFGLLACI SEQID7 DHRAVGMAIYNVAVLCLITAPVTMILSSQQ SEQID8 DHRAVGMAIYNVAVLCLITAPVTMILSSQQ SEQID9 YIGMSVYNVGIMCIIGAAVSFLTRDQPNVQ SEQID10 WLAFIPIFFGTAQSAEKMYIQTTTLTVSMS

SEQID 6 FFNKIYIILF
SEQID 7 DAAFAFASLAIVFSSYITLVVLFVPKM
SEQID 8 DAAFAFASLAIVFSSYITLVVLFVPKM
SEQID 9 FCIVALVIIFCSTITLCLVFVPKL
SEQID 10 LSASVSLGMLYMPKVYIIIF

SEQ ID 15

```
SEQID 11 KPSRNTIEEVRCSTAAHAFKVAARATLRRS
SEQID 12 RRLITRGEWQSEAQDTMKTGSSTNNNEEEK
SEQID 13 RRLITRGEWQSEAQDTMKTGSSTNNNEEEK
SEQID 14 ITLR TNPD A A TQNRR FQ FTQNQKKED SKTS
SEQID 15 HPEQNVQKRKRS FKAVVTAAT MQSKLIQKG
SEO ID 11 N V S R K R S S S L G G S T G S T P S S S I S S K S N S E D
SEQID 12 SRLLEKENRELEKII AEKEERVSELRHQLQ
SEQID 13 SRLLEKENRELEKII AEKEERVSELRHQLQ
SEQID 14 TSVTSVNQASTSRLEGLQSENHRLRMKITE
SEQID 15 NDRPNGEVKSELCESLETNSKSSVEFPMVK
SEQID 11 P F P Q P E R Q K Q Q Q P L A L T Q Q E Q Q Q P L T L P Q
SEQID 12 SRQQLRSRRHPPTPPEPSGGLPRGPPEPPD
SEQID 13 SRQQLRSRRHPPTPPEPSGGLPRGPPEPPD
SEQID 14 LDKDLEEVTMQLQDTPEKTTYIKQNHYQEL
SEQID 15 SGSTS
SEQID 11 QQRSQQQPRCKQKV I FGSGTVTFSLSFDEP
SEQID 12 RLSCDGSRVHLLYK
SEQID 13 RLSCDGSRVHLLYK
SEQID 14 NDILNLGNFTESTDGGKAILKNHLDQNPQL
SEQ ID 15
SEQID 11 QKNAMAH GNSTHQNSLEAQKSSDTLTRHQP
SEQ ID 12
SEQ ID 13
SEQID 14 QWNTTEPSRTCKDPIED INSPEHIQRRLSL
SEQ ID 15
SEQID 11 LLPLQCGETDLDLTVQETGLQGPVGGDQRP
SEQ ID 12
SEQ ID 13
SEQID 14 QLPILHHAYLPS IGG V DAS C V S P C V S P T A S
SEQ ID 15
SEQID 11 EVEDPEELS PALV VSSSQS FV ISGGGS TV T
SEQ ID 12
SEQ ID 13
SEQID 14 PRHRHVPPS FRVMVSGL
```

SEQID 11 ENVVNS

SEQ ID 12

SEQ ID 13

SEQ ID 14

SEQ ID 15

SEQ. ID. NO. 16 MARSLTWGCCPWCLTEEEKTAARIDQEINR SEQ. ID. NO. 17 MARSLTWRCCPWCLTEDEKAAARVDOEINR SEQ.ID. NO. 16 ILLEQKKQEREELKLLLLGPGESGKSTFIK SEQ. ID. NO. 17 ILLEQKKQDRGELKLLLGPGESGKSTFIK SEQ.ID. NO. 16 QMRIIHGVGYSEEDRRAFRLLIYQNIFVSM SEQ. ID. NO. 17 QMRIIHGAGYSEEERKGFRPLVYQNIFVSM SEQ. ID. NO. 16 QAMIDAMDRLQIPFSRPDSKQHASLVMTQD SEQ. ID. NO. 17 RAMIEAMERLQIPFSRPESKHHASLVMSQD SEQ. ID. NO. 16 PYKVSTFEKPYAVAMQYLWRDAGIRACYER SEQ. ID. NO. 17 PYKVTTFEKRYAAAMQWLWRDAGIRACYER SEQ. ID. NO. 16 RREFHLLDSAVYYLSHLERISEDSYIPTAQ SEQ. ID. NO. 17 RREFHLLDSAVYYLSHLERITEEGYVPTAQ SEQ. ID. NO. 16 DVLRSRMPTTGINEYCFSVKKTKLRIVDVG SEQ. ID. NO. 17 DVLRSRMPTTGINEYCFSVQKTNLRIVDVG SEQ.ID. NO. 16 GQRSERRKWIHCFENVIALIYLASLSEYDQ SEQ. ID. NO. 17 GQKSERKKWIHCFENVIALIYLAS LSEYDQ SEQ.ID. NO. 16 CLEENDQENRMEESLALFSTILELPWFKST SEQ. ID. NO. 17 CLEENNQENRMKESLALFGTILELPWFKST SEQ. ID. NO. 16 SVILFLNKTDILEDKIHTSHLATYFPSFQG SEQ. ID. NO. 17 S V I L F L N K T D I L E E K I P T S H L A T Y F P S F Q G SEQ. ID. NO. 16 PRRDAEAAKS FILDMYARV YAS CAEPQDGG SEQ. ID. NO. 17 PKQDAEAAKRFILDMYTRMYTGCVDGPEGS SEQ. ID. NO. 16 RKGSRARRFFAHFTCATDTQSVRSVFKDVR

SEQ. ID. NO. 17 KKGARSRRLFSHYTCATDTQNIRKVFKDVR

SEQ. ID. NO. 16 D S V L A R Y L D E I N L L SEQ. ID. NO. 17 D S V L A R Y L D E I N L L

### ClustalW Formatted Alignments

```
SEQ. ID. NO. 18 ATGGCATTTTATAGCTGCTGCTGGG
SEQ. ID. NO. 19 A T G T T G C T G C T G C T A C T G G C G C
SEQ. ID. NO. 20 ATGGGGCCCGGGGCCCCTTTTGCCC
SEQ. ID. NO. 21 ATGGCTTCCCCGCGGAGCTCCGGGC
SEQ. ID. NO. 18 TCCTCTTGGCACTCACCTGGCACAC
SEQ. ID. NO. 19 CACTCTTCCTCCGCCCCCGGGCGC
SEQ. ID. NO. 20 GGGTGGGGTGGCCACTGCCGCTTCT
SEQ. ID. NO. 21 AGCCCGGGCCGC - GCCGCCGCCGCC
SEQ. ID. NO. 18 CTCTGCCTACGGGCCAGACCAGCGA
SEQ. ID. NO. 19 GGGGGGGGGGGAGACCCCCAACGCC
SEQ. ID. NO. 20 GGTTGTGATGGCGGCAGGGGTGGCT
SEQ. ID. NO. 21 ACCGCCGCGCGCGCGCCTGCTACTG
SEQ. ID. NO. 18 GCCCAAAAGAAGGGGGACATTATCC
SEQ. ID. NO. 19 ACCTCAGAAGGTTGCCAGATCATAC
SEQ. ID. NO. 20 CCGGTGTGGGGCCTCCCACTCCCCC
SEQ. ID. NO. 21 CTACTGCTGCTGCCGCTGCTGC
SEQ. ID. NO. 18 TTGGGGGGGCTCTTTCCTATTCATTT
SEQ. ID. NO. 19 ACCCGCCCTGGGAAGGGGGCATCAG
SEQ. ID. NO. 20 A T C T C C C G C G G C C T C A C T C G C G G G T
SEQ. ID. NO. 21 CTCTGGCGCCCGGGGCCTGGGGCTG
SEQ. ID. NO. 18 TGGAGTAGCAGCTAAAGATCAAGAT
SEQ. ID. NO. 19 GTACCGGGGCCTGACTCGGGACCAG
SEQ. ID. NO. 20 CCCCCGCACCCCTCCTCAGAACGG
SEQ. ID. NO. 21 GGCGCGGGGGCCCCCCGGCCG
SEQ. ID. NO. 18 CTCAAATCAAGGCCGGAGTCTGTGG
SEQ. ID. NO. 19 GTGAAGGCTATCAACTTCCTGCCAG
SEQ. ID. NO. 20 CGCGCAGTGTACATCGGGGCACTGT
SEQ. ID. NO. 21 CCCAGCAGCCGCCGCTCTCCATCA
SEQ. ID. NO. 18 AATGTATCAGGTATAATTCCGTGG
SEQ. ID. NO. 19 TGGACTATGAGATTGAGTATGTG
SEQ. ID. NO. 20 TTCCCATGAGCGGGGGCTGGCCAGG
SEQ. ID. NO. 21 TGGGCCTCATGCCGCTCACCAAGGA
```

SEQ. ID. NO. 18 GTTTCGCTGGTTACAGGCTATGATA SEQ. ID. NO. 19 CCGGGGGGGGGGGGGGGGGGG SEQ. ID. NO. 20 GGGCCAGGCCTGCCAGCCCGGGTG SEQ. ID. NO. 21 GGTGGCCAAGGGCAGCATCGGGCGC SEQ. ID. NO. 18 TTTGCCATAGAGGAGATAAACAGCA SEQ. ID. NO. 19 CCCAAGGTCCGCAAGTGCCTGGCCA SEQ. ID. NO. 20 GAGATGGCGCTGGAGGACGTGAATA SEQ. ID. NO. 21 GGTGTGCTCCCCGCCGTGGAACTGG SEQ. ID. NO. 18 GCCCAGCCCTTCTTCCCAACTTGAC SEQ. ID. NO. 19 ACGGCTCCTGGACAGATATGGACAC SEQ. ID. NO. 20 GCCGCAGGGACATCCTGCCGGACTA SEQ. ID. NO. 21 CCATCGAGCAGATCCGCAACGAGTC SEQ. ID. NO. 18 GCTGGGATACAGGATATTTGACACT SEQ. ID. NO. 19 ACCCAGCCGCTGTGTCCGAATCTGC SEQ. ID. NO. 20 TGAGCTCAAGCTCATCCACCACGAC SEQ. ID. NO. 21 ACTCCTGCGCCCCTACTTCCTCGAC SEQ. ID. NO. 18 TGCAACACCGTTTCTAAGGCCTTGG SEQ. ID. NO. 19 TCCAAGTCTTATTTGACCCTGGAAA SEQ. ID. NO. 20 AGCAAGTGTGATCCAGGCCAAGCCA SEQ. ID. NO. 21 CTGCGGCTCTATGACACGGAGTGCG SEQ. ID. NO. 18 AAGCCACCCTGAGTTTTGTTGCTCA SEQ. ID. NO. 19 ATGGGAAGGTTTTCCTGACGGGTGG SEQ. ID. NO. 20 CCAAGTACCTATATGAGCTGCTCTA SEQ. ID. NO. 21 ACAACGCAAAAGGGTTGAAAGCCTT SEQ. ID. NO. 18 AAACAAAATTGATTCTTTGAACCTT SEQ. ID. NO. 19 GGACCTCCCAGCTCTGGACGGAGCC SEQ. ID. NO. 20 CAACGACCCTATCAAGATCATCCTT SEQ. ID. NO. 21 CTACGATGCAATAAAATACGGGCCG SEQ. ID. NO. 18 GATGAGTTCTGCAACTGCTCAGAGC SEQ. ID. NO. 19 CGGGTGGATTTCCGGTTGTGACCCCG SEQ. ID. NO. 20 ATGCCTGGCTGCAGCTCTGTCTCCA SEQ. ID. NO. 21 AACCACTTGATGGTGTTTGGAGGCG 13 complete

```
SEQ. ID. NO. 18 A C A T T C C C T C T A C G A T T G C T G T G G T
SEQ. ID. NO. 19 ACTTCCATCTGGTGGGCAGCTCCCG
SEQ. ID. NO. 20 CGCTGGTGGCTGAGGCTGCTAGGAT
SEQ. ID. NO. 21 TCTGTCCATCCGTCACATCCATCAT
SEQ. ID. NO. 18 GGGAGCAACTGGCTCAGGCGTCTCC
SEQ. ID. NO. 19 GAGCATCTGTAGTCAGGGCCAGTGG
SEQ. ID. NO. 20 GTGGAACCTCATTGTGCTTTCCTAT
SEQ. ID. NO. 21 TGCAGAGTCCCTCCAAGGCTGGAAT
SEQ. ID. NO. 18 ACGGCAGTGGCAAATCTGCTGGGGC
SEQ. ID. NO. 19 AGCACCCCCAAGCCCCACTGCCAGG
SEQ. ID. NO. 20 GGCTCCAGCTCACCAGCCCTGTCAA
SEQ. ID. NO. 21 CTGGTGCAGCTTTCTTTTGCTGCAA
SEQ. ID. NO. 18 TCTTCTACATTCCCCCAGGTCAGTTA
SEQ. ID. NO. 19 TGAATCGAACGCCACACTCAGAACG
SEQ. ID. NO. 20 ACCGGCAGCGTTTCCCCACTTTCTT
SEQ. ID. NO. 21 CCACGCCTGTTCTAGCCGATAAGAA
SEQ. ID. NO. 18 TGCCTCCTCCAGCAGACTCCTCAGC
SEQ. ID. NO. 19 GCGCGCAGTGTACATCGGGGCACTG
SEQ. ID. NO. 20 CCGAACGCACCCATCAGCCACACTC
SEQ. ID. NO. 21 AAAATACCCTTATTCTTTCGGACC
SEQ. ID. NO. 18 AACAAGAATCAATTCAAGTCTTTCC
SEQ. ID. NO. 19 TTTCCCATGAGCGGGGGCTGGCCAG
SEQ. ID. NO. 20 CACAACCCTACCCGCGTGAAACTCT
SEQ. ID. NO. 21 GTCCCATCAGACAATGCGGTGAATC
SEQ. ID. NO. 18 TCCGAACCATCCCCAATGATGAGCA
SEQ. ID. NO. 19 GGGGCCAGGCCTGCCAGCCCGGGT
SEQ. ID. NO. 20 TTGAAAAGTGGGGCTGGAAGAAA
SEQ. ID. NO. 21 CAGCCATTCTGAAGTTGCTCAAGCA
SEQ. ID. NO. 18 CCAGGCCACTGCCATGGCAGACATC
SEQ. ID. NO. 19 GGAGATGGCGCTGGAGGACGTGAAT
SEQ. ID. NO. 20 TGCTACCATCCAGCAGACCACTGAG
SEQ. ID. NO. 21 CTACCAGTGGAAGCGCGTGGGCACG
```

```
SEQ. ID. NO. 18 ATCGAGTATTTCCGCTGGAACTGGG
SEQ. ID. NO. 19 AGCCGCAGGGACATCCTGCCGGACT
SEQ. ID. NO. 20 GTCTTCACTTCGACTCTGGACGACC
SEQ. ID. NO. 21 CTGACGCAAGACGTTCAGAGGTTCT
SEQ. ID. NO. 18 TGGGCACAATTGCAGCTGATGACGA
SEQ. ID. NO. 19 ATGAGCTCAAGCTCATCCACCACGA
SEQ. ID. NO. 20 TGGAGGAACGAGTGAAGGAGGCTGG
SEQ. ID. NO. 21 CTGAGGTGCGGAATGACCTGACTGG
SEQ. ID. NO. 18 CTATGGGCGGCCGGGGATTGAGAAA
SEQ. ID. NO. 19 CAGCAAGTGTGATCCAGGCCAAGCC
SEQ. ID. NO. 20 AATTGAGATTACTTTCCGCCAGAGT
SEQ. ID. NO. 21 AGTTCTGTATGGCGAGGACATTGAG
SEQ. ID. NO. 18 TTCCGAGAGGAAGCTGAGGAAAGGG
SEQ. ID. NO. 19 ACCAAGTACCTATATGAGCTGCTCT
SEQ. ID. NO. 20 TTCTTCTCAGATCCAGCTGTGCCCG
SEQ. ID. NO. 21 ATTTCAGACACCGAGAGCTTCTCCA
SEQ. ID. NO. 18 A T A T C T G C A T C G A C T T C A G T G A A C T
SEQ. ID. NO. 19 A C A A C G A C C C T A T C A A G A T C A T C C T
SEQ. ID. NO. 20 TCAAAAACCTGAAGCGCCAGGATGC
SEQ. ID. NO. 21 ACGATCCCTGTACCAGTGTCAAAAA
SEQ. ID. NO. 18 CATCTCCCAGTACTCTGATGAGGAA
SEQ. ID. NO. 19 TATGCCTGGCTGCAGCTCTGTCTCC
SEQ. ID. NO. 20 CCGAATCATCGTGGGACTTTTCTAT
SEQ. ID. NO. 21 GCTGAAGGGGAATGATGTGCGGATC
SEQ. ID. NO. 18 GAGATCCAGCATGTGGTAGAGGTGA
SEQ. ID. NO. 19 ACGCTGGTGGCTGAGGCTGCTAGGA
SEQ. ID. NO. 20 GAGACTGAAGCCCGGAAAGTTTTTT
SEQ. ID. NO. 21 A T C C T T G G C C A G T T T G A C C A G A A T A
SEQ. ID. NO. 18 TTCAAAATTCCACGGCCAAAGTCAT
SEQ. ID. NO. 19 TGTGGAACCTCATTGTGCTTTCCTA
SEQ. ID. NO. 20 GTGAGGTGTACAAGGAGCGTCTCTT
SEQ. ID. NO. 21 TGGCAGCAAAAGTGTTCTGTTGC
```

SEQ. ID. NO. 18 CGTGGTTTTCTCCAGTGGCCCAGAT SEQ. ID. NO. 19 TGGCTCCAGCTCACCAGCCCTGTCA SEQ. ID. NO. 20 TGGGAAGAAGTACGTCTGGTTCCTC SEQ. ID. NO. 21 ATACGAGGAGAACATGTATGGTAGT SEQ. ID. NO. 18 CTTGAGCCCCTCATCAAGGAGATTG SEQ. ID. NO. 19 AACCGGCAGCGTTTCCCCCACTTTCT SEQ. ID. NO. 20 ATTGGGTGGTATGCTGACAATTGGT SEQ. ID. NO. 21 AAATATCAGTGGATCATTCCGGGCT SEQ. ID. NO. 18 TCCGGCGCAATATCACGGGCAAGAT SEQ. ID. NO. 19 TCCGAACGCACCCATCAGCCACACT SEQ. ID. NO. 20 TCAAGATCTACGACCCTTCTATCAA SEQ. ID. NO. 21 GGTACGAGCCTTCTTGGTGGGAGCA SEQ. ID. NO. 18 CTGGCTGGCCAGCGAGGCCTGGGCC SEQ. ID. NO. 19 CCACAACCCTACCCGCGTGAAACTC SEQ. ID. NO. 20 CTGCACAGTGGATGAGATGACTGAG SEQ. ID. NO. 21 GGTGCACACGGAAGCCAACTCATCC SEQ. ID. NO. 18 AGCTCCTCCCTGATCGCCATGCCTC SEQ. ID. NO. 19 TTTGAAAAGTGGGGCTGGAAGAAGA SEQ. ID. NO. 20 GCGGTGGAGGGCCACATCACAACTG SEQ. ID. NO. 21 CGCTGCCTCCGGAAGAATCTGCTTG SEQ. ID. NO. 18 AGTACTTCCACGTGGTTGGCGGCAC SEQ. ID. NO. 19 TTGCTACCATCCAGCAGACCACTGA SEQ. ID. NO. 20 AGATTGTCATGCTGAATCCTGCCAA SEQ. ID. NO. 21 CTGCCATGGAGGGCTACATTGGCGT SEQ. ID. NO. 18 CATTGGATTCGCTCTGAAGGCTGGG SEQ. ID. NO. 19 GGTCTTCACTTCGACTCTGGACGAC SEQ. ID. NO. 20 TACCCGCAGCATTTCCAACATGACA SEQ. ID. NO. 21 GGATTTCGAGCCCCTGAGCTCCAAG SEQ. ID. NO. 18 CAGATCCCAGGCTTCCGGGAATTCC SEQ. ID. NO. 19 CTGGAGGAACGAGTGAAGGAGGCTG SEQ. ID. NO. 20 TCCCAGGAATTTGTGGAGAACTAA SEQ. ID. NO. 21 CAGATCAAGACCATCTCAGGAAAGA

SEQ. ID. NO. 18 TGAAGAAGGTCCATCCCAGGAAGTC SEQ. ID. NO. 19 GAATTGAGATTACTTTCCGCCAGAG SEQ. ID. NO. 20 CCAAGCGACTGAAAAGACACCCTGA SEQ. ID. NO. 21 CTCCACAGCAGTATGAGAGAGAGTA SEQ. ID. NO. 18 TGTCCACAATGGTTTTGCCAAGGAG SEQ. ID. NO. 19 TTTCTTCTCAGATCCAGCTGTGCCC SEQ. ID. NO. 20 GGAGACAGGAGGCTTCCAGGAGGCA SEQ. ID. NO. 21 CAACAACAAGGGGTCAGGGGG SEQ. ID. NO. 18 TTTTGGGAAGAAACATTTAACTGCC SEQ. ID. NO. 19 GTCAAAACCTGAAGCGCCAGGATG SEQ. ID. NO. 20 CCGCTGGCCTATGATGCCATCTGGG SEQ. ID. NO. 21 CCCAGCAAGTTCCACGGGTACGCCT SEQ. ID. NO. 18 ACCTCCAAGAAGGTGCAAAAGGACC SEQ. ID. NO. 19 CCCGAATCATCGTGGGACTTTTCTA SEQ. ID. NO. 20 CCTTGGCACTGGCCCTGAACAAGAC SEQ. ID. NO. 21 ACGATGGCATCTGGGTCATCGCCAA SEQ. ID. NO. 18 TTTACCTGTGGACACCTTTCTGAGA SEQ. ID. NO. 19 TGAGACTGAAGCCCGGAAAGTTTTT SEQ. ID. NO. 20 A T C T G G A G G A G G C G G C C G T T C T G G T SEQ. ID. NO. 21 GACACTGCAGAGGGCCATGGAGACA SEQ. ID. NO. 18 GGTCACGAAGAAGTGGCGACAGGT SEQ. ID. NO. 19 TGTGAGGTGTACAAGGAGCGTCTCT SEQ. ID. NO. 20 GTGCGCCTGGAGGACTTCAACTACA SEQ. ID. NO. 21 CTGCATGCCAGCAGCGGCACCAGC SEQ. ID. NO. 18 TTAGCAACAGCTCGACAGCCTTCCG SEQ. ID. NO. 19 TTGGGAAGAAGTACGTCTGGTTCCT SEQ. ID. NO. 20 A C A A C C A G A C C A T T A C C G A C C A A A T SEQ. ID. NO. 21 GGATCCAGGACTTCAACTACACGGA SEQ. ID. NO. 18 ACCCCTCTGTACAGGGGATGAGAAC SEQ. ID. NO. 19 CATTGGGTGGTATGCTGACAATTGG SEQ. ID. NO. 20 CTACCGGGCAATGAACTCTTCGTCC SEQ. ID. NO. 21 CCACACGCTGGGCAGGATCATCCTC

the supply of

SEQ. ID. NO. 18 ATCAGCAGTGTCGAGACCCCTTACA SEQ. ID. NO. 19 TTCAAGATCTACGACCCTTCTATCA SEQ. ID. NO. 20 TTTGAGGGTGTCTCTGGCCATGTGG SEQ. ID. NO. 21 AATGCCATGAACGAGACCAACTTCT SEQ. ID. NO. 18 TAGATTACACGCATTTACGGATATC SEQ. ID. NO. 19 ACTGCACAGTGGATGAGATGACTGA SEQ. ID. NO. 20 TGTTTGATGCCAGCGGCTCTCGGAT SEQ. ID. NO. 21 TCGGGGTCACGGGTCAAGTTGTATT SEQ. ID. NO. 18 CTACAATGTGTACTTAGCAGTCTAC SEQ. ID. NO. 19 GGCGGTGGAGGGCCACATCACAACT SEQ. ID. NO. 20 GGCATGGACGCTTATCGAGCAGCTT SEQ. ID. NO. 21 CCGGAATGGGGAGAGAATGGGGACC SEQ. ID. NO. 18 TCCATTGCCCACGCCTTGCAAGATA SEQ. ID. NO. 19 GAGATTGTCATGCTGAATCCTGCCA SEQ. ID. NO. 20 CAGGGTGGCAGCTACAAGAAGATTG SEQ. ID. NO. 21 ATTAAATTTACTCAATTTCAAGACA SEQ. ID. NO. 18 TATACCTGCTTACCTGGGAGAGG SEQ. ID. NO. 19 A TACCCGCAGCATTTCCAACATGAC SEQ. ID. NO. 20 GCTACTATGACAGCACCAAGGATGA SEQ. ID. NO. 21 GCAGGGAGGTGAAGGTGGAAGTA SEQ. ID. NO. 18 GCTCTTCACCAATGGCTCCTGTGCA SEQ. ID. NO. 19 A T C C C A G G A A T T T G T G G A G A A C T A SEQ. ID. NO. 20 TCTTTCCTGGTCCAAAACAGATAAA SEQ. ID. NO. 21 CAACGCTGTGGCCGACACACTGGAG SEQ. ID. NO. 18 GACATCAAGAAAGTTGAGGCGTGGC SEQ. ID. NO. 19 ACCAAGCGACTGAAAAGACACCCTG SEQ. ID. NO. 20 TGGATTGGAGGGTCCCCCCCAGCTG SEQ. ID. NO. 21 ATCATCAATGACACCATCAGGTTCC SEQ. ID. NO. 18 AGGTCCTGAAGCACCTACGGCATCT SEQ. ID. NO. 19 AGGAGACAGGAGGCTTCCAGGAGGC SEQ. ID. NO. 20 ACCAGACCCTGGTCATCAAGACATT SEQ. ID. NO. 21 AAGGATCCGAACCACCAAAAGACAA

headed, j

SEQ. ID. NO. 18 AAACTTTACAAACAATATGGGGGAG SEQ. ID. NO. 19 ACCGCTGGCCTATGATGCCATCTGG SEQ. ID. NO. 20 CCGCTTCCTGTCACAGAAACTCTTT SEQ. ID. NO. 21 GACCATCATCCTGGAGCAGCTGCGG SEQ. ID. NO. 18 CAGGTGACCTTTGATGAGTGTGGTG SEQ. ID. NO. 19 GCCTTGGCACTGGCCCTGAACAAGA SEQ. ID. NO. 20 A T C T C C G T C T C A G T T C T C C A G C C SEO. ID. NO. 21 AAGATCTCCCTACCTCTCTACAGCA SEQ. ID. NO. 18 ACCTGGTGGGGAACTATTCCATCAT SEQ. ID. NO. 19 CATCTGGAGGAGGCGGCCGTTCTGG SEQ. ID. NO. 20 TGGGCATTGTCCTAGCTGTTGTCTG SEQ. ID. NO. 21 TCCTCTCTGCCCTCACCATCCTCGG SEQ. ID. NO. 18 CAACTGGCACCTCTCCCCAGAGGAT SEQ. ID. NO. 19 TGTGCGCCTGGAGGACTTCAACTAC SEQ. ID. NO. 20 TCTGTCCTTTAACATCTACAACTCA SEQ. ID. NO. 21 GATGATCATGGCCAGTGCTTTTCTC SEQ. ID. NO. 18 GGCTCCATCGTGTTTAAGGAAGTCG SEQ. ID. NO. 19 AACAACCAGACCATTACCGACCAAA SEQ. ID. NO. 20 CATGTCCGTTATATCCAGAACTCAC SEQ. ID. NO. 21 TTCTTCAACATCAAGAACCGGAATC SEQ. ID. NO. 18 GGTATTACAACGTCTATGCCAAGAA SEQ. ID. NO. 19 TCTACCGGGCAATGAACTCTTCGTC SEQ. ID. NO. 20 AGCCCAACCTGAACAACCTGACTGC SEQ. ID. NO. 21 AGAAGCTCATAAAGATGTCGAGTCC SEQ. ID. NO. 18 GGGAGAAAGACTCTTCATCAACGAG SEQ. ID. NO. 19 CTTTGAGGGTGTCTCTGGCCATGTG SEQ. ID. NO. 20 TGTGGGCTGCTCACTGGCTTTAGCT SEQ. ID. NO. 21 ATACATGAACAACCTTATCATCCTT SEQ. ID. NO. 18 GAGAAATCCTGTGGAGTGGGTTCT SEQ. ID. NO. 19 GTGTTTGATGCCAGCGGCTCTCGGA SEQ. ID. NO. 20 GCTGTCTTCCCCCTGGGGCTCGATG SEQ. ID. NO. 21 GGAGGGATGCTCTCCTATGCTTCCA

Figure 5h

ن زياد وسوه د اد

```
SEQ. ID. NO. 18 CCAGGGAGGTGCCCTTCTCCAACTG
SEQ. ID. NO. 19 TGGCATGGACGCTTATCGAGCAGCT
SEQ. ID. NO. 20 GTTACCACATTGGGAGGAACCAGTT
SEQ. ID. NO. 21 TATTTCTCTTTTGGCCTTGATGGATC
SEQ. ID. NO. 18 CAGCCGAGACTGCCTGGCAGGGACC
SEQ. ID. NO. 19 TCAGGGTGGCAGCTACAAGAAGATT
SEQ.ID. NO. 20 тсстттс втствсса в всссвсстс
SEQ. ID. NO. 21 CTTTGTCTCTGAAAAGACCTTTGAA
SEQ. ID. NO. 18 AGGAAAGGGATCATTGAGGGGGAGC
SEQ. ID. NO. 19 GGCTACTATGACAGCACCAAGGATG
SEQ. ID. NO. 20 TGGCTCCTGGGCCTGGGCTTTAGTC
SEQ. ID. NO. 21 ACACTTTGCACCGTCAGGACCTGGA
SEQ. ID. NO. 18 CCACCTGCTGCTTTGAGTGTGGA
SEQ. ID. NO. 19 ATCTTTCCTGGTCCAAAACAGATAA
SEQ. ID. NO. 20 TGGGCTACGGTTCCATGTTCACCAA
SEQ. ID. NO. 21 TTCTCACCGTGGGCTACACGACCGC
SEQ. ID. NO. 18 GTGTCCTGATGGGGAGTATAGTGAT
SEQ. ID. NO. 19 ATGGATTGGAGGGTCCCCCCAGCT
SEQ. ID. NO. 20 GATTTGGTGGGTCCACACGGTCTTC
SEQ. ID. NO. 21 TTTTGGGGCCATGTTTGCAAAGACC
SEQ. ID. NO. 18 GAGACAGATGCCAGTGCCTGTAACA
SEQ. ID. NO. 19 GACCAGACCCTGGTCATCAAGACAT
SEQ. ID. NO. 20 ACAAAGAAGGAAGAAAGAAGT
SEQ. ID. NO. 21 TGGAGAGTCCACGCCATCTTCAAAA
SEQ. ID. NO. 18 AGTGCCCAGATGACTTCTGGTCCAA
SEQ. ID. NO. 19 TCCGCTTCCTGTCACAGAACTCTT
SEQ. ID. NO. 20 GGAGGAAGACTCTGGAACCCTGGAA
SEQ. ID. NO. 21 ATGTGAAAATGAAGAAGATCAT
SEQ. ID. NO. 18 TGAGAACCACACCTCCTGCATTGCC
SEQ. ID. NO. 19 TATCTCCGTCTCAGTTCTCTCCAGC
SEQ. ID. NO. 20 GCTGTATGCCACAGTGGGCCTGCTG
SEQ. ID. NO. 21 CAAGGACCAGAAACTGCTTGTGATC
```

t tefferil, J.,

SEQ. ID. NO. 18 AAGGAGATCGAGTTTCTGTCGTGGA SEQ. ID. NO. 19 CTGGGCATTGTCCTAGCTGTTGTCT SEQ. ID. NO. 20 GTGGGCATGGATGTCCTCACTCTCG SEQ. ID. NO. 21 GTGGGGGGCATGCTGATCGACC SEQ. ID. NO. 18 CGGAGCCCTTTGGGATCGCACTCAC SEQ. ID. NO. 19 GTCTGTCCTTTAACATCTACAACTC SEQ. ID. NO. 20 CCATCTGGCAGATCGTGGACCCTCT SEQ. ID. NO. 21 TGTGTATCCTGATCTGCTGGCAGGC SEQ. ID. NO. 18 CCTCTTTGCCGTGCTGGGCATTTTC SEQ. ID. NO. 19 ACATGTCCGTTATATCCAGAACTCA SEQ. ID. NO. 20 GCACCGGACCATTGAGACATTTGCC SEQ. ID. NO. 21 TGTGGACCCCCTGCGAAGGACAGTG SEQ. ID. NO. 18 CTGACAGCCTTTGTGCTGGGTGTGT SEQ. ID. NO. 19 CAGCCCAACCTGAACAACCTGACTG SEQ. ID. NO. 20 AAGGAGGAACCTAAGGAAGATATTG SEQ. ID. NO. 21 GAGAAGTACAGCATGGAGCCGGACC SEQ. ID. NO. 18 TTATCAAGTTCCGCAACACACCAT SEQ. ID. NO. 19 CTGTGGGCTGCTCACTGGCTTTAGC SEQ. ID. NO. 20 ACGTCTCTATTCTGCCCCAGCTGGA SEQ. ID. NO. 21 CAGCAGGACGGGATATCTCCATCCG SEQ. ID. NO. 18 TGTCAAGGCCACCAACCGAGAGCTC SEQ. ID. NO. 19 TGCTGTCTTCCCCCTGGGGCTCGAT SEQ. ID. NO. 20 GCATTGCAGCTCCAGGAAGATGAAT SEQ. ID. NO. 21 CCCTCTCCTGGAGCACTGTGAGAAC SEQ. ID. NO. 18 TCCTACCTCCTCCTCCTCCTGC SEQ. ID. NO. 19 GGTTACCACATTGGGAAGGAACCAGT SEQ. ID. NO. 20 ACATGGCTTGGCATTTCTATGGTT SEQ. ID. NO. 21 ACCCATATGACCATCTGGCT SEQ. ID. NO. 18 TCTGCTGCTTCTCCAGCTCCCTGTT SEQ. ID. NO. 19 TTCCTTTCGTCTGCCAGGCCCGCCT SEQ. ID. NO. 20 ACAAGGGGCTGCTGCTGGG SEQ. ID. NO. 21 TCGTCTATGCCTACAAGGGACTTCT

tourd, be

```
SEQ. ID. NO. 18 CTTCATCGGGGAGCCCCAGGACTGG
SEQ. ID. NO. 19 CTGGCTCCTGGGCCTGGGCTTTAGT
SEQ. ID. NO. 20 AATCTTCCTTGCTTATGAGACCAAG
SEQ. ID. NO. 21 CATGTTGTTCGGTTGTTTCTTAGCT
SEQ. ID. NO. 18 ACGTGCCGCCTGCGCCAGCCGGCCT
SEQ. ID. NO. 19 CTGGGCTACGGTTCCATGTTCACCA
SEQ. ID. NO. 20 AGTGTGTCCACTGAGAAGATCAATG
SEQ. ID. NO. 21 TGGGAGACCCGCAACGTCAGCATCC
SEQ. ID. NO. 18 TTGGCATCAGCTTCGTGCTCTGCAT
SEQ. ID. NO. 19 AGATTTGGTGGGTCCACACGGTCTT
SEQ. ID. NO. 20 A T C A C C G G G C T G T G G G C A T G G C T A T
SEQ. ID. NO. 21 CCGCACTCAACGACAGCAAGTACAT
SEQ. ID. NO. 18 CTCATGCATCCTGGTGAAAACCAAC
SEQ. ID. NO. 19 CACAAAGAAGGAAGAAAGAAGGAG
SEQ. ID. NO. 20 CTACAATGTGGCAGTCCTGTGCCTC
SEQ. ID. NO. 21 CGGGATGAGTGTCTACAACGTGGGG
SEQ. ID. NO. 18 CGTGTCCTCCTGGTGTTTGAGGCCA
SEQ. ID. NO. 19 TGGAGGAAGACTCTGGAACCCTGGA
SEQ. ID. NO. 20 ATCACTGCTCCTGTCACCATGATTC
SEQ. ID. NO. 21 ATCATGTGCATCATCGGGGCCGCTG
SEQ. ID. NO. 18 AGATCCCCACCAGCTTCCACCGCAA
SEQ. ID. NO. 19 AGCTGTATGCCACAGTGGGCCTGCT
SEQ. ID. NO. 20 TGTCCAGCCAGCAGGATGCAGCCTT
SEQ. ID. NO. 21 TCTCCTTCCTGACCCGGGACCAGCC
SEQ. ID. NO. 18 GTGGTGGGGGCTCAACCTGCAGTTC
SEQ. ID. NO. 19 GGTGGGCATGGATGTCCTCACTCTC
SEQ. ID. NO. 20 TGCCTTTGCCTCTTGCCATAGTT
SEQ. ID. NO. 21 CAATGTGCAGTTCTGCATCGTGGCT
SEQ. ID. NO. 18 CTGCTGGTTTTCCTCTGCACCTTCA
SEQ. ID. NO. 19 GCCATCTGGCAGATCGTGGACCCTC
SEQ. ID. NO. 20 TTCTCCTCCTATATCACTCTTGTTG
SEQ. ID. NO. 21 CTGGTCATCATCTTCTGCAGCACCA
```

ن ۾ راء تابيع

```
SEQ. ID. NO. 18 TGCAGATTGTCATCTGTGATCTG
SEQ. ID. NO. 19 TGCACCGGACCATTGAGACATTTGC
SEQ. ID. NO. 20 TGCTCTTTGTGCCCAAGATGCGCAG
SEQ. ID. NO. 21 TCACCCTCTGCCTGGTATTCGTGCC
SEQ. ID. NO. 18 GCTCTACACCGCGCCCCCCTCAAGC
SEQ. ID. NO. 19 CAAGGAGGAACCTAAGGAAAGATATT
SEQ. ID. NO. 20 GCTGATCACCCGAGGGGAATGGCAG
SEQ. ID. NO. 21 GAAGCTCATCACCCTGAGAACAAAC
SEQ. ID. NO. 18 TACCGCAACCAGGAGCTGGAGGATG
SEQ. ID. NO. 19 GACGTCTCTATTCTGCCCCAGCTGG
SEQ. ID. NO. 20 TCGGAGGCGCAGGACACCATGAAGA
SEQ. ID. NO. 21 CCAGATGCAGCAACGCAGAACAGGC
SEQ. ID. NO. 18 AGATCATCTTCATCACGTGCCACGA
SEQ. ID. NO. 19 AGCATTGCAGCTCCAGGAAGATGAA
SEQ. ID. NO. 20 CAGGGTCATCGACCAACAACAACGA
SEQ. ID. NO. 21 GATTCCAGTTCACTCAGAATCAGAA
SEQ. ID. NO. 18 GGGCTCCCTCATGGCCCTGGGCTTC
SEQ. ID. NO. 19 TACATGGCTTGGCATTTCTATGGT
SEQ. ID. NO. 20 GGAGGAGAGTCCCGGCTGTTGGAG
SEQ. ID. NO. 21 GAAAGAAGATTCTAAAACGTCCACC
SEQ. ID. NO. 18 CTGATCGGCTACACCTGCCTGG
SEQ. ID. NO. 19 TACAAGGGGCTGCTGCTGCTGG
SEQ. ID. NO. 20 AAGGAGAACCGTGAACTGGAAAAGA
SEQ. ID. NO. 21 TCGGTCACCAGTGTGAACCAAGCCA
SEQ. ID. NO. 18 CTGCCATCTGCTTCTTTTTGCCTT
SEQ. ID. NO. 19 GAATCTTCCTTGCTTATGAGACCAA
SEQ. ID. NO. 20 TCATTGCTGAGAAAGAGAGCGTGT
SEQ. ID. NO. 21 GCACATCCCGCCTGGAGGGCCTACA
 SEQ. ID. NO. 18 CAAGTCCCGGAAGCTGCCGGAGAAC
 SEQ. ID. NO. 19 GAGTGTGTCCACTGAGAAGATCAAT
 SEQ. ID. NO. 20 CTCTGAACTGCGCCATCAACTCCAG
```

SEQ. ID. NO. 21 GTCAGAAAACCATCGCCTGCGAATG

SEQ. ID. NO. 18 TTCAATGAAGCCAAGTTCATCACCT SEQ. ID. NO. 19 GATCACCGGGCTGTGGGCATGGCTA SEQ. ID. NO. 20 TCTCGGCAGCAGCTCCGGC SEQ. ID. NO. 21 AAGATCACAGAGCTGGATAAAGACT SEQ. ID. NO. 18 TCAGCATGCTCATCTTCATCGT SEQ. ID. NO. 19 TCTACAATGTGGCAGTCCTGTGCCT SEQ. ID. NO. 20 GCCACCCACCGACACCCCAGAACC SEQ. ID. NO. 21 TGGAAGAGGTCACCATGCAGCTGCA SEQ. ID. NO. 18 CTGGATCTCCTTCATTCCAGCCTAT SEQ. ID. NO. 19 CATCACTGCTCCTGTCACCATGATT SEQ. ID. NO. 20 CTCTGGGGGCCTGCCCAGGGGACCC SEQ. ID. NO. 21 GGACACACCAGAAAAGACCACCTAC SEQ. ID. NO. 18 GCCAGCACCTATGGCAAGTTTGTCT SEQ. ID. NO. 19 CTGTCCAGCCAGCAGGATGCAGCCT SEQ. ID. NO. 20 CCTGAGCCCCCGACCGGCTTAGCT SEQ. ID. NO. 21 ATTAAACAGAACCACTACCAAGAGC SEQ. ID. NO. 18 CTGCCGTAGAGGTGATTGCCATCCT SEQ. ID. NO. 19 TTGCCTTTGCCTTTGCCATAGT SEQ. ID. NO. 20 GTGATGGGAGTCGAGTGCATTTGCT SEQ. ID. NO. 21 TCAATGACATCCTCAACCTGGGAAA SEQ. ID. NO. 18 GGCAGCCAGCTTTGGCTGGCG SEQ. ID. NO. 19 TTTCTCCTCCTATATCACTCTTGTT SEQ. ID. NO. 20 TTATAAGTGAGGGTAGGGGA SEQ. ID. NO. 21 CTTCACTGAGAGCACAGATGGAGGA SEQ. ID. NO. 18 TGCATCTTCAACAAGATCTACA SEQ. ID. NO. 19 GTGCTCTTTGTGCCCAAGATGCGCA SEQ. ID. NO. 20 GGACAGGCCAGTAGGGGAAGAA SEQ. ID. NO. 21 AAGGCCATTTTAAAAAATCACCTCG SEQ. ID. NO. 18 TCATTCTCTAAGCCATCCCGCAA SEQ. ID. NO. 19 GGCTGATCACCCGAGGGGAATGGCA SEQ. ID. NO. 20 GGGAGAGGGGAAGGGGACTC SEQ. ID. NO. 21 ATCAAAATCCCCAGCTACAGTGGAA

յւ**թ**փոն, <sub>1.բ</sub>

SEQ. ID. NO. 18 CACCATCGAGGAGGTGCGTTGCAGC SEQ. ID. NO. 19 GTCGGAGGCGCAGGACACCATGAAG SEQ. ID. NO. 20 AGGAAGCAGGGGGTCCCCATCCCCA SEQ. ID. NO. 21 CACAACAGAGCCCTCTCGAACATGC SEQ. ID. NO. 18 ACCGCAGCTCACGCTTTCAAGGTGG SEQ. ID. NO. 19 A C A G G G T C A T C G A C C A A C A A C G SEQ. ID. NO. 20 GCTGGGAAGAACATGCTATCCAATC SEQ. ID. NO. 21 AAAGATCCTATAGAAGATATAAACT SEQ. ID. NO. 18 CTGCCCGGGCCACGCTGCGCCGCAG SEQ. ID. NO. 19 AGGAGGAGAAGTCCCGGCTGTTGGA SEQ. ID. NO. 20 TCATCTCTTGTAAATACATGTCCCC SEQ. ID. NO. 21 CTCCAGAACACATCCAGCGTCGGCT SEQ. ID. NO. 18 CAACGTCTCCCGCAAGCGGTCCAGC SEQ. ID. NO. 19 GAAGGAGAACCGTGAACTGGAAAAG SEQ. ID. NO. 20 CTGTGAGTTCTGGGCTGATTTGGGT SEQ. ID. NO. 21 GTCCCTCCAGCTCCCCATCCTCCAC SEQ. ID. NO. 18 AGCCTTGGAGGCTCCACGGGATCCA SEQ. ID. NO. 19 ATCATTGCTGAGAAAGAGAGCGTG SEQ. ID. NO. 20 CTCTCATACCTCTGGGAAACAGACC SEQ. ID. NO. 21 CACGCCTACCTCCCATCGGAG SEQ. ID. NO. 18 CCCCCTCCTCCTCCATCAGCAGCAA SEQ. ID. NO. 19 TCTCTGAACTGCGCCATCAGCTCCA SEQ. ID. NO. 20 TTTTTCTCTCTTACTGCTTCATGTA SEQ. ID. NO. 21 GCGTGGACGCCAGCTGTGTCAGCCC SEQ. ID. NO. 18 GAGCAACAGCGAAGACCCATTCCCA SEQ. ID. NO. 19 G T C T C G G C A G C T C C G G C SEQ. ID. NO. 20 ATTTTGTATCACCTCTTCACAATTT SEQ. ID. NO. 21 CTGCGTCAGCCCACCGCCAGCCC SEQ. ID. NO. 18 CAGCCCGAGAGGCAGAAGCAGC SEQ. ID. NO. 19 CGCCACCCACCGACACCCCAGAAC SEQ. ID. NO. 20 AGTTCGTACCTGGCTTGAAGCTGCT SEQ. ID. NO. 21 CGCCACAGACATGTGCCACCCTCCT

Figure 5n

1. shiped, p.

SEO. ID. NO. 18 AGCCGCTGGCCCTAACCCAGCAAGA SEQ. ID. NO. 19 CCTCTGGGGGCCTGCCCAGGGGACC SEQ. ID. NO. 20 CACTGCTCACACGCTGCCTCCAG SEQ. ID. NO. 21 TCCGAGTCATGGTCTCGGGCCTGTA SEQ. ID. NO. 18 GCAGCAGCAGCCCCCTGACCCTC SEQ. ID. NO. 19 CCCTGAGCCCCCGACCGGCTTAGC SEQ. ID. NO. 20 CAGCCTCACTGCATCTTTCTCTTCC SEQ. ID. NO. 21 AGGGTGGGAGGCCTGGGCCCGGGGC SEQ. ID. NO. 18 CCACAGCAGCAACGATCTCAGCAGC SEQ. ID. NO. 19 TGTGATGGGAGTCGAGTGCATTTGC SEQ. ID. NO. 20 CATGCAACACCCTCTTCTAGTTACC SEQ. ID. NO. 21 CTCCCCGTGACAGAACCACTGG SEQ. ID. NO. 18 AGCCCAGATGCAAGCAGAAGGTCAT SEQ. ID. NO. 19 TTTATAAGTGAGGGTAGGGTGAGGG SEQ. ID. NO. 20 ACGGCAACCCCT SEQ. ID. NO. 21 GCAGAGGGGTCTGCTGCAGAAACAC SEQ. ID. NO. 18 CTTTGGCAGCGGCACGGTCACCTTC SEQ. ID. NO. 19 AGGACAGGCCAGTAGGGGGAGGGAA SEQ. ID. NO. 20 SEQ. ID. NO. 21 TGTCGGCTCTGGCTGCGGAGAGCT SEQ. ID. NO. 18 TCACTGAGCTTTGATGAGCCTCAGA SEQ. ID. NO. 19 AGGGAGAGGGGAAGGGCAGGGACT SEQ. ID. NO. 20 SEQ. ID. NO. 21 GGGCACCATGGCTGGCCTCTCAGGA SEQ. ID. NO. 18 AGAACGCCATGGCCCACGGGAATTC SEQ. ID. NO. 19 CAGGAAGCAGGGGGTCCCCATCCC SEQ. ID. NO. 20 SEQ. ID. NO. 21 CCACTCGGATGGCACTCAGGTGGAC SEQ. ID. NO. 18 TACGCACCAGAACTCCCTGGAGGCC SEQ. ID. NO. 19 AGCTGGGÄAGAACATGCTATCCAAT SEQ. ID. NO. 20 SEQ. ID. NO. 21 AGGACGGGGGGGGGGGGGGCC

powerd, for

```
SEQ. ID. NO. 18 CAGAAAAGCAGCGATACGCTGACCC
SEQ. ID. NO. 19 CTCATCTCTTGTAAATACATGTCCC
SEQ. ID. NO. 20
SEQ. ID. NO. 21 ACCTGACCTCGAGCCTTATTTGTGA
SEQ. ID. NO. 18 GACACCAGCCATTACTCCCGCTGCA
SEQ. ID. NO. 19 CCTGTGAGTTCTGGGCTGATTTGGG
SEQ. ID. NO. 20
SEQ. ID. NO. 21 AGTCCTTATTTCTTCACAAAGAAGA
SEQ. ID. NO. 18 GTGCGGGGAAACGGACTTAGATCTG
SEQ. ID. NO. 19 TCTCTCATACCTCTGGGAAACAGAC
SEQ. ID. NO. 20
SEQ. ID. NO. 21 GGAACGGAAATGGGACGTCTTCCTT
SEQ. ID. NO. 18 ACCGTCCAGGAAACAGGTCTGCAAG
SEQ. ID. NO. 19 CTTTTCTCTCTTACTGCTTCATGT
SEQ. ID. NO. 20
SEQ. ID. NO. 21 AACATCTGCAAACAAGGAGGCGCTG
SEQ. ID. NO. 18 GACCTGTGGGTGGAGACCAGCGGCC
SEQ. ID. NO. 19 AATTTTGTATCACCTCTTCACAATT
SEQ. ID. NO. 20
SEQ. ID. NO. 21 GGATATCAAACTTGCAAAAAAAAAA
SEQ. ID. NO. 18 AGAGGTGGAGGACCCTGAAGAGTTG
SEQ. ID. NO. 19 TAGTTCGTACCTGGCTTGAAGCTGC
SEQ. ID. NO. 20
SEQ. ID. NO. 21 AAAAAAAAAAA
SEQ. ID. NO. 18 TCCCCAGCACTTGTAGTGTCCAGTT
SEQ. ID. NO. 19 TCACTGCTCACACGCTGCCTCCA
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18 CACAGAGCTTTGTCATCAGTGGTGG
SEQ. ID. NO. 19 GCAGCCTCACTGCATCTTTCTCTTC
SEQ. ID. NO. 20
SEQ. ID. NO. 21
```

يهارانسار ياد

```
SEQ. ID. NO. 18 AGGCAGCACTGTTACAGAAAACGTA
SEQ. ID. NO. 19 CCATGCAACACCCTCTTCTAGTTAC
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18 GTGAATTCA
SEQ. ID. NO. 19 CACGGCAACCCCTGCAGCTCCTG
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18
SEQ. ID. NO. 19 CCTTTGTGCTCTGTTCCTGTCCAGC
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18
SEQ. ID. NO. 19 AGGGGTCTCCCAACAAGTGCTCTTT
SEQ. ID. NO. 20
SEQ. ID. NO. 21
SEQ. ID. NO. 18
SEQ. ID. NO. 19 CCACCCAAAGGGGCCTCTCCTTT
 SEQ. ID. NO. 20
 SEQ. ID. NO. 21
 SEQ. ID. NO. 18
 SEQ. ID. NO. 19 CTCCACTGTCATAATCTCTTTCCAT
 SEQ. ID. NO. 20
 SEQ. ID. NO. 21
 SEQ. ID. NO. 18
 SEQ. ID. NO. 19 CTTACTTGCCCCTTCTATACTTCTC
 SEQ. ID. NO. 20
 SEQ. ID. NO. 21
 SEQ. ID. NO. 18
 SEQ. ID. NO. 19 ACATGTGGCTCCCCCTGAATTTTGC
 SEQ. ID. NO. 20
 SEQ. ID. NO. 21
```

production.

SEQ. ID. NO. 18
SEQ. ID. NO. 20
SEQ. ID. NO. 21

SEQ. ID. NO. 18
SEQ. ID. NO. 19
SEQ. ID. NO. 19
SEQ. ID. NO. 20
SEQ. ID. NO. 20
SEQ. ID. NO. 21

SEQ. ID. NO. 21

SEQ. ID. NO. 21

T G G C T C C G T G C A

SEQ. ID. NO. 20
SEQ. ID. NO. 21

SEQ. ID. NO. 22 CTCCGCCCCCTGGGCGCTGGCGGGGCGCAG SEQ. ID. NO. 23 GGGTGGCCGCTGCCTCTTCTGCTGGTGATG

SEQ. ID. NO. 22 ACCCCAACGCCACCTCGGAAGGTTGCCAG SEQ. ID. NO. 23 GCGGCTGGGGTGGCTCCGGTGTGGGCCTCT

SEQ. ID. NO. 22 A T T A T A C A T C C G C C C T G G G A A G G T G G C A T C SEQ. ID. NO. 23 C A C T C C C C T C A T C T C C C G C G C C T C A C C C G

SEQ. ID. NO. 22 A A G G C C A T C A A C T T C C T G C C T G T G G A C T A T SEQ. ID. NO. 23 C G T G C A G T A T A C A T C G G G G C G C T G T T T C C C

SEQ. ID. NO. 22 GAGATCGAATATGTGTGCCGAGGGAGCGC SEQ. ID. NO. 23 ATGAGCGGGGGCTGGCCGGGGGCCAGGCC

SEQ. ID. NO. 22 GAGGTGGTGGGCCCAAGGTGCGCAAATGC SEQ. ID. NO. 23 TGCCAGCCGGGGGGAGATGGCGCTGGAG

SEQ. ID. NO. 22 CTGGCCAACGGCTCCTGGACGGATATGGAC SEQ. ID. NO. 23 GACGTTAACAGCCGCAGAGACATCCTGCCG

SEQ. ID. NO. 22 ACACCCAGCCGCTGTGTCCGAATCTGCTCC SEQ. ID. NO. 23 GACTACGAGCTCAAGCTTATCCACCACGAC

SEQ. ID. NO. 22 A A G T C T T A T T T G A C C C T G G A A A T G G G A A G SEQ. ID. NO. 23 A G C A A G T G T G A C C C A G G G C A A G C C A A G

SEQ. ID. NO. 22 GTTTTCCTGACGGGTGGGGACCTCCCAGCT SEQ. ID. NO. 23 TACTTGTACGAACTACTACAATGACCCC at property for

SEQ. ID. NO. 22 CTGGATGGAGCCCGGGTGGAGTTCCGATGT SEQ. ID. NO. 23 A T C A A G A T C A T T C T C A T G C C T G G C T G T A G T SEQ. ID. NO. 22 GACCCCGACTTCCATCTGGTGGGCAGCTCC SEQ. ID. NO. 23 TCTGTCTCCACACTTGTAGCTGAGGCTGCC SEQ. ID. NO. 22 CGGAGCGTCTGTAGTCAGGGCCAGTGGAGC SEQ. ID. NO. 23 CGGATGTGGAACCTTATTGTGCTCATAT SEQ. ID. NO. 22 ACCCCCAAGCCCCACTGCCAGGTGAATCGA SEQ. ID. NO. 23 GGCTCCAGTTCACCAGCCTTGTCAAACCGA SEQ. ID. NO. 22 A C G C C A C A C T C A G A A C G G C G T G C A G T A T A C SEQ. ID. NO. 23 CAGCGGTTCCCACGTTCTTCCGGACGCAT SEQ. ID. NO. 22 A T C G G G G C G C T G T T T C C C A T G A G C G G G G C SEQ. ID. NO. 23 CCATCCGCCACACTCCACAATCCCACCGG SEQ. ID. NO. 22 TGGCCGGGGGCCAGGCCTGCCAGCCGGG SEQ. ID. NO. 23 GTGAAACTCTTCGAAAAGTGGGGCTGGAAG SEQ. ID. NO. 22 GTGGAGATGGCGCTGGAGGACGTTAACAGC SEQ. ID. NO. 23 AAGATCGCTACCATCCAACAGACCACCGAG SEQ. ID. NO. 22 CGCAGAGACATCCTGCCGGACTACGAGCTC SEQ. ID. NO. 23 GTCTTCACCTCAACGCTGGATGACCTGGAG SEQ. ID. NO. 22 AAGCTTATCCACCACGACAGCAAGTGTGAC SEQ. ID. NO. 23 GAGCGAGTGAAAGAGGCTGGGATCGAGATC SEQ. ID. NO. 22 · C C A G G G C A A G C C A C C A A G T A C T T G T A C G A A SEQ. ID. NO. 23 A C T T T C C G A C A G A G T T T C T T C G G A T C C A SEQ. ID. NO. 22 CTACTCTACAATGACCCCATCAAGATCATT SEQ. ID. NO. 23 GCTGTGCCTGTTAAAAACCTGAAGCGTCAA

SEQ. ID. NO. 22 CTCATGCCTGGCTGTAGTTCTGTCTCCACA SEQ. ID. NO. 23 GATGCTCGAATCATCGTGGGACTTTTCTAT يرو ۋارەسىد ئېرا ق

SEQ. ID. NO. 22 CTTGTAGCTGAGGCTGCCCGGATGTGGAAC SEQ. ID. NO. 23 GAGACGGAAGCCCGGAAAGTTTTTTGTGAG

SEQ. ID. NO. 22 CTTATTGTGCTCTCATATGGCTCCAGTTCA SEQ. ID. NO. 23 GTCTATAAGGAAAGGCTCTTTGGGAAGAAG

SEQ. ID. NO. 22 CCAGCCTTGTCAAACCGACAGCGGTTTCCC SEQ. ID. NO. 23 TACGTCTGGTTCCTCATCGGGTGGTATGCT

SEQ. ID. NO. 22 A C G T T C T T C C G G A C G C A T C C A T C C G C C A C A SEQ. ID. NO. 23 G A C A A C T G G T T C A A G A C C T A T G A C C C G T C A

SEQ. ID. NO. 22 CTCCACACCCGGGTGAAACTCCTTC SEQ. ID. NO. 23 ATCAATTGTACAGTGGAAGAATGACCGAG

SEQ. ID. NO. 22 GAAAAGTGGGGCTGGAAGAAGATCGCTACC SEQ. ID. NO. 23 GCGGTGGAGGCCACATCACCACGGAGATT

SEQ. ID. NO. 22 A T C C A A C A G A C C A C C G A G G T C T T C A C C T C A SEQ. ID. NO. 23 G T C A T G C T G A A C C C T G C C A A C A C C C G A A G C

SEQ. ID. NO. 22 A C G C T G G A T G A C C T G G A G G G A G T G A A A SEQ. ID. NO. 23 A T T T C C A A C A T G A C G T C A C A G G A A T T T G T G

SEQ. ID. NO. 22 GAGGCTGGGATCGAGATCACTTTCCGACAG SEQ. ID. NO. 23 GAGAAACTAACCAAGCGGCTGAAAAGACAC

SEQ. ID. NO. 22 A G T T T C T T C T C G G A T C C A G C T G T G C C T G T T SEQ. ID. NO. 23 C C C G A G G A G A C T G G A G G C T T C C A G G A G G C A

SEQ. ID. NO. 22 A A A A A C C T G A A G C G T C A A G A T G C T C G A A T C SEQ. ID. NO. 23 C C A C T G G C C T A T G A T G C T A T C T G G G C C T T G

SEQ. ID. NO. 22 A T C G T G G G A C T T T T C T A T G A G A C G G A A G C C SEQ. ID. NO. 23 G C T T T G G C C T T G A A C A A G A C G T C T G G A G G A

SEQ. ID. NO. 22 CGGAAAGTTTTTTGTGAGGTCTATAAGGAA SEQ. ID. NO. 23 GGTGGTCGTTCCGGCGTGCGCCTGGAGGAC

n III

ين الراسيد

SEQ. ID. NO. 22 AGGCTCTTTGGGAAGAAGTACGTCTGGTTC SEQ. ID. NO. 23 TTTAACTACAACAACCAGACCATTACAGAC SEQ. ID. NO. 22 CTCATCGGGTGGTATGCTGACAACTGGTTC SEQ. ID. NO. 23 CAGATCTACCGGGCCATGAACTCCTCC SEQ. ID. NO. 22 A A G A C C T A T G A C C C G T C A A T C A A T T G T A C A SEO. ID. NO. 23 TTTGAGGGGGTTTCTGGCCATGTGGTCTTT SEQ. ID. NO. 22 GTGGAAGAATGACCGAGGCGGTGGAGGGC SEO. ID. NO. 23 GATGCCAGCGCTCCCGGATGGCATGGACA SEQ. ID. NO. 22 CACATCACCACGGAGATTGTCATGCTGAAC SEQ. ID. NO. 23 CTTATCGAGCAGCTACAGGGCGGCAGCTAC SEQ. ID. NO. 22 CCTGCCAACACCCGAAGCATTTCCAACATG SEQ. ID. NO. 23 A A G A A G A T C G G C T A C T A C G A C A G C A C C A A G SEQ. ID. NO. 22 A C G T C A C A G G A A T T T G T G G A G A A A C T A A C C SEQ. ID. NO. 23 GATGATCTTTCCTGGTCCAAAACGGACAAG SEQ. ID. NO. 22 AAGCGGCTGAAAAGACACCCCGAGGAGACT SEQ. ID. NO. 23 TGGATTGGAGGGTCTCCCCCAGCTGACCAG SEQ. ID. NO. 22 GGAGGCTTCCAGGAGGCACCACTGGCCTAT SEQ. ID. NO. 23 ACCTTGGTCATCAAGACATTCCGTTTCCTG SEQ. ID. NO. 22 GATGCTATCTGGGCCTTGGCTTTGGCCTTG SEQ.ID.NO.23 TCTCAGAAACTCTTTATCTCCGTCTCAGTT SEQ. ID. NO. 22 AACAAGACGTCTGGAGGAGGTGGTCGTTCC SEO. ID. NO. 23 CTCTCCAGCCTGGGCATTGTTCTTGCTGTT SEQ. ID. NO. 22 GGCGTGCGCCTGGAGGACTTTAACTACAAC SEQ. ID. NO. 23 GTCTGTCTGTCCTTTAACATCTACAACTCC

SEQ. ID. NO. 22 A A C C A G A C C A T T A C A G A C C A G A T C T A C C G G SEQ. ID. NO. 23 C A C G T T C G T T A T A T C C A G A A C T C C C A G C C C

de granding

SEO. ID. NO. 22 GCCATGA.ACTCCTCCTCCTTTGAGGGCGTT SEQ. ID. NO. 23 AACCTGAACAATCTGACTGCTGGGCTGC SEQ. ID. NO. 22 TCTGGCCATGTGGTCTTTGATGCCAGCGGC SEO. ID. NO. 23 TCACTGGCACTGGCTGCTGTCTCCCTC SEQ. ID. NO. 22 TCCCGGATGGCATGGACACTTATCGAGCAG SEQ. ID. NO. 23 GGGCTGGATGGTTACCACATAGGGAAAGC SEQ. ID. NO. 22 CTACAGGGCGGCAGCTACAAGAAGATCGGC SEQ. ID. NO. 23 CAGTTCCCGTTTGTCTGCCAGGCCCGCCTT SEQ. ID. NO. 22 TACTACGACAGCACCAAGGATGATCTTTCC SEQ. ID. NO. 23 TGGCTCTTGGGCTTGGGCTTTAGTCTGGGC SEQ. ID. NO. 22 TGGTCCAAAACGGACAAGTGGATTGGAGGG SEQ. ID. NO. 23 TATGGCTCTATGTTCACCAAGATCTGGTGG SEQ. ID. NO. 22 TCTCCCCCAGCTGACCAGACCTTGGTCATC SEQ. ID. NO. 23 GTCCACACAGTCTTCACGAAGAAGAAGAAG SEQ. ID. NO. 22 A A G A C A T T C C G T T T C C T G T C T C A G A A A C T C SEQ. ID. NO. 23 A A G A A G G A G T G G A G G A G A C C C T A G A G C C C SEQ. ID. NO. 22 TTTATCTCCGTCTCAGTTCTCTCCAGCCTG SEQ. ID. NO. 23 TGGAAACTCTATGCCACTGTGGGCCTGCTG SEQ. ID. NO. 22 GGCATTGTTCTTGCTGTTGTCTGTCC SEO. ID. NO. 23 GTGGGCATGGATGTCCTGACTCTTGCCATC SEQ. ID. NO. 22 TTTAACATCTACAACTCCCACGTTCGTTAT SEQ. ID. NO. 23 TGGCAGATTGTGGACCCCTTGCACCGAACC SEQ. ID. NO. 22 A T C C A G A A C T C C C A G C C C A A C C T G A A C A A T SEQ. ID. NO. 23 A T T G A G A C T T T T G C C A A G G A G G A A C C A A A G SEQ. ID. NO. 22 CTGACTGCTGTGGGCTGCTCACTGGCACTG SEQ. ID. NO. 23 GAAGACATCGATGTCTCCATTCTGCCCCAG را بالتطاعة إ

SEQ. ID. NO. 22 GCTGCTGTCTTCCCTCTCGGGCTGGATGGT SEQ. ID. NO. 23 TTGGAGCACTGCAGCTCCAAGAAGATGAAT SEQ. ID. NO. 22 TACCACATAGGGAGAAGCCAGTTCCCGTTT SEQ. ID. NO. 23 ACGTGGCTTGGCATTTTCTATGGTTACAAG SEQ. ID. NO. 22 GTCTGCCAGGCCCGCCTTTGGCTCTTGGGC SEQ. ID. NO. 23 GGGCTGCTGCTGCTGGGAATCTTTCTT SEQ. ID. NO. 22 TTGGGCTTTAGTCTGGGCTATGGCTCTATG SEQ. ID. NO. 23 GCTTACGAAACCAAGAGCGTGTCCACTGAA SEQ. ID. NO. 22 TTCACCAAGATCTGGTGGGTCCACACAGTC SEQ. ID. NO. 23 A A G A T C A A T G A C C A C A G G G C C G T G G G C A T G SEQ. ID. NO. 22 TTCACGAAGAAGGAGGAGAAGAAGGAGTGG SEQ. ID. NO. 23 GCTATCTACAATGTCGCGGTCCTGTGTCTC SEO. ID. NO. 22 A G G A A G A C C C T A G A G C C C T G G A A A C T C T A T SEQ. ID. NO. 23 A T C A C T G C T C C T G T G A C C A T G A T C C T T T C C SEQ. ID. NO. 22 GCCACTGTGGGCCTGCTGGTGGGCATGGAT SEQ. ID. NO. 23 AGTCAGCAGGACGCAGCCTTTGCCTTTGCC SEO. ID. NO. 22 GTCCTGACTCTTGCCATCTGGCAGATTGTG SEQ. ID. NO. 23 TOTOTGGCCATCGTGTTCTCTTCCTACATC SEQ. ID. NO. 22 GACCCCTTGCACCGAACCATTGAGACTTTT SEQ. ID. NO. 23 ACTCTGGTTGTGCTCTTTGTGCCCAAGATG SEQ. ID. NO. 22 GCCAAGGAACCAAAGGAAGACATCGAT SEQ. ID. NO. 23 CGCAGGCTGATCACCCGAGGGAATGGCAG SEQ. ID. NO. 22 GTCTCCATTCTGCCCCAGTTGGAGCACTGC SEQ. ID. NO. 23 TCTGAAACGCAGGACACCATGAAAACAGGA SEQ. ID. NO. 22 A G C T C C A A G A A G A T G A A T A C G T G G C T T G G C

SEQ. ID. NO. 23 TCATCCACCAACAACAACGAGGAAGAAG

The Brandity

SEQ. ID. NO. 22 A T T T T C T A T G G T T A C A A G G G C T G C T G C T G SEQ. ID. NO. 23 T C C C G A C T G T T G G A G A A G G A A A C C G A G A A

SEQ. ID. NO. 22 CTGCTGGGAATCTTTCTTGCTTACGAAACC SEQ. ID. NO. 23 CTGGAAAAGATCATCGCTGAGAAAGAGAG

SEQ. ID. NO. 22 A A G A G C G T G T C C A C T G A A A A A A T C A A T G A C SEQ. ID. NO. 23 C G C G T C T C T G A A C T G C G C C A T C A G C T C C A G

SEQ. ID. NO. 22 CACAGGGCCGTGGGCATGGCTATCTACAAT SEQ. ID. NO. 23 TCTCGGCAGCAACTCCGCTCACGGCGCAC

SEQ. ID. NO. 22 GTCGCGGTCCTGTGTCTCATCACTGCTCCT SEQ. ID. NO. 23 CCCCCAACACCCCCAGATCCCTCTGGGGGC

SEQ. ID. NO. 22 GTGACCATGATCCTTTCCAGCAGGAC SEQ. ID. NO. 23 CTTCCCAGGGACCCTCTGAGCCCCTGAC

SEQ. ID. NO. 22 GCAGCCTTTGCCTTTGCCTTCTGGCCATC SEQ. ID. NO. 23 CGGCTTAGCTGATGGGAGTCGAGTACAT

SEQ. ID. NO. 22 GTGTTCTCTTCCTACATCACTCTGGTTGTG SEQ. ID. NO. 23 TTGCTTTACAAG

SEQ. ID. NO. 22 CTCTTTGTGCCCAAGATGCGCAGGCTGATC SEQ. ID. NO. 23

SEQ. ID. NO. 22 ACCCGAGGGAATGGCAGTCTGAAACGCAG SEQ. ID. NO. 23

SEQ. ID. NO. 22 GACACCATGAAACAGGATCATCCACCAAC SEQ. ID. NO. 23

SEQ. ID. NO. 22 A A C A A C G A G G A A G A G A G T C C C G A C T G T T G SEQ. ID. NO. 23

SEQ. ID. NO. 22 GAGAAGGAAACCGAGAACTGGAAAAGATC SEQ. ID. NO. 23 greated as

SEQ. ID. NO. 22 A T C G C T G A G A A G A G G A G C G C G T C T G A A SEQ. ID. NO. 23

SEQ. ID. NO. 22 CTGCGCCATCAGCTCCAGTCTCGGCAGCAA SEQ. ID. NO. 23

SEQ. ID. NO. 22 C T C C G C T C A C G G C G C C A C C C C A A C A C C C SEQ. ID. NO. 23

SEQ. ID. NO. 22 CCAGATCCCTTGGGGGCCTTCCCAGGGA SEQ. ID. NO. 23

SEQ. ID. NO. 22 CCCTGAGCCCCTGACCGGCTTAGCTGT SEQ. ID. NO. 23

SEQ. ID. NO. 22 GATGGGAGTCGAGTACATTTGCTTTACAAG SEQ. ID. NO. 23 ى ئى دائى دائى دائى دائى دائى . أن

 SEQ. ID. NO. 24
 M L L L L L V P L F L R P L G A G G A Q T P N A T S E G C Q SEQ. ID. NO. 25
 M G P G G P C T P V G W P L P L L L V M A A G V A P V W A S

 SEQ. ID. NO. 24
 I I I H P P W E G G I R Y R G L T R D Q V K A I N F L P V D Y SEQ. ID. NO. 25
 H S P H L P R P H P R V P P H P S S E R R A V Y I G A L F P

 SEQ. ID. NO. 24
 E I E Y V C R G E R E V V G P K V R K C L A N G S W T D M D SEQ. ID. NO. 25
 M S G G W P G G Q A C Q P A V E M A L E D V N S R R D I L P

 SEQ. ID. NO. 24
 T P S R C V R I C S K S Y L T L E N G K V F L T G G D L P A SEQ. ID. NO. 25
 D Y E L K L I H H D S K C D P G Q A T K Y L Y E L L Y N D P

 SEQ. ID. NO. 24
 L D G A R V E F R C D P D F H L V G S S R S V C S Q G Q W S SEQ. ID. NO. 25
 I K I I L M P G C S S V S T L V A E A A R M W N L I V L S Y

 SEQ. ID. NO. 24
 T P K P H C Q V N R T P H S E R R A V Y I G A L F P M S G G S S C ID. NO. 25
 T P K P H C Q V N R T P H S E R R A V Y I G A L F P M S G G S S C ID. NO. 25

 SEQ. ID. NO. 24
 W P G G Q A C Q P A V E M A L E D V N S R R D I L P D Y E L S C ID. NO. 25
 V K L F E K W G W K K I A T I Q Q T T E V F T S T L D D L E

 SEQ. ID. NO. 24
 K L I H H D S K C D P G Q A T K Y L Y E L L Y N D P I K I I
 S C D P G Q A T K Y L Y E L L Y N D P I K I I

SEQ. ID. NO. 24 LMPGCSSVSTLVAEAARMWNLIVLSYGSSS SEQ. ID. NO. 25 DARIIVGLFYETEARKVFCEVYKERLFGKK

SEQ. ID. NO. 25 ERVKEAGIE ITFRQSFFSDPAVPVKNLKRQ

SEQ. ID. NO. 24 PALSNRQRFPTFFRTHPSATLHNPTRVKLF SEQ. ID. NO. 25 YVWFLIGWYADNWFKTYDPSINCTVEEMTE

SEQ. ID. NO. 24 EKWGWKKIATIQQTTEVFTSTLDDLEERVK SEQ. ID. NO. 25 AVEGHITTEIVMLNPANTRSISNMTSQEFV

SEQ. ID. NO. 24 EAGIEITFRQSFFSDPAVPVKNLKRQDARI SEQ. ID. NO. 25 EKLTKRLKRHPEETGGFQEAPLAYDAIWAL SEQ. ID. NO. 24 IVGLFYE, TEARKVFCEVYKERLFGKKYVWF SEQ. ID. NO. 25 ALALNKTSGGGGRSGVRLEDFNYNNQTITD

SEQ. ID. NO. 24 LIGWYADNWFKTYDPSINCTVEEMTEAVEG SEQ. ID. NO. 25 QIYRAMNSSSFEGVSGHVVFDASGSRMAWT

SEQ. ID. NO. 24 HITTEIV MLNPANTRSISNMTSQEFVEKLT SEQ. ID. NO. 25 LIEQLQGGSYKKIGYYDSTKDDLSWSKTDK

SEQ. ID. NO. 24 KRLKRHPEETGGFQEAPLAYDAIWALALAL SEQ. ID. NO. 25 WIGGSPPADQILVIKTFRFLSQKLFISVSV

SEQ. ID. NO. 24 NKTSGGGGRSGVRLEDFNYNNQT!TDQ!YR SEQ. ID. NO. 25 LSSLG!VLAVVCLSFN!YNSHVRY!QNSQP

SEQ. ID. NO. 24 AMNSSSFEGVSGHVVFDASGSRMAWTLIEQ SEQ. ID. NO. 25 NLNNLTAVGCSLALAAVFPLGLDGYHIGRS

SEQ. ID. NO. 24 LQGGSYKKIGYYDSTKDDLSWSKTDKWIGG SEQ. ID. NO. 25 QFPFVCQARLWLLGLGFSLGYGSMFTKIWW

SEQ. ID. NO. 24 SPPADQILVIKTFRFLSQKLFISVSVLSSL SEQ. ID. NO. 25 VHTVFTKKEEKKEWRKTLEPWKLYATVGLL

SEQ. ID. NO. 24 GIVLAVVCLS FNIYNS HVRYIQNS QPNLNN SEQ. ID. NO. 25 VGMDVLTLAIWQIVDPLHRTIET FAKE EPK

SEQ. ID. NO. 24 L T A V G C S L A L A A V F P L G L D G Y H I G R S Q F P F SEQ. ID. NO. 25 E D I D V S I L P Q L E H C S S K K M N T W L G I F Y G Y K

SEQ. ID. NO. 24 V C Q A R L W L L G L G F S L G Y G S M F T K I W W V H T V SEQ. ID. NO. 25 G L L L L G I F L A Y E T K S V S T E K I N D H R A V G M

SEQ. ID. NO. 24 FTKKEEKKEWRKTLEPWKLYATVGLLVGMD SEQ. ID. NO. 25 AIYNVAVLCLITAPVTMILSSQQDAAFAFA

SEQ. ID. NO. 24 VLTLAIWQIVDPLHRTIETFAKEEPKEDID SEQ. ID. NO. 25 SLAIVFSSYITLVVLFVPKMRRLITRGEWQ design powerfully

SEQ. ID. NO. 24 VSILPQLEHCSSKKMNTWLGIFYGYKGLLL'SEQ. ID. NO. 25 SETQDTMKTGSSTNNNEEEKSRLLEKENRE

SEQ. ID. NO. 24 LLGIFLAYETKS VSTEKINDHRAVGMAIYN SEQ. ID. NO. 25 LEKIIAEKEERVSELRHQLQSRQQLRSRRH

SEQ. ID. NO. 24 V A V L C L I T A P V T M I L S S Q Q D A A F A F A S L A I SEQ. ID. NO. 25 P P T P P D P S G G L P R G P S E P P D R L S C D G S R V H

SEQ. ID. NO. 24 V F S S Y I T L V V L F V P K M R R L I T R G E W Q S E T Q SEQ. ID. NO. 25 L L Y K

SEQ. ID. NO. 24 D T M K T G S S T N N N E E E K S R L L E K E N R E L E K I SEQ. ID. NO. 25

SEQ. ID. NO. 24 I A E K E E R V S E L R H Q L Q S R Q Q L R S R R H P P T P SEQ. ID. NO. 25

SEQ. ID. NO. 24 PDPSGGLPRGPSEPPDRLSCDGSRVHLLYK SEQ. ID. NO. 25

## ClustalW Formatted Alignments

```
SEQ. ID. NO. 38 A T G G T A T G C G A G G G A A A G C G A T C A G
SEQ. ID. NO. 34 ATGGGATCGCTGCTTGCGCTCCCGG
SEQ. ID. NO. 30 ATGGCATTTTATAGCTGCTGCTGGG
SEQ. ID. NO. 26 ATGGGATCGCTGCTTGCGCTCCTGG
SEQ. ID. NO. 38 CCTCTTGCCCTTGTTTCTTCCTCTT
SEQ. ID. NO. 34 CACTGCTGCTGCTGTGGGGTGCTGT
SEQ. ID. NO. 30 TCCTCTTGGCACTCACCTGGCACAC
SEQ. ID. NO. 26 CACTGCTGCCGCTGTGGGGTGCTGT
SEQ. ID. NO. 38 GACCGCCAAGTTCTACTGGATCCTC
SEQ. ID. NO. 34 GGCTGAGGGCCCAGCCAAGAAGGTG
SEQ. ID. NO. 30 CTCTGCCTACGGGCCAGACCAGCGA
SEQ. ID. NO. 26 GGCTGAGGGCCCAGCCAAGAAGGTG
SEQ. ID. NO. 38 ACAATGATGCAAAGAACTCACAGCC
SEQ. ID. NO. 34 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 30 GCCCAAAAGAAGGGGGACATTATCC
SEQ. ID. NO. 26 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 38 AGGAGTATGCCCATTCCATACGGGT
SEQ. ID. NO. 34 TGGGTGGGCTGTTCCCAGTGCACCA
SEQ. ID. NO. 30 TTGGGGGGGCTCTTTCCTATTCATTT
SEQ. ID. NO. 26 TGGGTGGGCTGTTCCCAGTGCACCA
    ů.
SEQ. ID. NO. 38 GGATGGGGGACATTATTTGGGGGGGT
SEQ. ID. NO. 34 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 30 TGGAGTAGCAGCTAAAGATCAAGAT
SEQ. ID. NO. 26 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 38 CTCTTCCCTGTCCACGCAAAGGGAG
SEQ. ID. NO. 34 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 30 CTCAAATCAAGGCCGGAGTCTGTGG
SEQ. ID. NO. 26 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 38 AGAGAGGGGTGCCTTGTGGGGAGCT
SEQ. ID. NO. 34 TCCAGCGCCTGGAGGCCATGCTTTT
SEQ. ID. NO. 30 AATGTATCAGGTATAATTTCCGTGG
SEQ. ID. NO. 26 TCCAGCGCCTGGAGGCCATGCTTTT
```

SEQ. ID. NO. 38 GAAGAAGGAAAAGGGGATTCACAGA SEQ. ID. NO. 34 TGCACTGGACCGCATCAACCGTGAC SEQ. ID. NO. 30 GTTTCGCTGGTTACAGGCTATGATA SEQ. ID. NO. 26 TGCACTGGACCGCATCAACCGTGAC SEQ. ID. NO. 38 CTGGAGGCCATGCTTTATGCAATTG SEQ. ID. NO. 34 CCGCACCTGCTGCCTGGCGTGCGCC SEQ. ID. NO. 30 TTTGCCATAGAGGAGATAAACAGCA SEQ. ID. NO. 26 CCGCACCTGCTGCCTGGCGTGCGCC SEQ. ID. NO. 38 ACCAGATTAACAAGGACCCTGATCT SEQ. ID. NO. 34 TGGGTGCACACATCCTCGACAGTTG SEQ. ID. NO. 30 GCCCAGCCCTTCTTCCCAACTTGAC SEQ. ID. NO. 26 TGGGTGCACACATCCTCGACAGTTG SEQ. ID. NO. 38 CCTTTCCAACATCACTCTGGGTGTC SEQ. ID. NO. 34 CTCCAAGGACACACATGCGCTGGAG SEQ. ID. NO. 30 GCTGGGATACAGGATATTTGACACT SEQ. ID. NO. 26 CTCCAAGGACACACATGCGCTGGAG SEQ. ID. NO. 38 CGCATCCTCGACACGTGCTCTAGGG SEQ. ID. NO. 34 CAGGCACTGGACTTTGTGCGTGCCT SEQ. ID. NO. 30 TGCAACACCGTTTCTAAGGCCTTGG SEQ. ID. NO. 26 CAGGCACTGGACTTTGTGCGTGCCT SEQ. ID. NO. 38 ACACCTATGCTTTGGAGCAGTCTCT SEQ. ID. NO. 34 CACTCAGCCGTGGTGCTGATGGCTC SEQ. ID. NO. 30 AAGCCACCCTGAGTTTTGTTGCTCA SEQ. ID. NO. 26 CACTCAGCCGTGGTGCTGATGGATC SEQ. ID. NO. 38 AACATTCGTGCAGGCATTAATAGAG SEQ. ID. NO. 34 ACGCCACATCTGCCCCGACGGCTCT SEQ. ID. NO. 30 AAACAAATTGATTCTTTGAACCTT SEQ. ID. NO. 26 ACGCCACATCTGCCCCGACGGCTCT SEQ. ID. NO. 38 AAAGATGCTTCGGATGTGAAGTGTG SEQ. ID. NO. 34 TATGCGACCCATGGTGATGCTCCCA ·SEQ. ID. NO. 30 GATGAGTTCTGCAACTGCTCAGAGC SEQ. ID. NO. 26 TATGCGACCCATGGTGATGCTCCCA ر د الطاهم

SEQ. ID. NO. 38 CTAATGGAGATCCACCCATTTTCAC SEQ. ID. NO. 34 CTGCCATCACTGGTGTTATTGGCGG SEQ. ID. NO. 30 ACATTCCCTCTACGATTGCTGTGGT SEQ. ID. NO. 26 CTGCCATCACTGGTGTTATTGGCGG SEQ. ID. NO. 38 CAAGCCCGACAAGATTTCTGGCGTC SEQ. ID. NO. 34 TTCCTACAGTGATGTCTCCATCCAG SEQ. ID. NO. 30 GGGAGCAACTGGCTCAGGCGTCTCC SEQ. ID. NO. 26 TTCCTACAGTGATGTCTCCATCCAG SEQ. ID. NO. 38 ATAGGTGCTGCAGCAAGCTCCGTGT SEQ. ID. NO. 34 GTGGCCAACCTCTTGAGGCTATTTC SEQ. ID. NO. 30 ACGGCAGTGGCAAATCTGCTGGGGC SEQ. ID. NO. 26 GTGGCCAACCTCTTGAGGCTATTTC SEQ. ID. NO. 38 CCATCATGGTTGCTAACATTTTAAG SEQ. ID. NO. 34 AGATCCCACAGATTAGCTACGCCTC SEQ. ID. NO. 30 TCTTCTACATTCCCCAGGTCAGTTA SEQ. ID. NO. 26 AGATCCCACAGATTAGCTACGCCTC SEQ. ID. NO. 38 ACTTTTTAAGATACCTCAAATCAGC SEQ. ID. NO. 34 TACCAGTGCCAAGCTGAGTGACAAG SEQ. ID. NO. 30 TGCCTCCTCCAGCAGACTCCTCAGC SEQ. ID. NO. 26 TACCAGTGCCAAGCTGAGTGACAAG SEQ. ID. NO. 38 TATGCATCCACAGCCCCAGAGCTAA SEQ. ID. NO. 34 TCCCGCTATGACTACTTTGCCCGCA SEQ. ID. NO. 30 AACAAGAATCAATTCAAGTCTTTCC SEQ. ID. NO. 26 TCCCGCTATGACTACTTTGCCCGCA SEQ. ID. NO. 38 GTGATAACACCAGGTATGACTTTT SEQ. ID. NO. 34 CAGTGCCTCCTGACTTCTTCCAAGC SEQ. ID. NO. 30 TCCGAACCATCCCCAATGATGAGCA SEQ. ID. NO. 26 CAGTGCCTCCTGACTTCTTCCAAGC SEQ. ID. NO. 38 CTCTCGAGTGGTTCCGCCTGACTCC SEQ. ID. NO. 34 CAAGGCCATGGCTGAGATTCTCCGC SEQ. ID. NO. 30 CCAGGCCACTGCCATGGCAGACATC SEQ. ID. NO. 26 CAAGGCCATGGCTGAGATTCTCCGC 4.540.631.35

SEQ. ID. NO. 38 TACCAAGCCCAAGCCATGGTGGACA SEQ. ID. NO. 34 TTCTTCAACTGGACCTATGTGTCCA SEQ. ID. NO. 30 A T C G A G T A T T T C C G C T G G A A C T G G G SEQ. ID. NO. 26 TTCTTCAACTGGACCTATGTGTCCA SEQ. ID. NO. 38 TCGTGACAGCACTGGGAATTA SEQ. ID. NO. 34 CTGTGGCGTCTGAGGGCGACTATGG SEQ. ID. NO. 30 TGGGCACAATTGCAGCTGATGACGA SEQ. ID. NO. 26 CTGAGGCCTCTGAGGGCGACTATGG SEQ. ID. NO. 38 TGTTTCGACACTGGCTTCTGAGGGG SEQ. ID. NO. 34 CGAGACAGGCATTGAGGCCTTTGAG SEQ. ID. NO. 30 CTATGGGCGGCCGGGGATTGAGAAA SEQ. ID. NO. 26 CGAGACAGGCATTGAGGCCTTTGAG SEQ. ID. NO. 38 AACTATGGTGAGAGCGGTGTGGAGG SEQ. ID. NO. 34 CTAGAGGCTCGTGCCCGCAACATCT SEQ. ID. NO. 30 TTCCGAGAGGAAGCTGAGGAAAGGG SEQ. ID. NO. 26 CTAGAGGCTCGTGCCCGCAACATCT SEQ. ID. NO. 38 CCTTCACCCAGATCTCGAGGGAGAT SEQ. ID. NO. 34 GTGTGGCCACCTCGGAGAAAGTGGG SEQ. ID. NO. 30 ATATCTGCATCGACTTCAGTGAACT SEQ. ID. NO. 26 GTGTGGCCACCTCGGAGAAAGTGGG SEQ. ID. NO. 38 TGGTGGTGTTTGCATTGCTCAGTCA SEQ. ID. NO. 34 CCGTGCCATGAGCCGCGCGCCTTT SEQ. ID. NO. 30 CATCTCCCAGTACTCTGATGAGGAA SEQ. ID. NO. 26 CCGTGCCATGAGCCGCGCGCCTTT SEQ. ID. NO. 38 CAGAAAATCCCACGTGAACCAAGAC SEQ. ID. NO. 34 GAGGGTGTGGTGCGAGCCCTGCTGC SEQ. ID. NO. 30 GAGATCCAGCATGTGGTAGAGGTGA SEQ. ID. NO. 26 GAGGGTGTGGTGCGAGCCCTGCTGC SEQ. ID. NO. 38 CTGGAGAATTTGAAAAATTATCAA SEQ. ID. NO. 34 A G A A G C C C A G T G C C C G C G T G C T G T SEQ. ID. NO. 30 TTCAAAATTCCACGGCCAAAGTCAT SEQ. ID. NO. 26 AGAAGCCCAGTGCCCGCGTGGCTGT

```
SEQ. ID. NO. 38 ACGCCTGCTAGAACACCTAATGCT
SEQ. ID. NO. 34 CCTGTTCACCCGTTCTGAGGATGCC
SEQ. ID. NO. 30 CGTGGTTTTCTCCAGTGGCCCAGAT
SEQ. ID. NO. 26 CCTGTTCACCCGTTCTGAGGATGCC
SEQ. ID. NO. 38 CGAGCAGTGATTATGTTTGCCAATG
SEQ. ID. NO. 34 CGGGAGCTGCTTGCTGCCAGCCAGC
SEQ. ID. NO. 30 CTTGAGCCCCTCATCAAGGAGATTG
SEQ. ID. NO. 26 CGGGAGCTGCTTGCTGCCAGCCAGC
SEQ. ID. NO. 38 AGGATGACATCAGGAGGATATTGGA
SEQ. ID. NO. 34 GCCTCAATGCCAGCTTCACCTGGGT
SEQ. ID. NO. 30 TCCGGCGCAATATCACGGGCAAGAT
SEQ. ID. NO. 26 GCCTCAATGCCAGCTTCACCTGGGT
SEQ. ID. NO. 38 AGCAGCAAAAAAACTAAACCAAAGT
SEQ. ID. NO. 34 GGCCAGTGATGGTTGGGGGGCCCTG
SEQ. ID. NO. 30 CTGGCTGGCCAGCGAGGCCTGGGCC
SEQ. ID. NO. 26 GGCCAGTGATGGTTGGGGGGCCCTG
SEQ. ID. NO. 38 GGGCATTTTCTCTGGATTGGCTCAG
SEQ. ID. NO. 34 GAGAGTGTGGTGGCAGGCAGTGAGG
SEQ. ID. NO. 30 A G C T C C T C C T G A T C G C C A T G C C T C
SEQ. ID. NO. 26 GAGAGTGTGGTGGCAGGCAGTGAGG
SEQ. ID. NO. 38 ATAGTTGGGGATCCAAAATAGCACC
SEQ. ID. NO. 34 GGGCTGCTGAGGGTGCTATCACCAT
SEQ. ID. NO. 30 AGTACTTCCACGTGGTTGGCGGCAC
SEQ. ID. NO. 26 GGGCTGCTGAGGGTGCTATCACCAT
SEQ. ID. NO. 38 TGTCTATCAGCAAGAGGAGATTGCA
SEQ. ID. NO. 34 CGAGCTGGCCTCCTACCCCATCAGT
SEQ. ID. NO. 30 CATTGGATTCGCTCTGAAGGCTGGG
SEQ. ID. NO. 26 CGAGCTGGCCTCCTACCCCATCAGT
SEQ. ID. NO. 38 GAAGGGGCTGTGACAATTTTGCCCA
SEQ. ID. NO. 34 GACTTTGCCTCCTACTTCCAGAGCC
SEQ. ID. NO. 30 CAGATCCCAGGCTTCCGGGAATTCC
SEQ. ID. NO. 26 GACTTTGCCTCCTACTTCCAGAGCC
```

mutal, i

SEQ. ID. NO. 38 AACGAGCATCAATTGATGGATTTGA SEQ. ID. NO. 34 TGGACCCTTGGAACAACAGCCGGAA SEQ. ID. NO. 30 TGAAGAAGGTCCATCCCAGGAAGTC SEQ. ID. NO. 26 TGGACCCTTGGAACAACAGCCGGAA SEQ. ID. NO. 38 TCGATACTTTAGAAGCCGAACTCTT SEQ. ID. NO. 34 CCCCTGGTTCCGTGAATTCTGGGAG SEQ. ID. NO. 30 TGTCCACAATGGTTTTGCCAAGGAG SEQ. ID. NO. 26 CCCCTGGTTCCGTGAATTCTGGGAG SEQ. ID. NO. 38 GCCAATAATCGAAGAAATGTGTGGT SEQ. ID. NO. 34 CAGAGGTTCCGCTGCAGCTTCCGGC SEQ. ID. NO. 30 TTTTGGGAAGAAACATTTAACTGCC SEQ. ID. NO. 26 CAGAGGTTCCGCTGCAGCTTCCGGC SEQ. ID. NO. 38 TTGCAGAATTCTGGGAGGAGAATTT SEQ. ID. NO. 34 AGCGAGACTGCGCAGCCCACTCTCT SEQ. ID. NO. 30 ACCTCCAAGAAGGTGCAAAAGGACC SEQ. ID. NO. 26 AGCGAGACTGCGCAGCCCACTCTCT SEQ. ID. NO. 38 TGGCTGCAAGTTAGGATCACATGGG SEQ. ID. NO. 34 CCGGGCTGTGCCCTTTGAGCAGGAG SEQ. ID. NO. 30 TTTACCTGTGGACACCTTTCTGAGA SEQ. ID. NO. 26 CCGGGCTGTGCCCTTTGAACAGGAG SEQ. ID. NO. 38 AAAAGGAACAGTCATAAAAGAAAT SEQ. ID. NO. 34 TCCAAGATCATGTTTGTGGTCAATG SEQ. ID. NO. 30 GGTCACGAAGAAGTGGCGACAGGT SEQ. ID. NO. 26 TCCAAGATCATGTTTGTGGTCAATG SEQ. ID. NO. 38 GCACAGGGCTGGAGCGAATTGCTCG SEQ. ID. NO. 34 CAGTGTACGCCATGGCCCATGCGCT SEQ. ID. NO. 30 TTAGCAACAGCTCGACAGCCTTCCG SEQ. ID. NO. 26 CAGTGTACGCCATGGCCCATGCGCT SEQ. ID. NO. 38 GGATTCATCTTATGAACAGGAAGGA SEQ. ID. NO. 34 CCACAACATGCACCGTGCCCTCTGC SEQ. ID. NO. 30 ACCCCTCTGTACAGGGGATGAGAAC SEQ. ID. NO. 26 CCACAACATGCACCGTGCCCTCTGC andral, r.,

```
SEQ. ID. NO. 38 AAGGTCCAATTTGTAATTGATGCTG
SEQ. ID. NO. 34 CCCAACACCACCGGCTCTGTGACG
SEQ. ID. NO. 30 ATCAGCAGTGTCGAGACCCCTTACA
SEQ. ID. NO. 26 CCCAACACCACCGGCTCTGTGACG
SEQ. ID. NO. 38 TATATTCCATGGCTTACGCCCTGCA
SEQ. ID. NO. 34 CGATGCGGCCAGTTAACGGGCGCCG
SEQ. ID. NO. 30 TAGATTACACGCATTTACGGATATC
SEQ. ID. NO. 26 CGATGCGGCCAGTTAACGGGCGCCG
SEQ. ID. NO. 38 CAATATGCACAAAGATCTCTGCCCT
SEQ. ID. NO. 34 CCTCTACAAGGACTTTGTGCTCAAC
SEQ. ID. NO. 30 CTACAATGTGTACTTAGCAGTCTAC
SEQ. ID. NO. 26 CCTCTACAAGGACTTTGTGCTCAAC
SEQ. ID. NO. 38 GGATACATTGGCCTTTGTCCACGAA
SEQ. ID. NO. 34 GTCAAGTTTGATGCCCCCTTTCGCC
SEQ. ID. NO. 30 TCCATTGCCCACGCCTTGCAAGATA
SEQ. ID. NO. 26 GTCAAGTTTGATGCCCCCTTTCGCC
SEQ. ID. NO. 38 TGAGTACCATTGATGGGAAAGAGCT
SEQ. ID. NO. 34 CAGCTGACACCCACAATGAGGTCCG
SEQ. ID. NO. 30 TATATACCTGCTTACCTGGGAGAGG
SEQ. ID. NO. 26 CAGCTGACACCCACAATGAGGTCCG
SEQ. ID. NO. 38 ACTTGGTTATATTCGGGCTGTAAAT
SEQ. ID. NO. 34 CTTTGACCGCTTTGGTGATGGTATT
SEQ. ID. NO. 30 GCTCTTCACCAATGGCTCCTGTGCA
SEQ. ID. NO. 26 CTTTGACCGCTTTGGTGATGGTATT
SEQ. ID. NO. 38 TTTAATGGCAGTGCTGGCACTCCTG
SEQ. ID. NO. 34 GGCCGCTACAACATCTTCACCTATC
SEQ. ID. NO. 30 GACATCAAGAAAGTTGAGGCGTGGC
SEQ. ID. NO. 26 GGCCGCTACAACATCTTCACCTATC
SEQ. ID. NO. 38 TCACTTTTAATGAAAACGGAGATGC
SEQ. ID. NO. 34 TGCGTGCAGGCAGTGGGCGCTATCG
SEQ. ID. NO. 30 AGGTCCTGAAGCACCTACGGCATCT
SEQ. ID. NO. 26 TGCGTGCAGGCAGTGGGCGCTATCG
```

Seltral, p.

SEQ. ID. NO. 38 TCCTGGACGTTATGATATCTTCCAG SEQ. ID. NO. 34 CTACCAGAAGGTGGGCTACTGGGCA SEQ. ID. NO. 30 A A A C T T T A C A A A C A A T A T G G G G G A G SEQ. ID. NO. 26 CTACCAGAAGGTGGGCTACTGGGCA SEQ. ID. NO. 38 TATCAAATAACCAACAAAGCACAG SEQ. ID. NO. 34 GAAGGCTTGACTCTGGACACCAGCC SEQ. ID. NO. 30 CAGGTGACCTTTGATGAGTGTGGTG SEQ. ID. NO. 26 GAAGGCTTGACTCTGGACACCAGCC SEQ. ID. NO. 38 A G T A C A A A G T C A T C G G C C A C T G G A C SEQ. ID. NO. 34 TCATCCCATGGGCCTCACCCTCAGE SEQ. ID. NO. 30 ACCTGGTGGGGAACTATTCCATCAT SEQ. ID. NO. 26 TCATCCCATGGGCCTCACCGTCAGC SEQ. ID. NO. 38 CAATCAGCTTCATCTAAAAGTGGAA SEQ. ID. NO. 34 CGGCCCCCTGCCCGCCTCTCGCTGC SEQ. ID. NO. 30 CAACTGGCACCTCTCCCCAGAGGAT SEQ. ID. NO. 26 CGGCCCCCTGGCCGCCTCTCGCTGC SEQ. ID. NO. 38 GACATGCAGTGGGCTCATAGAGAAC SEQ. ID. NO. 34 AGTGAGCCCTGCCTCCAGAATGAGG SEQ. ID. NO. 30 GGCTCCATCGTGTTTAAGGAAGTCG SEQ. ID. NO. 26 AGTGAGCCCTGCCTCCAGAATGAGG SEQ. ID. NO. 38 A TACTCACCCGGCGTCTGTCTGCAG SEQ. ID. NO. 34 TGAAGAGTGTGCAGCCGGGCGAAGT SEQ. ID. NO. 30 GGTATTACAACGTCTATGCCAAGAA SEQ. ID. NO. 26 TGAAGAGTGTGCAGCCGGGCGAAGT SEQ. ID. NO. 38 CCTGCCGTGTAAGCCAGGGGAGAGG SEQ. ID. NO. 34 CTGCTGCTGGCTCTGCATTCCGTGC SEQ. ID. NO. 30 GGGAGAAAGACTCTTCATCAACGAG SEQ. ID. NO. 26 CTGCTGCTGGCTCTGCATTCCGTGC SEQ. ID. NO. 38 AAGAAACGGTGAAAGGGGTCCCTT SEQ. ID. NO. 34 CAGCCCTATGAGTACCGATTGGACG SEQ. ID. NO. 30 GAGAAAATCCTGTGGAGTGGGTTCT SEQ. ID. NO. 26 CAGCCCTATGAGTACCGATTGGACG رأي بالبخر

SEQ. ID. NO. 38 GCTGCTGGCACTGTGAACGCTGTGA SEQ. ID. NO. 34 AATTCACTTGCGCTGATTGTGGCCT SEQ. ID. NO. 30 CCAGGGAGGTGCCCTTCTCCAACTG SEQ. ID. NO. 26 AATTCACTTGCGCTGATTGTGGCCT SEQ. ID. NO. 38 AGGTTACAACTACCAGGTGGATGAG SEQ. ID. NO. 34 GGGCTACTGGCCCAATGCCAGCCTG SEQ. ID. NO. 30 CAGCCGAGACTGCCTGGCAGGGACC SEQ. ID. NO. 26 GGGCTACTGGCCCAATGCCAGCCTG SEQ. ID. NO. 38 CTGTCCTGTGAACTTTGCCCTCTGG SEQ. ID. NO. 34 ACTGGCTGCTTCGAACTGCCCCAGG SEQ. ID. NO. 30 AGGAAAGGGATCATTGAGGGGGAGC SEQ. ID. NO. 26 ACTGGCTGCTTCGAACTGCCCCAGG SEQ. ID. NO. 38 ATCAGAGACCCAACATGAACCGCAC SEQ. ID. NO. 34 AGTACATCCGCTGGGGCGATGCCTG SEQ.ID.NO.30 CCACCTGCTGCTTTGAGTGTGTGGA SEQ. ID. NO. 26 AGTACATCCGCTGGGGCGATGCCTG SEQ. ID. NO. 38 AGGCTGCCAGCTTATCCCCATCATC SEQ. ID. NO. 34 GGCTGTGGGACCTGTCACCATCGCC SEQ. ID. NO. 30 GTGTCCTGATGGGGAGTATAGTGAT SEQ. ID. NO. 26 GGCTGTGGGGACCTGTCACCATCGCC SEQ. ID. NO. 38 AAATTGGAGTGGCATTCTCCCTGGG SEQ. ID. NO. 34 TGCCTCGGTGCCCTGGCCACCCTCT SEQ. ID. NO. 30 GAGACAGATGCCAGTGCCTGTAACA SEQ. ID. NO. 26 TGCCTCGGTGCCCTGGCCACCCTGT SEQ. ID. NO. 38 CTGTGGTGCCTGTGTTTGTTGCAAT SEQ. ID. NO. 34 TTGTGCTGGGTGTCTTTGTGCGGCA SEQ. ID. NO. 30 AGTGCCCAGATGACTTCTGGTCCAA SEQ. ID. NO. 26 TTGTGCTGGGTGTCTTTGTGCGGCA SEQ. ID. NO. 38 ATTGGGAATCATCGCCACCATT SEQ. ID. NO. 34 CAATGCCACACCAGTGGTCAAGGCC SEQ. ID. NO. 30 TGAGAACCACACCTCCTGCTTCGAA SEQ. ID. NO. 26 CAATGCCACACCAGTGGTCAAGGCC

a summary

```
SEQ. ID. NO. 38 GTGATCGTGACCTTTGTCCGCTATA
SEQ. ID. NO. 34 TCAGGTCGGGAGCTCTGCTACATCC
SEQ. ID. NO. 30 CTGCCCCAGGAGTACATCCGCTGGG
SEQ. ID. NO. 26 TCAGGTCGGGAGCTCTGCTACATCC
SEQ. ID. NO. 38 ATGACACACCTATCGTGAGGGCTTC
SEQ. ID. NO. 34 TGCTGGGTGTGTCTTCCTCTGCTA
SEQ. ID. NO. 30 GCGATGCCTGGGGCTGTGGGACCTGT
SEQ. ID. NO. 26 TGCTGGGTGTCTTCCTCTGCTA
SEQ. ID. NO. 38 AGGACGCGAACTTAGTTACGTGCTC
SEQ. ID. NO. 34 CTGCATGACCTTCATCTTCATTGCC
SEQ. ID. NO. 30 CACCATCGCCTGCCTCGGTGCCCTG
SEQ. ID. NO. 26 CTGCATGACCTTCATCTTCATTGCC
SEQ. ID. NO. 38 CTAACGGGGATTTTTCTCTGTTATT
SEQ. ID. NO. 34 AAGCCATCCACGGCAGTGTGTACCT
SEQ. ID. NO. 30 GCCACCCTGTTTGTGCTGGGTGTCT
SEQ. ID. NO. 26 AAGCCATCCACGGCAGTGTGTACCT
SEQ. ID. NO. 38 CAATCACGTTTTTAATGATTGCAGC
SEQ. ID. NO. 34 TACGGCGTCTTGGTTTTGGGCACTGC
SEQ. ID. NO. 30 TTGTGCGGCACAATGCCACACCAGT
SEQ. ID. NO. 26 TACGGCGTCTTGGTTTGGGCACTGC
SEQ. ID. NO. 38 ACCAGATACAATCATATGCTCCTTC
SEQ. ID. NO. 34 CTTCTCTGTCTGCTACTCAGCCCTG
SEQ. ID. NO. 30 GGTCAAGGCCTCAGGTCGGGAGCTC
SEQ. ID. NO. 26 CTTCTCTGTCTGCTACTCAGCCCTG
SEO. ID. NO. 38 CGACGGGTCTTCCTAGGACTTGGCA
SEQ. ID. NO. 34 CTCACCAAGACCAACCGCATTGCAC
SEQ. ID. NO. 30 TGCTACATCCTGCTGGGTGGTCT
SEQ. ID. NO. 26 CTCACCAAGACCAACCGCATTGCAC
SEQ. ID. NO. 38 TGTGTTTCAGCTATGCAGCCCTTCT
SEQ. ID. NO. 34 GCATCTTCGGTGGGGCCCGGGAGGG
SEQ. ID. NO. 30 TCCTCTGCTACTGCATGACCTTCAT
SEQ. ID. NO. 26 GCATCTTCGGTGGGGCCCGGGAGGG
```

SEQ. ID. NO. 38 GACCAAAACAAACGTATCCACCGA SEQ. ID. NO. 34 TGCCCAGCGCCACGCTTCATCAGT SEQ. ID. NO. 30 CTTCATTGCCAAGCCATCCACGGCA SEQ. ID. NO. 26 TGCCCAGCGGCCACGCTTCATCAGT SEQ. ID. NO. 38 A T A T T T G A G C A G G G G A A G A A T C T G SEQ. ID. NO. 34 CCTGCCTCACAGGTGGCCATCTGCC SEQ. ID. NO. 30 GTGTGTACCTTACGGCGTCTTGGTT SEQ. ID. NO. 26 CCTGCCTCACAGGTGGCCATCTGCC SEQ. ID. NO. 38 TCACAGCGCCCAAGTTCATTAGTCC SEQ. ID. NO. 34 TGGCACTTATCTCGGGCCAGCTGCT SEQ. ID. NO. 30 TGGGCACTGCCTTCTCTGTCTGCTA SEQ. ID. NO. 26 TGGCACTTATCTCGGGCCAGCTGCT SEQ. ID. NO. 38 AGCATCTCAGCTGGTGATCACCTTC SEQ. ID. NO. 34 CATCGTGGTCGCCTGGCTGGTG SEQ. ID. NO. 30 CTCAGCCCTGCTCACCAAGACCAAC SEQ. ID. NO. 26 CATCGTGGTCGCCTGGCTGGTG SEQ. ID. NO. 38 AGCCTCATCTCCGTCCAGCTCCTTG SEQ. ID. NO. 34 GAGGCACCGGGCACAGGCAAGGAGA SEQ. ID. NO. 30 CGCATTGCACGCATCTTCGGTGGG SEQ. ID. NO. 26 GAGGCACCGGGCACAGGCAAGGAGA SEQ. ID. NO. 38 GAGTGTTTGTCTGGTTTGTTGGA SEQ. ID. NO. 34 CAGCCCCGAACGGCGGGAGGTGGT SEQ. ID. NO. 30 CCCGGGAGGGTGCCCAGCGCCACG SEQ. ID. NO. 26 CAGCCCCGAACGGCGGGAGGTGGT SEQ. ID. NO. 38 TCCCCCCCACATCATCATTGACTAT SEQ. ID. NO. 34 GACACTGCGCTGCAACCACCGCGAT SEQ. ID. NO. 30 CTTCATCAGTCCTGCCTCACAGGTG SEQ. ID. NO. 26 GACACTGCGCTGCAACCACCGCGAT SEQ. ID. NO. 38 GGAGAGCAGCGGACACTAGATCCAG SEQ. ID. NO. 34 GCAAGTATGTTGGGCTCGCTGGCCT SEQ. ID. NO. 30 GCCATCTGCCTGGCACTTATCTCGG SEQ. ID. NO. 26 GCAAGTATGTTGGGCTCGCTGGCCT

Figure 9k

Eightel. E.

SEQ. ID. NO. 38 AGAAGGCCAGGGGAGTGCTCAAGTG SEQ. ID. NO. 34 A C A A T G T G C T C C T C A T C G C G C T C T G SEQ. ID. NO. 30 GCCAGCTGCTCATCGTGGTCGCCTG SEQ. ID. NO. 26 ACAATGTGCTCCTCATCGCGCTCTG SEQ. ID. NO. 38 TGACATTTCTGATCTCACTCATT SEQ. ID. NO. 34 CACGCTTTATGCCTTCAAGACTCGC SEQ. ID. NO. 30 GCTGGTGGTGGAGGCACCGGGCACA SEQ. ID. NO. 26 CACGCTTTATGCCTTCAATACTCGC SEQ. ID. NO. 38 TGTTCACTTGGATACAGTATCCTCT SEQ. ID. NO. 34 AAGTGCCCCGAAAACTTCAACGAGG SEQ. ID. NO. 30 GGCAAGGACAGCCCCCGAACGGC SEQ. ID. NO. 26 AAGTGCCCCGAAAACTTCAACGAGG SEQ. ID. NO. 38 TGATGGTCACTTGTACTGTTATGC SEQ. ID. NO. 34 CCAAGTTCATTGGCTTCACCATGTA SEQ. ID. NO. 30 GGGAGGTGGTGACACTGCGCTGCAA SEQ. ID. NO. 26 CCAAGTTCATTGGCTTCACCATGTA SEQ. ID. NO. 38 CATTAAAACGAGAGGTGTCCCAGAG SEQ. ID. NO. 34 CACCACCTGCATCATCTGGCTGGCA SEQ. ID. NO. 30 CCACCGCGATGCAAGTATGTTGGGC SEQ. ID. NO. 26 CACCACCTGCATCATCTGGCTGGCA SEQ. ID. NO. 38 ACTTTCAATGAAGCCAAACCTATTG SEQ. ID. NO. 34 TTCCTGCCCATCTTCTATGTCACCT SEQ. ID. NO. 30 TCGCTGGCCTACAATGTGCTCCTCA SEQ. ID. NO. 26 TIGITGCCCATCTTCTATGTCACCT SEQ. ID. NO. 38 GATTTACCATGTATACCACCTGCAT SEQ. ID. NO. 34 CCAGTGACTACCGGGTACAGACCAC SEQ. ID. NO. 30 TCGCGCTCTGCACGCTTTATGCCTT SEQ. ID. NO. 26 CCAGTGACTACCGGGTACAGACCAC SEQ. ID. NO. 38 CATTTGGTTAGCTTTCATCCCCATC SEQ. ID. NO. 34 CACCATGTGCGTGTCAGTCAGCCTC SEQ. ID. NO. 30 CAATACTCGCAAGTGCCCCGAAAAC SEQ. ID. NO. 26 CACCATGTGCGTGTCAGTCAGCCTC إغارات العالمات

SEQ. ID. NO. 38 TTTTTTGGTACAGCCCAGTCAGCAG SEQ. ID. NO. 34 AGCGGCTCCGTGGTGCTTGGCTGCC SEQ. ID. NO. 30 TTCAACGAGGCCAAGTTCATTGGCT SEQ. ID. NO. 26 AGCGGCTCCGTGGTGCTTGGCTGCC SEQ. ID. NO. 38 AAAAGATGTACATCCAGACAAC SEQ. ID. NO. 34 TCTTTGCGCCCAAGCTGCACATCAT SEQ. ID. NO. 30 TCACCATGTACACCACCTGCATCAT SEQ. ID. NO. 26 TCTTTGCGCCCAAGCTGCACATCAT SEQ. ID. NO. 38 ACTTACTGTCTCCATGAGTTTAAGT SEQ. ID. NO. 34 CCTCTTCCAGCCGCAGAAGAACACC SEQ. ID. NO. 30 CTGGCTGGCATTGTTGCCCATCTTC SEQ. ID. NO. 26 CCTCTTCCAGCCGCAGAAGAACGTG SEQ. ID. NO. 38 GCTTCAGTATCTCTGGGCATGCTCT SEQ. ID. NO. 34 ATCGAGGAGGTGCGTTGCAGCACCG SEQ. ID. NO. 30 TATGTCACCTCCAGTGACTACCGGG SEQ. ID. NO. 26 GTTAGCCACCGGGCACCCACCAGCC SEQ. ID. NO. 38 ATATGCCCAAGGTTTATATAAT SEQ. ID. NO. 34 CAGCTCACGCTTTCAAGGTGGCTGC SEQ. ID. NO. 30 TACAGACCACCACCATGTGCGTGTC SEQ. ID. NO. 26 GCTTTGGCAGTGCTGCCAGGGC SEQ. ID. NO. 38 TTTTCATCCAGAACAGAATACCATC SEQ. ID. NO. 34 CCGGGCCACGCTGCGCCGCAGCAAC SEQ. ID. NO. 30 AGTCAGCCTCAGCGGCTCCGTGGTG SEQ. ID. NO. 26 CAGCTCCAGCCTTGGCCAAGGGTCT SEQ. ID. NO. 38 GAGGAGGTGCGTTGCAGCACCGCAG SEQ. ID. NO. 34 GTCTCCCGCAAGCGGTCCAGCAGCC SEQ. ID. NO. 30 CTTGGCTGCCTCTTTGCGCCCAAGC SEQ. ID. NO. 26 GGCTCCCAGTTTGTCCCCACTGTTT SEQ. ID. NO. 38 CTCACGCTTTCAAGGTGGCTGCCCG SEQ. ID. NO. 34 TTGGAGGCTCCACGGGATCCACCC SEQ. ID. NO. 30 TGCACATCATCCTCTTCCAGCCGCA SEQ. ID. NO. 26 GCAATGGCCGTGAGGTGGTACTC

```
SEQ. ID. NO. 34 CTCCTCCTCCATCAGCAGCAAGAGC
 SEQ. ID. NO. 30 GAAGAACGTGGTTAGCCACCGGGCA
 SEQ. ID. NO. 26 GACAACGTCATCGCTT
 SEQ. ID. NO. 38 TCCCGCAAGCGGTCCAGCAGCCTTG
 SEQ. ID. NO. 34 AACAGCGAAGACCCATTCCCACAGC
 SEQ. ID. NO. 30 CCCACCAGCCGCTTTGGCAGTGCTG
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 GAGGCTCCACGGGATCCACCCCTC
 SEQ. ID. NO. 34 CCGAGAGGCAGAAGCAGCAGCA
 SEQ. ID. NO. 30 CTGCCAGGGCCAGCTCCAGCCTTGG
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 CTCCTCCATCAGCAGCAAGAGCAAC
 SEQ. ID. NO. 34 GCTGGCCCTAACCCAGCAAGAGCAG
 SEQ. ID. NO. 30 CCAAGGGTCTGGCTCCCAGTTTGTC
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 AGCGAAGACCCATTCCCACAGCCCG
 SEQ. ID. NO. 34 CAGCAGCAGCCCTGACCCAC
 SEQ. ID. NO. 30 CCCACTGTTTGCAATGGCCGTGAGG
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 AGAGGCAGAAGCAGCAGCCGCT
 SEQ. ID. NO. 34 AGCAGCAACGATCTCAGCAGCAGCC
 SEQ. ID. NO. 30 TGGTGGACTCGACAACGTCATCGCT
SEQ. ID. NO. 26
 SEQ. ID. NO. 38 GGCCCTAACCCAGCAAGAGCAGCAG
 SEQ. ID. NO. 34 CAGATGCAAGCAGAAGGTCATCTTT
 SEQ. ID. NO. 30 T
 SEQ. ID. NO. 26
 SEQ. ID. NO. 38 CAGCAGCCCTGACCCTCCCACAGC
 SEQ. ID. NO. 34 GGCAGCGGCACGGTCACCTTCTCAC
 SEQ. ID, NO. 30
 SEQ. ID. NO. 26
```

f. William, 1

```
SEQ. ID. NO. 38 AGCAACGATCTCAGCAGCAGCCAG
SEQ. ID. NO. 34 TGAGCTTTGATGAGCCTCAGAAGAA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 ATGCAAGCAGAAGGTCATCTTTGGC
SEQ. ID. NO. 34 CGCCATGGCCCACGGGAATTCTACG
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 AGCGGCACGGTCACCTTCTCACTGA
SEQ. ID. NO. 34 CACCAGAACTCCCTGGAGGCCCAGA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GCTTTGATGAGCCTCAGAAGAACGC
SEQ. ID. NO. 34 AAAGCAGCGATACGCTGACCCGACA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CATGGCCCACGGGAATTCTACGCAC
SEQ. ID. NO. 34 CCAGCCATTACTCCCGCTGCAGTGC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CAGAACTCCCTGGAGGCCCAGAAAA
SEQ. ID. NO. 34 GGGGAAACGGACTTAGATCTGACCG
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GCAGCGATACGCTGACCCGACACCA
SEQ. ID. NO. 34 TCCAGGAAACAGGTCTGCAAGGACC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GCCATTACTCCCGCTGCAGTGCGGG
SEQ. ID. NO. 34 TGTGGGTGGAGACCAGCGGCCAGAG
SEQ. ID. NO. 30
SEQ. ID. NO. 26
```

a seicid, i

```
SEQ. ID. NO. 38 GAAACGGACTTAGATCTGACCGTCC
SEQ. ID. NO. 34 GTGGAGGACCCTGAAGAGTTGTCCC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 AGGAAACAGGTCTGCAAGGACCTGT
SEQ. ID. NO. 34 CAGCACTTGTAGTGTCCAGTTCACA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GGGTGGAGACCAGCGGCCAGAGGTG
SEQ. ID. NO. 34 GAGCTTTGTCATCAGTGGTGGAGGC
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 GAGGACCCTGAAGAGTTGTCCCCAG
SEQ. ID. NO. 34 AGCACTGTTACAGAAAACGTAGTGA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CACTTGTAGTGTCCAGTTCACAGAG
SEQ. ID. NO. 34 ATTCA
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CTTTGTCATCAGTGGTGGAGGCAGC
SEQ. ID. NO. 34
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 ACTGTTACAGAAACGTAGTGAATT
SEQ. ID. NO. 34
SEQ. ID. NO. 30
SEQ. ID. NO. 26
SEQ. ID. NO. 38 CA
SEQ. ID. NO. 34
SEQ. ID. NO. 30
SEQ. ID. NO. 26
```

Figure 9p

## ClustalW Formatted Alignments

```
SEQ. ID. NO. 39 MVCEGKRSASCPCFFLLTAKFYWIL
SEQ. ID. NO. 35 MGSLLALPALLLLWGAVAEGPAKKV
SEQ. ID. NO. 31 MAFYSCCWVLLALTWHTSAYGPDQR
SEQ. ID. NO. 27 MGSLLALLALLPLWGAVAEGPAKKV
SEQ. ID. NO. 39 TMMQRTHSQEYAHSIRVDGDIILGG
SEQ. ID. NO. 35 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 31 AQKKGDIILGGLFPIHFGVAAKDQD
SEQ. ID. NO. 27 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 39 LFPVHAKGERGVPCGELKKEKGIHR
SEQ. ID. NO. 35 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 31 LKSRPESVECIRYNFRGFRWLQAMI
SEQ. ID. NO. 27 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 39 LEAMLYAIDQINKDPDLLSNITLGV
SEQ. ID. NO. 35 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 31 FAIEEINSSPALLPNLTLGYRIFDT
SEQ. ID. NO. 27 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 39 RILDTCSRDTYALEQSLTFVQALIE
SEQ. ID. NO. 35 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 31 CNTVSKALEATLSFVAQNKIDSLNL
SEQ. ID. NO. 27 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 39 KDASDVKCANGDPPIFTKPDKISGV
SEQ. ID. NO. 35 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 31 DEFCNCSEHIPSTIAVVGATGSGVS
SEQ. ID. NO. 27 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 39 IGAAASSVSIMVAN, ILRLFKIPQIS
SEQ. ID. NO. 35 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 31 TAVANLLGLFYIPQVSYASSRLLS
SEQ. ID. NO. 27 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 39 YASTAPELSDNTRYDFFSRVVPPDS
SEQ. ID. NO. 35 SRYDYFARTVPPDFFQAKAMAEILR
SEQ. ID. NO. 31 NKNQFKSFLRTIPND EHQATAMADI
SEQ. ID. NO. 27 SRYDYFARTVPPDFFQAKAMAEILR
```

assertate t

```
SEQ. ID. NO. 39 YQAQAMVDIVTALGWNYVSTLASEG
SEQ. ID. NO. 35 FFNWTYVSTVASEGDYGETGIEAFE
SEQ. ID. NO. 31 IEYFRWNWVGTIAADDDYGRPGIEK
SEQ. ID. NO. 27 FFNWTYVSTEASEGDYGETGIEAFE
SEQ. ID. NO. 39 NYGESGVEAFTQISREIGGVCIAQS
SEQ. ID. NO. 35 LEARARNICVATSEKVGRAMSRAAF
SEQ. ID. NO. 31 FREEAEERDICIDFSELISQYSDEE
SEQ. ID. NO. 27 LEARARNICVATSEKVGRAMSRAAF
SEQ. ID. NO. 39 QKIPREPRPGEFEKIIKRLLETPNA
SEQ. ID. NO. 35 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 31 EIQHVVEVIQNSTAKVIVVFSSGPD
SEQ. ID. NO. 27 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 39 RAVIMFANEDDIRRILEAAKKLNQS
SEQ. ID. NO. 35 RELLAAS QRLNAS FTWVAS DGWGAL
SEQ. ID. NO. 31 LEPLIKEIVRRNITGKIWLASEAWA
SEQ. ID. NO. 27 RELLAAS QRLNAS FTWVAS DGWGAL
SEQ. ID. NO. 39 GHFLWIGSDSWGSKIAPVYQQEEIA
SEQ. ID. NO. 35 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 31 SSSLIAMPQYFHVVGGTIGFALKAG
SEQ. ID. NO. 27 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 39 EGAVTILPKRASIDGFDRYFRSRTL
SEQ. ID. NO. 35 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 31 QIPGFREFLKKVHPRKSVHNGFAKE
SEQ. ID. NO. 27 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 39 ANNRRNVWFAEFWEENFGCKLGSHG
SEQ. ID. NO. 35 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 31 FWEETFNCHLQEGAKGPLPVDTFLR
SEQ. ID. NO. 27 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 39 KRNSHIKKCTGLERIARDSSYEQEG
SEQ. ID. NO. 35 SKIMFVVNAVYAMAHALHNMHRALC
SEQ. ID. NO. 31 GHEESGDRFSNSSTAFRPLCTGDEN
SEQ. ID. NO. 27 SKIMFVVNAVYAMAHALHNMHRALC
```

```
SEQ. ID. NO. 39 K V Q F V I D A V Y S M A Y A L H N M H K D L C P
SEQ. ID. NO. 35 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 31 ISSVETPYIDYTHLRISYNVYLAVY
SEQ. ID. NO. 27 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 39 GYIGLCPRMSTIDGKELLGYIRAVN
SEQ. ID. NO. 35 VKFDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 31 SIAHALQDIYTCLPGRGLFTNGSCA
SEQ. ID. NO. 27 VKFDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 39 FNGS AGTPVTFNENGDAPGRYDIFQ
SEQ. ID. NO. 35 GRYNIFTYLRAGSGRYRYQKVGYWA
SEQ. ID. NO. 31 DIKKVEAWOVLKHLRHLNFTNNMGE
SEQ. ID. NO. 27 GRYNIFTYLRAGSGRYRYQKVGYWA
SEQ. ID. NO. 39 YQITNKSTEYKVIGHWTNQLHLKVE
SEQ. ID. NO. 35 EGLTLDTSLIPWASPSAGPLPASRC
SEQ. ID. NO. 31 QVTFDECGDLVGNYSIINWHLSPED
SEQ. ID. NO. 27 EGLTLDTSLIPWASPSAGPLAASRC
SEQ. ID. NO. 39 DMQWAHREHTHPASVCSLPCKPGER
SEQ. ID. NO. 35 SEPCLQNEVKSVQPGEVCCWLCIPC
SEQ.ID. NO. 31 GSIVFKEVGYYNVYAKKGERLFINE
SEQ. ID. NO. 27 SEPCLQNEVKSVQPGEVCCWLCIPC
SEQ. ID. NO. 39 KKTVKGVPCCWHCERCEGYNYQVDE
SEQ. ID. NO. 35 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 31 EKILWSGFSREVPFSNCSRDCLAGT
SEQ. ID. NO. 27 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 39 LSCELCPLDQRPNMNRTGCQLIPII
SEQ. ID. NO. 35 TGCFELPQEYIRWGDAWAVGPVTIA
SEQ. ID. NO. 31 RKGIIEGEPTCCFECVECPDGEYSD
SEQ. ID. NO. 27 TGCFELPQEYIRWGDAWAVGPVTIA
SEQ. ID. NO. 39 KLEWHSPWAVVPVFVAILGIIATTF
SEQ. ID. NO. 35 CLGALATLFVLGVFVRHNATPVVKA
SEQ. ID. NO. 31 ETDASACNKCPDDFWSNENHTSCFE
SEQ. ID. NO. 27 CLGALATLFVLGVFVRHNATPVVKA
```

```
SEQ. ID. NO. 39 VIVTFVRYNDTPIVRASGRELSYVL
SEQ. ID. NO. 35 SGRELCYILLGGVFLCYCMTFIFIA
SEQ.ID. NO. 31 LPQEYIRWGDAWAYGPVTIACLGAL
SEQ. ID. NO. 27 S G R E L C Y I L L G G V F L C Y C M T F I F I A
SEQ.ID. NO. 39 LTGIFLCYSITFLMIAAPDTIICSF
SEQ. ID. NO. 35 KPSTAVCTLRRLGLGTAFSVCYSAL
SEQ. ID. NO. 31 ATLFVLGVFVRHNATPVVKASGREL
SEQ. ID. NO. 27 KPSTAVCTLRRLGLGTAFSVCYSAL
SEQ. ID. NO. 39 RRVFLGLGMCFSYAALLTKTNRIHR
SEQ. ID. NO. 35 LTKTNRIARIFGGAREGAORPRFIS
SEQ. ID. NO. 31 CYILLGGVFLCYCMTFIFIAKPSTA
SEQ. ID. NO. 27 LTKTNRIARIFGGAREGAQRPRFIS
SEQ. ID. NO. 39 IFEQGKKSVTAPKFISPASQLVITF
SEQ. ID. NO. 35 PASQVAICLALISGQLLIVVAWLVV
SEQ. ID. NO. 31 VCTLRRLGLGTAFSVCYSALLTKTN
SEQ. ID. NO. 27 PASQVAICLALISGQLLIVVAWLVV
SEQ. ID. NO. 39 SLISVQLLGVFVWFVVDPPHIIIDY
SEQ. ID. NO. 35 EAPGTGKETAPERREVVTLRCNHRD
SEQ. ID. NO. 31 RIARIFGGAREGAQRPRFISPASQV
SEQ. ID. NO. 27 EAPGTGKETAPERREVVTLRCNHRD
SEQ. ID. NO. 39 GEQRTLDPEKARGVLKCDISDLSLI
SEQ. ID. NO. 35 A S M L G S L A Y N V L L I A L C T L Y A F K T R
SEQ. ID. NO. 31 AICLALISGQLLIVVAWLVVEAPGT
SEQ. ID. NO. 27 ASMLGSLAYNVLLIALCTLYAFNTR
SEQ. ID. NO. 39 CSLGYSILLMVTCTVYAIKTRGVPE
SEQ. ID. NO. 35 KCPENFNEAKFIGFTMYTTCIIWLA
SEQ. ID. NO. 31 GKETAPERREVVTLRCNHRDASMLG
SEQ. ID. NO. 27 KCPENFNEAKFIGFTMYTTCIIWLA
SEQ. ID. NO. 39 TFNEAKPIGFTMYTTCIIWLAFIPI
SEQ. ID. NO. 35 FLPIFYVTSSDYRVQTTTMCVSVSL
SEQ. ID. NO. 31 SLAYNVLLIALCTLYAFNTRKCPEN
SEQ. ID. NO. 27 LLPIFYVTSSDYRVQTTTMCVSVSL
```

Figure 10d

```
SEQ. ID. NO. 39 FFGTAQSAEKMYIQTTTLTVSMSLS
SEQ. ID. NO. 35 SGSVVLGCLFAPKLHIILFQPQKNT
SEQ. ID. NO. 31 FNEAKFIGFTMYTTCIIWLALLPIF
SEQ. ID. NO. 27 SGSVVLGCLFAPKLHIILFQPQKN
SEQ. ID. NO. 39 ASVSLGMLYMPKVYIIIFHPEQNTI
SEQ. ID. NO. 35 IEEVRCSTAAHAFKVAARATLRRSN
SEQ. ID. NO. 31 YVTSSDYRVQTTTMCVSVSLSGSVV
SEQ. ID. NO. 27
SEQ.ID.NO.39 EEVRCSTAAHAFKVAARATLRRSNV
SEQ. ID. NO. 35 V S R K R S S S L G G S T G S T P S S S I S S K S
SEQ.ID.NO.31 LGCLFAPKLHIILFQPQKNVVSHRA
SEQ. ID. NO. 27
SEQ. ID. NO. 39 SRKRSSSLGGSTGSTPSSSISSKSN
SEQ. ID. NO. 35 NSEDPFPOPEROKOOOPLALTQQEQ
SEQ. ID. NO. 31 PTSRFGSAAARASSSLGQGSGSQFV
SEQ. ID. NO. 27
SEQ. ID. NO. 39 SEDPFPQPERQKQQQPLALTQQEQQ
SEQ. ID. NO. 35 QQQPLTLPQQQRSQQQPRCKQKVIF
SEQ. ID. NO. 31 PTVCNGREVVDSTTSSL
SEQ. ID. NO. 27
SEQ. ID. NO. 39 QQPLTLPQQQRSQQQPRCKQKVIFG
SEQ. ID. NO. 35 GSGTVTFSLSFDEPQKNAMAHGNST
SEQ. ID. NO. 31
SEQ. ID. NO. 27
SEQ. ID. NO. 39 SGTVTFSLSFDEPQKNAMAHGNSTH
SEQ. ID. NO. 35 HQNSLEAQKSSDTLTRHQPLLPLQC
SEQ. ID. NO. 31
SEQ. ID. NO. 27
SEQ. ID. NO. 39 QNSLEAQKSSDTLTRHQPLLPLQCG
SEQ. ID. NO. 35 GETDLDLTVQETGLQGPVGGDQRPE
SEQ. ID. NO, 31
SEQ. ID. NO. 27
```

SEQ. ID. NO. 39 ETDLDLTVQETGLQGPVGGDQRPEV SEQ. ID. NO. 35 VEDPEELSPALVVSSSQSFVISGGG SEQ. ID. NO. 31 SEQ. ID. NO. 27

SEQ. ID. NO. 39 EDPEELSPALVVSSSQSFVISGGGS SEQ. ID. NO. 35 STVTENVVNS SEQ. ID. NO. 31 SEQ. ID. NO. 27

SEQ. ID. NO. 39 TVTENVVNS SEQ. ID. NO. 35 SEQ. ID. NO. 31 SEQ. ID. NO. 27

## ClustalW Formatted Alignments

```
SEQ. ID. NO. 40 ATGGTATGCGAGGGAAAGCGATCAG
SEQ. ID. NO. 46 ATGGGATCGCTGCTTGCGCTCCCGG
SEQ. ID. NO. 36 ATGGGATCGCTGCTTGCGCTCCGG
SEQ. ID. NO. 32 ATGGCATTTTATAGCTGCTGGG
SEQ. iD. NO. 40 CCTCTTGCCCTTGTTTCTTCCTCTT
SEQ. ID. NO. 46 CACTGCTGCTGCTGTGGGGTGCTGT
SEQ. ID. NO. 36 CACTGCTGCTGCTGGGGGTGCTGT
SEQ. ID. NO. 32 TCCTCTTGGCACTCACCTGGCACAC
SEQ. ID. NO. 40 GACCGCCAAGTTCTACTGGATCCTC
SEQ. ID. NO. 46 GGCTGAGGGCCCAGCCAAGAAGGTG
SEQ. ID. NO. 36 GGCTGAGGGCCCAGCCAAGAAGGTG
SEQ. ID. NO. 32 CTCTGCCTACGGGCCAGACCAGCGA
SEQ. ID. NO. 40 A C A A T G A T G C A A A G A A C T C A C A G C C
SEQ. ID. NO. 46 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 36 CTGACCCTGGAGGGAGACTTGGTGC
SEQ. ID. NO. 32 GCCCAAAAGAAGGGGGACATTATCC
SEQ. ID. NO. 40 AGGAGTATGCCCATTCCATACGGGT
SEQ. ID. NO. 46 TGGGTGGGCTGTTCCCAGTGCACCA
SEQ. ID. NO. 36 TGGGTGGGCTGTTCCCAGTGCACCA
SEQ. ID. NO. 32 TTGGGGGGGCTCTTTCCTATTCATTT
SEQ. ID. NO. 40 GGATGGGGACATTATTTGGGGGGGT
SEQ. ID. NO. 46 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 36 GAAGGGCGGCCCAGCAGAGGACTGT
SEQ. ID. NO. 32 TGGAGTAGCAGCTAAAGATCAAGAT
SEQ. ID. NO. 40 CTCTTCCCTGTCCACGCAAAGGGAG
SEQ. ID. NO. 46 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 36 GGTCCTGTCAATGAGCACCGTGGCA
SEQ. ID. NO. 32 CTCAAATCAAGGCCGGAGTCTGTGG
SEQ. ID. NO. 40 AGAGAGGGGTGCCTTGTGGGGAGCT
SEQ. ID. NO. 46 TCCAGCGCCTGGAGGCCATGCTTT
SEQ. ID. NO. 36 TCCAGCGCCTGGAGGCCATGCTTTT
SEQ. ID. NO. 32 AATGTATCAGGTATAATTTCCGTGG
```

SEQ. ID. NO. 40 GAAGAAGGAAAAGGGGATTCACAGA SEQ. ID. NO. 46 TGCACTGGACCGCATCAACCGTGAC SEQ. ID. NO. 36 TGCACTGGACCGCATCAACCGTGAC SEQ. ID. NO. 32 GTTTCGCTGGTTACAGGCTATGATA SEQ. ID. NO. 40 CTGGAGGCCATGCTTTATGCAATTG SEQ. ID. NO. 46 CCGCACCTGCTGCCTGGCGTGCGCC SEQ. ID. NO. 36 CCGCACCTGCTGCCTGGCGTGCGCC SEQ. ID. NO. 32 TTTGCCATAGAGGAGATAAACAGCA SEQ. ID. NO. 40 ACCAGATTAACAAGGACCCTGATCT SEQ. ID. NO. 46 TGGGTGCACACATCCTCGACAGTTG SEQ. ID. NO. 36 TGGGTGCACACATCCTCGACAGTTG SEQ. ID. NO. 32 GCCCAGCCCTTCTTCCCAACTTGAC SEQ. ID. NO. 40 CCTTTCCAACATCACTCTGGGTGTC SEQ. ID. NO. 46 CTCCAAGGACACACATGCGCTGGAG SEQ. ID. NO. 36 CTCCAAGGACACACATGCGCTGGAG SEQ. ID. NO. 32 GCTGGGATACAGGATATTTGACACT SEQ. ID. NO. 40 CGCATCCTCGACACGTGCTCTAGGG SEQ. ID. NO. 46 CAGGCACTGGACTTTGTGCGTGCCT SEQ. ID. NO. 36 CAGGCACTGGACTTTGTGCGTGCCT SEQ. ID. NO. 32 TGCAACACCGTTTCTAAGGCCTTGG SEQ. ID. NO. 40 A C A C C T A T G C T T T G G A G C A G T C T C T SEQ. ID. NO. 46 CACTCAGCCGTGGTGCTGATGGCTC SEQ. ID. NO. 36 CACTCAGCCGTGGTGCTGATGGCTC SEQ. ID. NO. 32 AAGCCACCCTGAGTTTTGTTGCTCA SEQ. ID. NO. 40 AACATTCGTGCAGGCATTAATAGAG SEQ. ID. NO. 46 ACGCCACATCTGCCCCGACGGCTCT SEQ. ID. NO. 36 ACGCCACATCTGCCCCGACGGCTCT SEQ. ID. NO. 32 AAACAAAATTGATTCTTTGAACCTT SEQ. ID. NO. 40 AAAGATGCTTCGGATGTGAAGTGTG SEQ. ID. NO. 46 TATGCGACCCATGGTGATGCTCCCA SEQ. ID. NO. 36 TATGCGACCCATGGTGATGCTCCCA SEQ. ID. NO. 32 GATGAGTTCTGCAACTGCTCAGAGC

```
SEQ. ID. NO. 40 CTAATGGAGATCCACCCATTTCAC
SEQ. ID. NO. 46 CTGCCATCACTGGTGTTATTGGCGG
SEQ. ID. NO. 36 CTGCCATCACTGGTGTTATTGGCGG
SEQ. ID. NO. 32 ACATTCCCTCTACGATTGCTGTGGT
SEQ. ID. NO. 40 CAAGCCCGACAAGATTTCTGGCGTC
SEQ. ID. NO. 46 TTCCTACAGTGATGTCTCCATCCAG
SEQ. ID. NO. 36 TTCCTACAGTGATGTCTCCATCCAG
SEQ. ID. NO. 32 GGGAGCAACTGGCTCAGGCGTCTCC
SEQ. ID. NO. 40 ATAGGTGCTGCAGCAAGCTCCGTGT
SEQ. ID. NO. 46 GTGGCCAACCTCTTGAGGCTATTTC
SEQ. ID. NO. 36 GTGGCCAACCTCTTGAGGCTATTTC
SEQ. ID. NO. 32 ACGGCAGTGGCAAATCTGCTGGGGC
SEQ. ID. NO. 40 CCATCATGGTTGCTAACATTTTAAG
SEQ. ID. NO. 46 AGATCCCACAGATTAGCTACGCCTC
SEQ. ID. NO. 36 AGATCCCACAGATTAGCTACGCCTC
SEQ. ID. NO. 32 TCTTCTACATTCCCCAGGTCAGTTA
SEQ. ID. NO. 40 ACTTTTAAGATACCTCAAATCAGC
SEQ. ID. NO. 46 TACCAGTGCCAAGCTGAGTGACAAG
SEQ. ID. NO. 36 TACCAGTGCCAAGCTGAGTGACAAG
SEQ. ID. NO. 32 TGCCTCCTCCAGCAGACTCCTCAGC
SEQ. ID. NO. 40 TATGCATCCACAGCCCCAGAGCTAA
SEQ. ID. NO. 46 TCCCGCTATGACTACTTTGCCCGCA
SEQ. ID. NO. 36 TCCCGCTATGACTACTTTGCCCGCA
SEQ. ID. NO. 32 AACAAGAATCAATTCAAGTCTTTCC
SEQ. ID. NO. 40 GTGATAACACCAGGTATGACTTTT
SEQ. ID. NO. 46 CAGTGCCTCCTGACTTCTTCCAAGC
SEQ. ID. NO. 36 CAGTGCCTCCTGACTTCTTCCAAGC
SEQ. ID. NO. 32 TCCGAACCATCCCCAATGATGAGCA
SEQ. ID. NO. 40 CTCTCGAGTGGTTCCGCCTGACTCC
SEQ. ID. NO. 46 CAAGGCCATGGCTGAGATTCTCCGC
SEQ. ID. NO. 36 CAAGGCCATGGCTGAGATTCTCCGC
SEQ. ID. NO. 32 CCAGGCCACTGCCATGGCAGACATC
```

holisal, i

```
SEQ. ID. NO. 40 TACCAAGCCCAAGCCATGGTGGACA
SEQ. ID. NO. 46 TTCTTCAACTGGACCTATGTGTCCA
SEQ. ID. NO. 36 TTCTTCAACTGGACCTATGTGTCCA
SEQ. ID. NO. 32 ATCGAGTATTTCCGCTGGAACTGGG
SEQ. ID. NO. 40 TCGTGACAGCACTGGGATGGAATTA
SEQ. ID. NO. 46 CTGTGGCGTCTGAGGGCGACTATGG
SEQ. ID. NO. 36 CTGTGGCGTCTGAGGGCGACTATGG
SEQ. ID. NO. 32 TGGGCACAATTGCAGCTGATGACGA
SEQ. ID. NO. 40 TGTTTCGACACTGGCTTCTGAGGGG
SEQ. ID. NO. 46 CGAGACAGGCATTGAGGCCTTTGAG
SEQ. ID. NO. 36 CGAGACAGGCATTGAGGCCTTTGAG
SEQ. ID. NO. 32 CTATGGGCGGCCGGGGATTGAGAAA
SEQ. ID. NO. 40 AACTATGGTGAGAGCGGTGTGGAGG
SEQ. ID. NO. 46 CTAGAGGCTCGTGCCCGCAACATCT
SEQ. ID. NO. 36 CTAGAGGCTCGTGCCCGCAACATCT
SEQ. ID. NO. 32 TTCCGAGAGGAAGCTGAGGAAAGGG
SEQ. ID. NO. 40 CCTTCACCCAGATCTCGAGGGAGAT
SEQ. ID. NO. 46 GTGTGGCCACCTCGGAGAAAGTGGG
SEQ. ID. NO. 36 GTGTGGCCACCTCGGAGAAAGTGGG
SEQ. ID. NO. 32 A T A T C T G C A T C G A C T T C A G T G A A C T
SEQ. ID. NO. 40 TGGTGGTGTTTGCATTGCTCAGTCA
SEQ. ID. NO. 46 CCGTGCCATGAGCCGCGCGCCTTT
SEQ. ID. NO. 36 CCGTGCCATGAGCCGCGCGCCTTT
SEQ. ID. NO. 32 CATCTCCCAGTACTCTGATGAGGAA
SEQ. ID. NO. 40 CAGAAAATCCCACGTGAACCAAGAC
SEQ. ID. NO. 46 GAGGGTGTGGTGCGAGCCCTGCTGC
SEQ. ID. NO. 36 GAGGGTGTGGTGCGAGCCCTGCTGC
SEQ. ID. NO. 32 GAGATCCAGCATGTGGTAGAGGTGA
SEQ. ID. NO. 40 CTGGAGAATTTGAAAAATTATCAA
SEQ. ID. NO. 46 A G A A G C C C A G T G C C C G C G T G G C T G T
SEQ. ID. NO. 36 AGAAGCCCAGTGCCCGCGTGGCTGT
SEQ. ID. NO. 32 TTCAAAATTCCACGGCCAAAGTCAT
```

Figure 11d

SEQ. ID. NO. 40 A C G C C T G C T A G A A A C A C C T A A T G C T SEQ. ID. NO. 46 C C T G T T C A C C C G T T C T G A G G A T G C C SEQ. ID. NO. 36 C C T G T T C A C C C G T T C T G A G G A T G C C SEQ. ID. NO. 32 C G T G G T T T T C T C C A G T G G C C C A G A T

SEQ. ID. NO. 40 C G A G C A G T G A T T A T G T T T G C C A A T G SEQ. ID. NO. 46 C G G G A G C T G C T T G C T G C C A G C C A G C SEQ. ID. NO. 36 C G G G A G C T C C T C A T C A A G G A G A T T G SEQ. ID. NO. 32 C T T G A G C C C C T C A T C A A G G A G A T T G

SEQ. ID. NO. 40 A G G A T G A C A T C A G G A G G A T A T T G G A SEQ. ID. NO. 46 G C C T C A A T G C C A G C T T C A C C T G G G T SEQ. ID. NO. 36 G C C T C A A T G C C A G C T T C A C C T G G G T SEQ. ID. NO. 32 T C C G G C G C A A T A T C A C G G G C A A G A T

SEQ. ID. NO. 40 A G C A G C A A A A A A A C T A A A C C A A A G T SEQ. ID. NO. 46 G G C C A G T G A T G G T T G G G G G G C C C T G SEQ. ID. NO. 36 G G C C A G T G A T G G T T G G G G G C C C T G SEQ. ID. NO. 32 C T G G C C A G C G A G C C C T G G C C

SEQ. ID. NO. 40 G G G C A T T T T C T C T G G A T T G G C T C A G SEQ. ID. NO. 46 G A G A G T G T G G T G G C A G G C A G T G A G G SEQ. ID. NO. 36 G A G A G T G T G G T G G C A G G C A T G C C T C SEQ. ID. NO. 32 A G C T C C T C C C T G A T C G C C A T G C C T C

SEQ. ID. NO. 40 A T A G T T G G G G A T C C A A A A T A G C A C C SEQ. ID. NO. 46 G G G C T G C T G A G G G T G C T A T C A C C A T SEQ. ID. NO. 36 G G G C T G C T G A G G G T G C T A T C A C C A C SEQ. ID. NO. 32 A G T A C T T C C A C G T G G T T G G C G G C A C

SEQ. ID. NO. 40 TGTCTATCAGCAAGAGGAGATTGCASEQ. ID. NO. 46 CGAGCTGGCCTCCTACCCCATCAGTSEQ. ID. NO. 36 CGAGCTGGCCTCCTACCCCATCAGTSEQ. ID. NO. 32 CATTGGATTCGCTCTGAAGGCTGGG

SEQ. ID. NO. 40 GAAGGGGCTGTGACAATTTTGCCCASEQ. ID. NO. 46 GACTTTGCCTCTACTTCCAGAGCCSEQ. ID. NO. 36 GACTTTGCCTCCTACTTCCAGAGCCSEQ. ID. NO. 32 CAGATCCCAGGCTTCCAGGATCC

transing !

```
SEQ. ID. NO. 40 AACGAGCATCAATTGATGGATTTGA
SEQ. ID. NO. 46 TGGACCCTTGGAACAACAGCCGGAA
SEQ. ID. NO. 36 TGGACCCTTGGAACAACAGCCGGAA
SEQ. ID. NO. 32 TGAAGAAGGTCCATCCCAGGAAGTC
SEQ. ID. NO. 40 TCGATACTTTAGAAGCCGAACTCTT
SEQ. ID. NO. 46 CCCCTGGTTCCGTGAATTCTGGGAG
SEQ. ID. NO. 36 CCCCTGGTTCCGTGAATTCTGGGAG
SEQ. ID. NO. 32 TGTCCACAATGGTTTTGCCAAGGAG
SEQ. ID. NO. 40 GCCAATAATCGAAGAAATGTGTGGT
SEQ. ID. NO. 46 CAGAGGTTCCGCTGCAGCTTCCGGC
SEQ. ID. NO. 36 CAGAGGTTCCGCTGCAGCTTCCGGC
SEQ. ID. NO. 32 TTTTGGGAAGAAACATTTAACTGCC
SEQ. ID. NO. 40 TTGCAGAATTCTGGGAGGAATTT
SEQ. ID. NO. 46 AGCGAGACTGCGCAGCCCACTCT
SEQ. ID. NO. 36 AGCGAGACTGCGCAGCCCACTCT
SEQ. ID. NO. 32 ACCTCCAAGAAGGTGCAAAAGGACC
SEQ. ID. NO. 40 TGGCTGCAAGTTAGGATCACATGGG
SEQ. ID. NO. 46 CCGGGCTGTGCCCTTTGAGCAGGAG
SEQ. ID. NO. 36 CCGGGCTGTGCCCTTTGAGCAGGAG
SEQ. ID. NO. 32 TTTACCTGTGGACACCTTTCTGAGA
SEQ. ID. NO. 40 AAAAGGAACAGTCATATAAAGAAAT
SEQ. ID. NO. 46 TCCAAGATCATGTTTGTGGTCAATG
SEQ. ID. NO. 36 TCCAAGATCATGTTTGTGGTCAATG
SEQ. ID. NO. 32 GGTCACGAAGAAGTGGCGACAGGT
SEQ. ID. NO. 40 GCACAGGGCTGGAGCGAATTGCTCG
SEQ. ID. NO. 46 CAGTGTACGCCATGGCCCATGCGCT
SEQ. ID. NO. 36 CAGTGTACGCCATGGCCCATGCGCT
SEQ. ID. NO. 32 TTAGCAACAGCTCGACAGCCTTCCG
SEQ. ID. NO. 40 GGATTCATCTTATGAACAGGAAGGA
SEQ. ID. NO. 46 CCACAACATGCACCGTGCCCTCTGC
SEQ. ID. NO. 36 CCACAACATGCACCGTGCCCTCTGC
SEQ. ID. NO. 32 ACCCCTCTGTACAGGGGATGAGAAC
```

و بالمنظون

SEQ. ID. NO. 40 AAGGTCCAATTTGTAATTGATGCTG SEQ. ID. NO. 46 CCCAACACCACCGGCTCTGTGACG SEQ. ID. NO. 36 CCCAACACCACCGGCTCTGTGACG SEQ. ID. NO. 32 A T C A G C A G T G T C G A G A C C C C T T A C A SEQ. ID. NO. 40 TATATTCCATGGCTTACGCCCTGCA SEQ. ID. NO. 46 CGATGCGGCCAGTTAACGGGCCCG SEQ. ID. NO. 36 CGATGCGGCCAGTTAACGGGCGCCG SEQ. ID. NO. 32 TAGATTACACGCATTTACGGATATC SEQ. ID. NO. 40 CAATATGCACAAAGATCTCTGCCCT SEQ. ID. NO. 46 CCTCTACAAGGACTTTGTGCTCAAC SEQ. ID. NO. 36 CCTCTACAAGGACTTTGTGCTCAAC SEQ. ID. NO. 32 CTACAATGTGTACTTAGCAGTCTAC SEQ. ID. NO. 40 GGATACATTGGCCTTTGTCCACGAA SEQ. ID. NO. 46 GTCAAGTTTGATGCCCCCTTTCGCC SEQ. ID. NO. 36 GTCAAGTTTGATGCCCCCTTTCGCC SEQ. ID. NO. 32 TCCATTGCCCACGCCTTGCAAGATA SEQ. ID. NO. 40 TGAGTACCATTGATGGGAAAGAGCT SEQ. ID. NO. 46 CAGCTGACACCCACAATGAGGTCCG SEQ. ID. NO. 36 CAGCTGACACCCACAATGAGGTCCG SEQ. ID. NO. 32 TATATACCTGCTTACCTGGGAGAGG SEQ. ID. NO. 40 ACTTGGTTATATTCGGGCTGTAAAT SEQ. ID. NO. 46 CTTTGACCGCTTTGGTGATGGTATT SEQ. ID. NO. 36 CTTTGACCGCTTTGGTGATGGTATT SEQ. ID. NO. 32 GCTCTTCACCAATGGCTCCTGTGCA SEQ. ID. NO. 40 TTTAATGGCAGTGCTGGCACTCCTG SEQ. ID. NO. 46 GGCCGCTACAACATCTTCACCTATC SEQ. ID. NO. 36 GGCCGCTACAACATCTTCACCTATC SEQ. ID. NO. 32 GACATCAAGAAGTTGAGGCGTGGC SEQ. ID. NO. 40 TCACTTTTAATGAAAACGGAGATGC SEQ. ID. NO. 46 TGCGTGCAGGCAGTGGGCGCTATCG SEQ. ID. NO. 36 TGCGTGCAGGCAGTGGGCGCTATCG SEQ. ID. NO. 32 AGGTCCTGAAGCACCTACGGCATCT

Figure 11g

hadred . . .

```
SEQ. ID. NO. 40 TCCTGGACGTTATGATATCTTCCAG
SEQ. ID. NO. 46 CTACCAGAAGGTGGGCTACTGGGCA
SEQ. ID. NO. 36 CTACCAGAAGGTGGGCTACTGGGCA
SEQ. ID. NO. 32 AAACTTTACAAACAATATGGGGGGAG
SEQ. ID. NO. 40 TATCAAATAACCAACAAAAGCACAG
SEQ. ID. NO. 46 GAAGGCTTGACTCTGGACACCAGCC
SEQ. ID. NO. 36 GAAGGCTTGACTCTGGACACCAGCC
SEQ. ID. NO. 32 CAGGTGACCTTTGATGAGTGTGGTG
SEQ. ID. NO. 40  A G T A C A A A G T C A T C G G C C A C T G G A C
SEQ. ID. NO. 46 TCATCCCATGGGCCTCACCCTCAGC
SEQ. ID. NO. 36 TCATCCCATGGGCCTCACCCTCAGC
SEQ. ID. NO. 32 ACCTGGTGGGGAACTATTCCATCAT
SEQ. ID. NO. 40 CAATCAGCTTCATCTAAAAGTGGAA
SEQ. ID. NO. 36 CGGCCCCCTGCCCGCCTCTCGCTGC
SEQ. ID. NO. 32 CAACTGGCACCTCTCCCCAGAGGAT
SEQ. ID. NO. 40 GACATGCAGTGGGCTCATAGAGAAC
SEQ. ID. NO. 46 AGTGAGCCCTGCCTCCAGAATGAGG
SEQ. ID. NO. 36 AGTGAGCCCTGCCTCCAGAATGAGG
SEQ. ID. NO. 32 GGCTCCATCGTGTTTAAGGAAGTCG
SEQ. ID. NO. 40 ATACTCACCCGGCGTCTGTCTGCAG
SEQ. ID. NO. 46 TGAAGAGTGTGCAGCCGGGCGAAGT
SEQ. ID. NO. 36 TGAAGAGTGTGCAGCCGGGCGAAGT
SEQ. ID. NO. 32 GGTATTACAACGTCTATGCCAAGAA
SEQ. ID. NO. 40 CCTGCCGTGTAAGCCAGGGGAGAGG
SEQ. ID. NO. 46 CTGCTGCTGGCTCTGCATTCCGTGC
SEQ. ID. NO. 36 CTGCTGCTGGCTCTGCATTCCGTGC
SEQ. ID. NO. 32 GGGAGAAAGACTCTTCATCAACGAG
SEQ. ID. NO. 40 AAGAAACGGTGAAAGGGGTCCCTT
SEQ. ID. NO. 46 CAGCCCTATGAGTACCGATTGGACG
SEQ. ID. NO. 36 CAGCCCTATGAGTACCGATTGGACG
SEQ. ID. NO. 32 GAGAAAATCCTGTGGAGTGGGTTCT
```

Figure 11h

er sameta

SEQ. ID. NO. 40 GCTGCTGGCACTGTGAACGCTGTGA SEQ. ID. NO. 46 AATTCACTTGCGCTGATTGTGGCCT SEQ. ID. NO. 36 AATTCACTTGCGCTGATTGTGGCCT SEQ. ID. NO. 32 CCAGGGAGGTGCCCTTCTCCAACTG SEQ. ID. NO. 40 AGGTTACAACTACCAGGTGGATGAG SEQ. ID. NO. 46 GGGCTACTGGCCCAATGCCAGCCTG SEQ. ID. NO. 36 GGGCTACTGGCCCAATGCCAGCCTG SEQ. ID. NO. 32 CAGCCGAGACTGCCTGGCAGGGACC SEQ. ID. NO. 40 CTGTCCTGTGAACTTTGCCCTCTGG SEQ. ID. NO. 46 ACTGGCTGCTTCGAACTGCCCCAGG SEQ. ID. NO. 36 ACTGGCTGCTTCGAACTGCCCAGG SEQ. ID. NO. 32 AGGAAAGGGATCATTGAGGGGGAGC SEQ. ID. NO. 40 A T C A G A G A C C C A A C A T G A A C C G C A C SEQ. ID. NO. 46 AGTACATCCGCTGGGGCGATGCCTG SEQ. ID. NO. 36 AGTACATCCGCTGGGGCGATGCCTG SEQ. ID. NO. 32 CCACCTGCTGCTTTGAGTGTGTGGA SEQ. ID. NO. 40 AGGCTGCCAGCTTATCCCCATCATC SEQ. ID. NO. 46 GGCTGTGGGACCTGTCACCATCGCC SEQ. ID. NO. 36 GGCTGTGGGACCTGTCACCATCGCC SEQ. ID. NO. 32 GTGTCCTGATGGGGAGTATAGTGAT SEQ. ID. NO. 40 A A A T T G G A G T G G C A T T C T C C C T G G G SEQ. ID. NO. 46 TGCCTCGGTGCCCTGGCCACCCTCT SEQ. ID. NO. 36 TGCCTCGGTGCCCTGGCCACCCTCT SEQ. ID. NO. 32 GAGACAGATGCCAGTGCCTGTAACA SEQ. ID. NO. 40 CTGTGGTGCCTGTGTTTGTTGCAAT SEQ. ID. NO. 46 TTGTGCTGGGTGTCTTTGTGCGGCA SEQ. ID. NO. 36 TTGTGCTGGGTGTCTTTGTGCGGCA SEQ. ID. NO. 32 A G T G C C C A G A T G A C T T C T G G T C C A A SEQ. ID. NO. 40 ATTGGGAATCATCGCCACCACCTTT SEQ. ID. NO. 46 CAATGCCACACCAGTGGTCAAGGCC SEQ. ID. NO. 36 CAATGCCACACCAGTGGTCAAGGCC SEQ. ID. NO. 32 TGAGAACCACACCTCCTGCTTCGAA

```
SEQ. ID. NO. 40 GTGATCGTGACCTTTGTCCGCTATA
SEQ. ID. NO. 46 TCAGGTCGGGAGCTCTGCTACATCC
SEQ. ID. NO. 36 TCAGGTCGGGAGCTCTGCTACATCC
SEQ. ID. NO. 32 CTGCCCCAGGAGTACATCCGCTGGG
SEQ. ID. NO. 40 ATGACACACCTATCGTGAGGGCTTC
SEQ. ID. NO. 46 TGCTGGGTGGTGTCTTCCTCTGCTA
SEQ. ID. NO. 36 TGCTGGGTGTCTTCCTCTGCTA
SEQ. ID. NO. 32 GCGATGCCTGGGCTGTGGGACCTGT
SEQ. ID. NO. 40 AGGACGCGAACTTAGTTACGTGCTC
SEQ. ID. NO. 46 CTGCATGACCTTCATCTTCATTGCC
SEQ. ID. NO. 36 CTGCATGACCTTCATCTTCATTGCC
SEQ. ID. NO. 32 CACCATCGCCTGCCTCGGTGCCCTG
SEQ. ID. NO. 40 CTAACGGGGATTTTTCTCTGTTATT
SEQ. ID. NO. 46 AAGCCATCCACGGCAGTGTGTACCT
SEQ. ID. NO. 36 AAGCCATCCACGGCAGTGTGTACCT
SEQ. ID. NO. 32 GCCACCCTGTTTGTGCTGGTGTCT
SEQ. ID. NO. 40 CAATCACGTTTTTAATGATTGCAGC
SEQ. ID. NO. 46 TACGGCGTCTTGGTTTGGGCACTGC
SEQ. ID. NO. 36 TACGGCGTCTTGGTTTGGGCACTGC
SEQ. ID. NO. 32 TTGTGCGGCACAATGCCACACCAGT
SEQ. ID. NO. 40 ACCAGATACAATCATATGCTCCTTC
SEQ. ID. NO. 46 CTTCTCTGTCTGCTACTCAGCCCTG
SEQ. ID. NO. 36 CTTCTCTGTCTGCTACTCAGCCCTG
SEQ. ID. NO. 32 GGTCAAGGCCTCAGGTCGGGAGCTC
SEQ. ID. NO. 40 CGACGGGTCTTCCTAGGACTTGGCA
SEQ. ID. NO. 46 CTCACCAAGACCAACCGCATTGCAC
SEQ. ID. NO. 36 CTCACCAAGACCAACCGCATTGCAC
SEQ. ID. NO. 32 TGCTACATCCTGCTGGGTGGTGTCT
SEQ. ID. NO. 40 TGTGTTTCAGCTATGCAGCCCTTCT
SEQ. ID. NO. 46 GCATCTTCGGTGGGGCCCGGGAGGG
SEQ. ID. NO. 36 GCATCTTCGGTGGGGCCCGGGAGGG
SEQ. ID. NO. 32 TCCTCTGCTACTGCATGACCTTCAT
```

Figure 11j

ر الطبيقية - دو

```
SEQ. ID. NO. 40 GACCAAAACAAACGTATCCACCGA
SEQ. ID. NO. 46 TGCCCAGCGGCCACGCTTCATCAGT
SEQ. ID. NO. 36 TGCCCAGCGCCACGCTTCATCAGT
SEQ. ID. NO. 32 CTTCATTGCCAAGCCATCCACGGCA
SEQ. ID. NO. 40 A T A T T T G A G C A G G G G A A G A A A T C T G
SEQ. ID. NO. 46 CCTGCCTCACAGGTGGCCATCTGCC
SEQ. ID. NO. 36 CCTGCCTCACAGGTGGCCATCTGCC
SEQ. ID. NO. 32 GTGTGTACCTTACGGCGTCTTGGTT
SEQ. ID. NO. 40 TCACAGCGCCCAAGTTCATTAGTCC
SEQ. ID. NO. 46 TGGCACTTATCTCGGGCCAGCTGCT
SEQ. ID. NO. 36 TGGCACTTATCTCGGGCCAGCTGCT
SEQ. ID. NO. 32 TGGGCACTGCCTTCTCTGTCTGCTA
SEQ. ID. NO. 40 AGCATCTCAGCTGGTGATCACCTTC
SEQ. ID. NO. 46 CATCGTGGTCGCCTGGCTGGTG
SEQ. ID. NO. 36 CATCGTGGTCGCCTGGCTGGTG
SEQ. ID. NO. 32 CTCAGCCCTGCTCACCAAGACCAAC
SEQ. ID. NO. 40 AGCCTCATCTCCGTCCAGCTCCTTG
SEQ. ID. NO. 46 GAGGCACCGGGCACAGGCAAGGAA
SEQ. ID. NO. 36 GAGGCACCGGGCACAGGCAAGGAAA
SEQ. ID. NO. 32 CGCATTGCACGCATCTTCGGTGGGG
SEQ. ID. NO. 40 GAGTGTTTGTCTGGTTTGTTGTA
SEQ. ID. NO. 46 CAGCCCCCGAACGGCGGGAGGTGGT
SEQ. ID. NO. 36 CAGCCCCCGAACGGCGGGAGGTGGT
SEQ. ID. NO. 32 CCCGGGAGGGTGCCCAGCGGCCACG
SEQ. ID. NO. 40 TCCCCCCCACATCATCATTGACTAT
SEQ. ID. NO. 46 GACACTGCGCTGCAACCACCGCGAT
SEQ. ID. NO. 36 GACACTGCGCTGCAACCACCGCGAT
SEQ. ID. NO. 32 CTTCATCAGTCCTGCCTCACAGGTG
SEQ. ID. NO. 40 GGAGAGCAGCGGACACTAGATCCAG
SEQ. ID. NO. 46 GCAAGTATGTTGGGCTCGCTGGCCT
SEQ. ID. NO. 36 GCAAGTATGTTGGGCTCGCTGGCCT
SEQ. ID. NO. 32 GCCATCTGCCTGGCACTTATCTCGG
```

Figure llk

```
SEQ. ID. NO. 40 AGAAGGCCAGGGGAGTGCTCAAGTG
SEQ. ID. NO. 46 A C A A T G T G C T C C T C A T C G C G C T C T G
SEQ. ID. NO. 36 A C A A T G T G C T C C T C A T C G C G C T C T G
SEQ. ID. NO. 32 GCCAGCTGCTCATCGTGGTCGCCTG
SEQ. ID. NO. 40 TGACATTTCTGATCTCTCACTCATT
SEQ. ID. NO. 46 CACGCTTTATGCCTTCAAGACTCGC
SEQ. ID. NO. 36 CACGCTTTATGCCTTCAAGACTCGC
SEQ. ID. NO. 32 GCTGGTGGTGGAGGCACCGGGCACA
SEQ. ID. NO. 40 TGTTCACTTGGATACAGTATCCTCT
SEQ. ID. NO. 46 AAGTGCCCCGAAAACTTCAACGAGG
SEQ. ID. NO. 36 AAGTGCCCCGAAAACTTCAACGAGG
SEQ. ID. NO. 32 GGCAAGGAGACAGCCCCCGAACGGC
SEQ. ID. NO. 40 TGATGGTCACTTGTACTGTTATGC
SEQ. ID. NO. 46 CCAAGTTCATTGGCTTCACCATGTA
SEQ. ID. NO. 36 CCAAGTTCATTGGCTTCACCATGTA
SEQ. ID. NO. 32 GGGAGGTGGTGACACTGCGCTGCAA
SEQ. ID. NO. 40 CATTAAAACGAGAGGTGTCCCAGAG
SEQ. ID. NO. 46 CACCACCTGCATCATCTGGCTGGCA
SEQ. ID. NO. 36 CACCACCTGCATCATCTGGCTGGCA
SEQ. ID. NO. 32 CCACCGCGATGCAAGTATGTTGGGC
SEQ. ID. NO. 40 ACTTTCAATGAAGCCAAACCTATTG
SEQ. ID. NO. 46 TTCCTGCCCATCTTCTATGTCACCT
SEQ. ID. NO. 36 TTCCTGCCCATCTTCTATGTCACCT
SEQ. ID. NO. 32 TCGCTGGCCTACAATGTGCTCCTCA
SEQ. ID. NO. 40 GATTTACCATGTATACCACCTGCAT
SEQ. ID. NO. 46 CCAGTGACTACCGGGTACAGACCAC
SEQ. ID. NO. 36 CCAGTGACTACCGGGTACAGACCAC
SEQ. ID. NO. 32 TCGCGCTCTGCACGCTTTATGCCTT
SEQ. ID. NO. 40 CATTTGGTTAGCTTTCATCCCCATC
SEQ. ID. NO. 46 CACCATGTGCGTGTCAGTCAGCCTC
SEQ. ID. NO. 36 CACCATGTGCGTGTCAGTCAGCCTC
SEQ. ID. NO. 32 CAATACTCGCAAGTGCCCCGAAAAC
```

April 18 Car

```
SEQ. ID. NO. 40 TTTTTGGTACAGCCCAGTCAGCAG
SEQ. ID. NO. 46 AGCGGCTCCGTGGTGCTTGGCTGCC
SEQ. ID. NO. 36 A G C G G C T C C G T G G T T G G C T G C C
SEQ. ID. NO. 32 TTCAACGAGGCCAAGTTCATTGGCT
SEQ. ID. NO. 40 A A A A G A T G T A C A T C C A G A C A A C A A C
SEQ. ID. NO. 46 TCTTTGCGCCCAAGCTGCACATCAT
SEQ. ID. NO. 36 TCTTTGCGCCCAAGCTGCACATCAT
SEQ. ID. NO. 32 TCACCATGTACACCACCTGCATCAT
SEQ. ID. NO. 40 ACTTACTGTCTCCATGAGTTTAAGT
SEQ. ID. NO. 46 CCTCTTCCAGCCGCAGAAGAACACC
SEQ. ID. NO. 36 CCTCTTCCAGCCGCAGAAGAACACC
SEQ. ID. NO. 32 CTGGCTGGCATTGTTGCCCATCTTC
SEQ. ID. NO. 40 GCTTCAGTATCTCTGGGCATGCTCT
SEQ. ID. NO. 46 ATCGAGGAGGTGCGTTGCAGCACCG
SEQ. ID. NO. 36 ATCGAGGAGGTGCGTTGCAGCACCG
SEQ. ID. NO. 32 TATGTCACCTCCAGTGACTACCGGG
SEQ. ID. NO. 40 A T A T G C C C A A G G T T T A T A T T A T A A T
SEQ. ID. NO. 46 CAGCTCACGCTTTCAAGGTGGCTGC
SEQ. ID. NO. 36 CAGCTCACGCTTTCAAGGTGGCTGC
SEQ. ID. NO. 32 TACAGACCACCACCATGTGCGTGTC
SEQ. ID. NO. 40 TTTCATCCAGAACAGAATACCATC
SEQ. ID. NO. 46 CCGGGCCACGCTGCGCCGCAGCAAC
SEQ. ID. NO. 36 CCGGGGCCACGCTGCGCCGCAGCAAC
SEQ. ID. NO. 32 AGTCAGCCTCAGCGGCTCCGTGGTG
SEQ. ID. NO. 40 GAGGAGGTGCGTTGCAGCACCGCAG
SEQ. ID. NO. 46 GTCTCCCGCAAGCGGTCCAGCAGCC
SEQ. ID. NO. 36 GTCTCCCGCAAGCGGTCCAGCAGCC
SEQ. ID. NO. 32 CTTGGCTGCCTCTTTGCGCCCAAGC
SEQ. ID. NO. 40 CTCACGCTTTCAAGGTGGCTGCCCG
SEQ. ID. NO. 46 TTGGAGGCTCCACGGGATCCACCC
SEQ. ID. NO. 36 TTGGAGGCTCCACGGGATCCACCC
SEQ. ID. NO. 32 TGCACATCATCCTCTTCCAGCCGCA
```

Figure 11m

50 10tg

```
SEQ. ID. NO. 40 GGCCACGCTGCGCCGCAGCAACGTC
SEQ. ID. NO. 46 CTCCTCCTCCATCAGCAGCAAGAGC
SEQ. ID. NO. 36 CTCCTCCTCCATCAGCAGCAAGAGC
SEQ. ID. NO. 32 GAAGAACGTGGTTAGCCACCGGGCA
SEQ. ID. NO. 40 TCCCGCAAGCGGTCCAGCAGCCTTG
SEQ. ID. NO. 46 AACAGCGAAGACCCATTCCCACAGC
SEQ. ID. NO. 36 A A C A G C G A A G A C C C A T T C C C A C A G C
SEQ. ID. NO. 32 CCCACCAGCCGCTTTGGCAGTGCTG
SEQ. ID. NO. 40 GAGGCTCCACGGGATCCACCCCTC
SEQ. ID. NO. 46 CCGAGAGGCAGAAGCAGCAGCC
SEQ. ID. NO. 36 CCGAGAGGCAGAAGCAGCAGCC
SEQ. ID. NO. 32 CTGCCAGGGCCAGCTCCAGCCTTGG
SEQ. ID. NO. 40 СТССТССАТСАGСАGСАAGAGCAAC
SEQ. ID. NO. 46 GCTGGCCCTAACCCAGCAAGAGCAG
SEQ. ID. NO. 36 GCTGGCCCTAACCCAGCAAGAGCAG
SEQ. ID. NO. 32 CCAAGGGTCTGGCTCCCAGTTTGTC
SEQ. ID. NO. 40 AGCGAAGACCCATTCCCACAGCCCG
SEQ. ID. NO. 46 CAGCAGCACCCTGACCCTCCCAC
SEQ. ID. NO. 36 CAGCAGCCCCTGACCCTCCCAC
SEQ. ID. NO. 32 CCCACTGTTTGCAATGGCCGTGAGG
SEQ. ID. NO. 40 AGAGGCAGAAGCAGCAGCCGCT
SEQ. ID. NO. 46 AGCAGCAACGATCTCAGCAGCAGCC
SEQ. ID. NO. 36 AGCAGCAACGATCTCAGCAGCAGCC
SEQ. ID. NO. 32 TGGTGGACTCGACAACGTCATCGCT
SEQ. ID. NO. 40 GGCCCTAACCCAGCAAGAGCAGCAG
SEQ. ID. NO. 46 CAGATGCAAGCAGAAGGTCATCTTT
SEQ. ID. NO. 36 CAGATGCAAGCAGAAGGTCATCTTT
SEQ. ID. NO. 32 TATGACTCTGGAGTCCATCATGGCG
SEQ. ID. NO. 40 CAGCAGCCCCTGACCCTCCCACAGC
SEQ. ID. NO. 46 GGCAGCGGCACGGTCACCTTCTCAC
SEQ. ID. NO. 36 GGCAGGGCACGGTCACCTTCTCAC
SEQ. ID. NO. 32 TGCTGCCTGAGCGAGGAGGCCAAGG
```

Figure lln

Marin Street Hard

و بالحروبية

```
SEQ. ID. NO. 40 AGCAACGATCTCAGCAGCAGCCAG
SEQ. ID. NO. 46 TGAGCTTTGATGAGCCTCAGAAGAA
SEQ. ID. NO. 36 TGAGCTTTGATGAGCCTCAGAAGAA
SEQ. ID. NO. 32 AAGCCCGGCGGATCAACGACGAGAT
SEQ. ID. NO. 40 ATGCAAGCAGAAGGTCATCTTTGGC
SEQ. ID. NO. 46 CGCCATGGCCCACGGGAATTCTACG
SEQ. ID. NO. 36 CGCCATGGCCCACGGGAATTCTACG
SEQ. ID. NO. 32 CGAGCGGCAGCTCCGCAGGGACAAG
SEQ. ID. NO. 40 AGCGGCACGGTCACCTTCTCACTGA
SEQ. ID. NO. 46 CACCAGAACTCCCTGGAGGCCCAGA
SEQ. ID. NO. 36 CACCAGAACTCCCTGGAGGCCCAGA
SEQ. ID. NO. 32 CGGGACGCCGCCGGGAGCTCAAGC
SEQ. ID. NO. 40 GCTTTGATGAGCCTCAGAAGAACGC
SEQ. ID. NO. 46 AAAGCAGCGATACGCTGACCCGACA
SEQ. ID. NO. 36 A A A G C A G C G A T A C G C T G A C C C G A C A
SEQ. ID. NO. 32 TGCTGCTGCTCGGGACAGGAGAG
SEQ. ID. NO. 40 CATGGCCCACGGGAATTCTACGCAC
SEQ. ID. NO. 46 CCAGCCATTACTCCCGCTGCAGTGC
SEQ. ID. NO. 36 CCAGCCATTACTCCCGCTGCAGTGC
SEQ. ID. NO. 32 TGGCAAGAGTACGTTTATCAAGCAG
SEQ. ID. NO. 40 CAGAACTCCCTGGAGGCCCAGAAAA
SEQ. ID. NO. 46 GGGGAAACGGACTTAGATCTGACCG
SEQ. ID. NO. 36 GGGGAAACGGACTTAGATCTGACCG
SEQ. ID. NO. 32 ATGAGAATCATCCATGGGTCAGGAT
SEQ. ID. NO. 40 GCAGCGATACGCTGACCCGACACCA
SEQ. ID. NO. 46 TCCAGGAAACAGGTCTGCAAGGACC
SEQ. ID. NO. 36 TCCAGGAAACAGGTCTGCAAGGACC
SEQ. ID. NO. 32 ACTCTGATGAAGATAAAAGGGGCTT
SEQ. ID. NO. 40 GCCATTACTCCCGCTGCAGTGCGGG
SEQ. ID. NO. 46 TGTGGGTGGAGACCAGCGGCCAGAG
SEQ. ID. NO. 36 TGTGGGTGGAGACCAGCGGCCAGAG
SEQ. ID. NO. 32 CACCAAGCTGGTGTATCAGAACATC
```

Figure 11o

 $_{k_{\Psi q},J_{c,i}}$ 

```
SEQ. ID. NO. 40 GAAACGGACTTAGATCTGACCGTCC
SEQ. ID. NO. 46 GTGGAGGACCCTGAAGAGTTGTCCC
SEQ. ID. NO. 36 GTGGAGGACCCTGAAGAGTTGTCCC
SEQ. ID. NO. 32 TTCACGGCCATGCAGGCCATGATCA
SEQ. ID. NO. 40 AGGAAACAGGTCTGCAAGGACCTGT
SEQ. ID. NO. 46 CAGCACTTGTAGTGTCCAGTTCACA
SEQ. ID. NO. 36 CAGCACTTGTAGTGTCCAGTTCACA
SEQ. ID. NO. 32 GAGCCATGGACACACTCAAGATCCC
SEQ. ID. NO. 40 GGGTGGAGACCAGCGGCCAGAGGTG
SEQ. ID. NO. 46 GAGCTTTGTCATCAGTGGTGGAGGC
SEQ. ID. NO. 36 GAGCTTTGTCATCAGTGGTGGAGGC
SEQ. ID. NO. 32 ATACAAGTATGAGCACAATAAGGCT
SEQ. ID. NO. 40 GAGGACCCTGAAGAGTTGTCCCCAG
SEQ. ID. NO. 46 AGCACTGTTACAGAAAACGTAGTGA
SEQ. ID. NO. 36 AGCACTGTTACAGAAAACGTAGTGA
SEQ. ID. NO. 32 CATGCACAATTAGTTCGAGAAGTTG
SEQ. ID. NO. 40 CACTTGTAGTGTCCAGTTCACAGAG
SEQ. ID. NO. 46 ATTCAGCGGCCGCCATGACTCTGGA
SEQ. ID. NO. 36 ATTCAATGACTCTGGAGTCCATCAT
SEQ. ID. NO. 32 ATGTGGAGAAGGTGTCTGCTTTTGA
SEQ. ID. NO. 40 CTTTGTCATCAGTGGTGGAGGCAGC
SEQ. ID. NO. 46 G T C C A T C A T G G C G T G C T G C C T G A G C
SEQ. ID. NO. 36 GGCGTGCTGCCTGAGCGAGGAGGCC
SEQ. ID. NO. 32 GAATCCATATGTAGATGCAATAAAG
SEQ. ID. NO. 40 ACTGTTACAGAAAACGTAGTGAATT
SEQ. ID. NO. 46 GAGGAGGCCAAGGAAGCCCGGCGGA
SEQ. ID. NO. 36 A A G G A A G C C C G G C G G A T C A A C G A C G
SEQ. ID. NO. 32 AGTTTATGGAATGATCCTGGAATCC
SEQ. ID. NO. 40 CA------
SEQ. ID. NO. 46 TCAACGACGAGATCGAGCGGCAGCT
SEQ. ID. NO. 36 AGATCGAGCGGCAGCTCCGCAGGGA
SEQ. ID. NO. 32 AGGAATGCTATGATAGACGACGAGA
```

```
SEQ. ID. NO. 40 - - - - -
SEQ. ID. NO. 46 CCGCAGGGACAAGCGGGACGCCCGC
SEQ. ID. NO. 36 CAAGCGGGACGCCCGCCGGGAGCTC
SEQ. ID. NO. 32 ATATCAATTATCTGACTCTACCAAA
SEQ. ID. NO. 40 - - - - - - - - - - - - - - - A T G A C T C T G G
SEQ. ID. NO. 46 CGGGAGCTCAAGCTGCTGCTCG
SEQ. ID. NO. 36 AAGCTGCTGCTGCTCGGGACAGGAG
SEQ. ID. NO. 32 TACTATCTTAATGACTTGGACCGCG
SEQ. ID. NO. 40 AGTCCATCATGGCGTGCTGCCTGAG
SEQ. ID. NO. 46 GGACAGGAGAGTGGCAAGAGTAC
SEQ. ID. NO. 36 AGAGTGGCAAGAGTACGTTTATCAA
SEQ. ID. NO. 32 TAGCTGACCCTGCCTACCTGCCTAC
SEQ. ID. NO. 40 CGAGGAGGCCAAGGAAGCCCGGCGG
SEQ. ID. NO. 46 GTTTATCAAGCAGATGAGAATCATC
SEQ. ID. NO. 36 GCAGATGAGAATCATCCATGGGTCA
SEQ. ID. NO. 32 GCAACAAGATGTGCTTAGAGTTCGA
SEQ. ID. NO. 40 A T C A A C G A C G A G A T C G A G C G C A G C
SEQ. ID. NO. 46 CATGGGTCAGGATACTCTGATGAAG
SEQ. ID. NO. 36 GGATACTCTGATGAAGATAAAGGG
SEQ. ID. NO. 32 G T C C C C A C C A G G G A T C A T C G A A T
SEQ. ID. NO. 40 TCCGCAGGGACAAGCGGGACGCCCG
SEQ. ID. NO. 46 ATAAAAGGGGCTTCACCAAGCTGGT
SEQ. ID. NO. 36 GCTTCACCAAGCTGGTGTATCAGAA
SEQ. ID. NO. 32 ACCCCTTTGACTTACAAAGTGTCAT
SEQ. ID. NO. 40 CCGGGAGCTCAAGCTGCTGCTC
SEQ. ID. NO. 46 GTATCAGAACATCTTCACGGCCATG
SEQ. ID. NO. 36 CATCTTCACGGCCATGCAGGCCATG
SEQ. ID. NO. 32 TTTCAGAATGGTCGATGTAGGGGGC
SEQ. ID. NO. 40 GGGACAGGAGAGAGTGGCAAGAGTA
SEQ. ID. NO. 46 CAGGCCATGATCAGAGCCATGGACA
SEQ. ID. NO. 36 ATCAGAGCCATGGACACACTCAAGA
SEQ. ID. NO. 32 CAAAGGTCAGAGAAAAATGGA
```

٠ بال بالية

```
SEQ. ID. NO. 40 CGTTTATCAAGCAGATGAGAATCAT
SEQ. ID. NO. 46 CACTCAAGATCCCATACAAGTATGA
SEQ. ID. NO. 36 TCCCATACAAGTATGAGCACAATAA
SEQ. ID. NO. 32 TACACTGCTTTGAAAATGTCACCTC
SEQ. ID. NO. 40 CCATGGGTCAGGATACTCTGATGAA
SEQ. ID. NO. 46 GCACAATAAGGCTCATGCACAATTA
SEQ. ID. NO. 36 GGCTCATGCACAATTAGTTCGAGAA
SEQ. ID. NO. 32 TATCATGTTTCTAGTAGCGCTTAGT
SEQ. ID. NO. 40 GATAAAAGGGGCTTCACCAAGCTGG
SEQ. ID. NO. 46 GTTCGAGAAGTTGATGTGGAAAGG
SEQ. ID. NO. 36 GTTGATGTGGAGAAGGTGTCTGCTT
SEQ. ID. NO. 32 GAATATGATCAAGTTCTCGTGGAGT
SEQ. ID. NO. 40 TGTATCAGAACATCTTCACGGCCAT
SEQ. ID. NO. 46 TGTCTGCTTTTGAGAATCCATATGT
SEQ. ID. NO. 36 TTGAGAATCCATATGTAGATGCAAT
SEQ. ID. NO. 32 CAGACAATGAGAACCGAATGGAGGA
SEQ. ID. NO. 40 GCAGGCCATGATCAGAGCCATGGAC
SEQ. ID. NO. 46 AGATGCAATAAAGAGTTTATGGAAT
SEQ. ID. NO. 36 A A A G A G T T T A T G G A A T G A T C C T G G A
SEQ. ID. NO. 32 AAGCAAGGCTCTCTTTAGAACAATT
SEQ. ID. NO. 40 ACACTCAAGATCCCATACAAGTATG
SEQ. ID. NO. 46 GATCCTGGAATCCAGGAATGCTATG
SEQ. ID. NO. 36 ATCCAGGAATGCTATGATAGACGAC
SEQ. ID. NO. 32 ATCACATACCCCTGGTTCCAGAACT
SEQ. ID. NO. 40 AGCACAATAAGGCTCATGCACAATT
SEQ. ID. NO. 46 ATAGACGACGAGAATATCAATTATC
SEQ. ID. NO. 36 GAGAATATCAATTATCTGACTCTAC
SEQ. ID. NO. 32 CCTCGGTTATTCTGTTCTTAAACAA
SEQ. ID. NO. 40 AGTTCGAGAAGTTGATGTGGAGAAG
SEQ. ID. NO. 46 TGACTCTACCAAATACTATCTTAAT
SEQ. ID. NO. 36 CAAATACTATCTTAATGACTTGGAC
SEQ. ID. NO. 32 GAAAGATCTTCTAGAGGAAAATC
```

SEQ. ID. NO. 40 GTGTCTGCTTTTGAGAATCCATATG SEQ. ID. NO. 46 GACTTGGACCGCGTAGCTGACCCTG SEQ. ID. NO. 36 CGCGTAGCTGACCCTGCCTACCTGC SEQ. ID. NO. 32 ATGTATTCCCATCTAGTCGACTACT SEQ. ID. NO. 40 TAGATGCAATAAAGAGTTTATGGAA SEQ. ID. NO. 46 CCTACCTGCCTACGCAACAAGATGT SEQ. ID. NO. 36 CTACGCAACAAGATGTGCTTAGAGT SEQ. ID. NO. 32 TCCCAGAATATGATGGACCCCAGAG SEQ. ID. NO. 40 TGATCCTGGAATCCAGGAATGCTAT SEQ. ID. NO. 46 GCTTAGAGTTCGAGTCCCCACCACA SEQ. ID. NO. 36 TCGAGTCCCCACCACAGGGATCATC SEQ. ID. NO. 32 AGATGCCCAGGCAGCCCGAGAATTC SEQ. ID. NO. 40 GATAGACGACGAGAATATCAATTAT SEQ. ID. NO. 46 GGGATCATCGAATACCCCTTTGACT SEQ. ID. NO. 36 GAATACCCCTTTGACTTACAAAGTG SEQ. ID. NO. 32 ATTCTGAAGATGTTCGTGGACCTGA SEQ. ID. NO. 40 CTGACTCTACCAAATACTATCTTAA SEQ. ID. NO. 46 TACAAAGTGTCATTTTCAGAATGGT SEQ. ID. NO. 36 TCATTTCAGAATGGTCGATGTAGG SEQ. ID. NO. 32 ACCCAGACAGTGACAAATTATCTA SEQ. ID. NO. 40 TGACTTGGACCGCGTAGCTGACCCT SEQ. ID. NO. 46 CGATGTAGGGGGCCAAAGGTCAGAG SEQ. ID. NO. 36 GGGCCAAAGGTCAGAGAAAAA SEQ. ID. NO. 32 CTCCCACTTCACGTGCGCCACAGAC SEQ. ID. NO. 40 GCCTACCTGCCTACGCAACAAGATG SEQ. ID. NO. 46 AGAAGAAATGGATACACTGCTTTG SEQ. ID. NO. 36 TGGATACACTGCTTTGAAAATGTCA SEQ. ID. NO. 32 ACCGAGAATATCCGCTTTGTCTTTG SEQ. ID. NO. 40 TGCTTAGAGTTCGAGTCCCCACCAC SEQ. ID. NO. 46 AAAATGTCACCTCTATCATGTTTCT SEQ. ID. NO. 36 CCTCTATCATGTTTCTAGTAGCGCT SEQ. ID. NO. 32 CTGCCGTCAAGGACACCATCCTCCA

Figure 11s

. Lund

```
SEQ. ID. NO. 40 AGGGATCATCGAATACCCCTTTGAC
SEQ. ID. NO. 46 AGTAGCGCTTAGTGAATATGATCAA
SEQ. ID. NO. 36 TAGTGAATATGATCAAGTTCTCGTG
SEQ. ID. NO. 32 GTTGAACCTGAAGGACTGCGGTCTG
SEQ. ID. NO. 40 TTACAAAGTGTCATTTCAGAATGG
SEQ. ID. NO. 46 GTTCTCGTGGAGTCAGACAATGAGA
SEQ. ID. NO. 36 GAGTCAGACAATGAGAACCGAATGG
SEQ. ID. NO. 32 TTCTAA
SEQ. ID. NO. 40 TCGATGTAGGGGGCCAAAGGTCAGA
SEQ. ID. NO. 46 ACCGAATGGAGGAAAGCAAGGCTCT
SEQ. ID. NO. 36 AGGAAAGCAAGGCTCTCTTAGAAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GAGAAGAAATGGATACACTGCTTT
SEQ. ID. NO. 46 CTTTAGAACAATTATCACATACCCC
SEQ. ID. NO. 36 AATTATCACATACCCCTGGTTCCAG
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GAAAATGTCACCTCTATCATGTTTC
SEQ. ID. NO. 46 TGGTTCCAGAACTCCTCGGTTATTC
SEQ. ID. NO. 36 AACTCCTCGGTTATTCTGTTCTTAA
SEQ. ID. NO. 32
SEQ. ID. NO. 40 TAGTAGCGCTTAGTGAATATGATCA
SEQ. ID. NO. 46 TGTTCTTAAACAAGAAGATCTTCT
SEQ. ID. NO. 36 ACAAGAAGATCTTCTAGAGGAGAA
SEQ. ID. NO. 32
SEQ. ID. NO. 40 AGTTCTCGTGGAGTCAGACAATGAG
SEQ. ID. NO. 46 AGAGGAGAAATCATGTATTCCCAT
SEQ. ID. NO. 36 AATCATGTATTCCCATCTAGTCGAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 AACCGAATGGAGGAAAGCAAGGCTC
SEQ. ID. NO. 46 CTAGTCGACTACTTCCCAGAATATG
SEQ. ID. NO. 36 TACTTCCCAGAATATGATGGACCCC
SEQ. ID. NO. 32
```

الأوانية والمتحالات

```
SEQ. ID. NO. 40 TCTTTAGAACAATTATCACATACCC
SEQ. ID. NO. 46 ATGGACCCCAGAGAGATGCCCAGGC
SEQ. ID. NO. 36 AGAGAGACCCAGGCAGCCCGAGA
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CTGGTTCCAGAACTCCTCGGTTATT
SEQ. ID. NO. 46 AGCCCGAGAATTCATTCTGAAGATG
SEQ. ID. NO. 36 ATTCATTCTGAAGATGTTCGTGGAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CTGTTCTTAAACAAGAAGATCTTC
SEQ. ID. NO. 46 TTCGTGGACCTGAACCCAGACAGTG
SEQ. ID. NO. 36 CTGAACCCAGACAGTGACAAATTA
SEQ. ID. NO. 32
SEQ. ID. NO. 40 TAGAGGAGAAAATCATGTATTCCCA
SEQ. ID. NO. 46 ACAAAATTATCTACTCCCACTTCAC
SEQ. ID. NO. 36 TCTACTCCCACTTCACGTGCGCCAC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 TCTAGTCGACTACTTCCCAGAATAT
SEQ. ID. NO. 46 GTGCGCCACAGACACCGAGAATATC
SEQ. ID. NO. 36 AGACACCGAGAATATCCGCTTTGTC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GATGGACCCCAGAGAGATGCCCAGG
SEQ. ID. NO. 46 CGCTTTGTCTTTGCTGCCGTCAAGG
SEQ. ID. NO. 36 TTTGCTGCCGTCAAGGACACCATCC
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CAGCCCGAGAATTCATTCTGAAGAT
SEQ. ID. NO. 46 A C A C C A T C C T C C A G T T G A A C C T G A A
SEQ. ID. NO. 36 TCCAGTTGAACCTGAAGGACTGCGG
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GTTCGTGGACCTGAACCCAGACAGT
SEQ. ID. NO. 46 GGACTGCGGTCTGTTCTAATTGTGC
SEQ. ID. NO. 36 TCTGTTCTAA
SEQ. ID. NO. 32
```

SEQ. ID. NO. 32

والمستهان ا

```
SEQ. ID. NO. 40 GACAAAATTATCTACTCCCACTTCA
SEQ. ID. NO. 46 CTCCTAGACACCCGCCCTGCCCTTC
SEQ. ID. NO. 36
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CGTGCGCCACAGACACCGAGAATAT
SEQ. ID. NO. 46 CCTGGT
SEQ. ID. NO. 36
SEQ. ID. NO. 32
SEQ. ID. NO. 40 CCGCTTTGTCTTTGCTGCCGTCAAG
SEQ. ID. NO. 46
SEQ. ID. NO. 36
SEQ. ID. NO. 32
SEQ. ID. NO. 40 GACACCATCCTCCAGTTGAACCTGA
SEQ. ID. NO. 46
SEQ. ID. NO. 36
SEQ. ID. NO. 32
SEQ. ID. NO. 40 AGGACTGCGGTCTGTTCTAA
SEQ. ID. NO. 46
SEQ. ID. NO. 36
```

F. 44. J. 4

## ClustalW Formatted Alignments

```
SEQ. ID. NO. 41 M V C E G K R S A S C P C F F L L T A K F Y W I L
SEQ. ID. NO. 47 MGSLLALPALLLLWGAVAEGPAKKV
SEQ. ID. NO. 37 MGSLLALPALLLLWGAVAEGPAKKV
SEQ. ID. NO. 33 MAFYSCCWVLLALTWHTSAYGPDQR
SEQ. ID. NO. 41 TMMQRTHSQEYAHSIRVDGDIILGG
SEQ. ID. NO. 47 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 37 LTLEGDLVLGGLFPVHQKGGPAEDC
SEQ. ID. NO. 33 AQKKGDIILGGLFPIHFGVAAKDQD
SEQ. ID. NO. 41 LFPVHAKGERGVPCGELKKEKGIHR
SEQ. ID. NO. 47 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 37 GPVNEHRGIQRLEAMLFALDRINRD
SEQ. ID. NO. 33 LKSRPESVECIRYNFRGFRWLQAMI
SEQ. ID. NO. 41 LEAMLYAIDQINKDPDLLSNITLGV
SEQ. ID. NO. 47 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 37 PHLLPGVRLGAHILDSCSKDTHALE
SEQ. ID. NO. 33 FAIEEINSSPALLPNLTLGYRIFDT
SEQ. ID. NO. 41 RILDTCSRDTYALEQSLTFVQALIE
SEQ. ID. NO. 47 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 37 QALDFVRASLSRGADGSRHICPDGS
SEQ. ID. NO. 33 CNTVSKALEATLS FVAQNKIDSLNL
SEQ. ID. NO. 41 KDASDVKCANGDPPIFTKPDKISGV
SEQ. ID. NO. 47 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 37 YATHGDAPTAITGVIGGSYSDVSIQ
SEQ. ID. NO. 33 DEFCNCSEHIPSTIAVVGATGSGVS
SEQ. ID. NO. 41 IGAAASSVSIMVANILRLFKIPQIS
SEQ. ID. NO. 47 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 37 VANLLRLFQIPQISYASTSAKLSDK
SEQ. ID. NO. 33 TAVANLLGLFYIPQVSYASSSRLLS
SEQ. ID. NO. 41 YASTAPELSDNTRYDFFSRVVPPDS
SEQ. ID. NO. 47 SRYDYFARTVPPDFFQAKAMAEILR
SEQ. ID. NO. 37 SRYDYFARTVPPDFFQAKAMAEILR
SEQ. ID. NO. 33 NKNQFKSFLRTIPNDEHQATAMADI
```

```
SEQ. ID. NO. 41 YQAQAMVDIVTALGWNYVSTLASEG
SEQ. ID. NO. 47 FFNWTYVSTVASEGDYGETGIEAFE
SEQ. ID. NO. 37 FFNWTYVSTVASEGDYGETGIEAFE
SEQ. ID. NO. 33 IEYFRWNWVGTIAADDDYGRPGIEK
SEQ. ID. NO. 41 NYGESGVEAFTQISREIGGVCIAQS
SEQ. ID. NO. 47 LEARARNIC VATSEK V GRAMSRAAF
SEQ. ID. NO. 37 LEARARNIC VATSEK V GRAMSRAAF
SEQ. ID. NO. 33 FREEAEERDICIDFSELISQYSDEE
SEQ. ID. NO. 41 QKIPREPRPGEFEKIIKRLLETPNA
SEQ. ID. NO. 47 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 37 EGVVRALLQKPSARVAVLFTRSEDA
SEQ. ID. NO. 33 EIQHVVEVIQNSTAKVIVVFSSGPD
SEQ. ID. NO. 41 RAVIMFANEDDIRRILEAAKKLNQS
SEQ. ID. NO. 47 RELLAASQRLNASFTWVASDGWGAL
SEQ. ID. NO. 37 RELLAAS QRLNAS FTW VAS DGWGAL
SEQ. ID. NO. 33 LEPLIKEIVRRNITGKIWLASEAWA
SEQ. ID. NO. 41 GHFLWIGSDSWGSKIAPVYQQEEIA
SEQ. ID. NO. 47 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 37 ESVVAGSEGAAEGAITIELASYPIS
SEQ. ID. NO. 33 SSSLIAMPQYFHVVGGTIGFALKAG
SEQ. ID. NO. 41 EGAVTILPKRASIDGFDRYFRSRTL
SEQ. ID. NO. 47 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 37 DFASYFQSLDPWNNSRNPWFREFWE
SEQ. ID. NO. 33 QIPGFREFLKKVHPRKSVHNGFAKE
SEQ. ID. NO. 41 ANNRRNVWFAEFWEENFGCKLGSHG
SEQ. ID. NO. 47 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 37 QRFRCSFRQRDCAAHSLRAVPFEQE
SEQ. ID. NO. 33 FWEETFNCHLQEGAKGPLPVDTFLR
SEQ. ID. NO. 41 KRNSHIKKCTGLERIARDSSYEQEG
SEQ. ID. NO. 47 SKIMFVVNAVYAMAHALHNMHRALC
SEQ. ID. NO. 37 SKIMFVVNAVYAMAHALHNMHRALC
SEQ. ID. NO. 33 GHEESGDRFSNSSTAFRPLCTGDEN
```

tou A.

```
SEQ. ID. NO. 41 KVQFVIDAVYSMAYALHNMHKDLCP
SEQ. ID. NO. 47 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 37 PNTTRLCDAMRPVNGRRLYKDFVLN
SEQ. ID. NO. 33 ISSVETPYIDYTHLRISYNVYLAVY
SEQ. ID. NO. 41 GYIGLCPRMSTIDGKELLGYIRAVN
SEQ. ID. NO. 47 VKFDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 37 VKFDAPFRPADTHNEVRFDRFGDGI
SEQ. ID. NO. 33 SIAHALQDIYTCLPGRGLFTNGSCA
SEQ. ID. NO. 41 FNGSAGTPVTFNENGDAPGRYDIFQ
SEQ. ID. NO. 47 GRYNIFTYLRAGSGRYRYQKVGYWA
SEQ. ID. NO. 37 GRYNIFTYLRAGSGRYRYQKVGYWA
SEQ. ID. NO. 33 DIKKVEAWQVLKHLRHLNFTNNMGE
SEQ. ID. NO. 41 YQITNKSTEYKVIGHWTNQLHLKVE
SEQ. ID. NO. 47 EGLTLDTSLIPWASPSAGPLPASRC
SEQ. ID. NO. 37 EGLTLDTSLIPWASPSAGPLPASRC
SEQ. ID. NO. 33 QVTFDECGDLVGNYSIINWHLSPED
SEQ. ID. NO. 41 DMQWAHREHTHPASVCSLPCKPGER
SEQ. ID. NO. 47 SEPCLQNEVKSVQPGEVCCWLCIPC
SEQ. ID. NO. 37 SEPCLQNEVKSVQPGEVCCWLCIPC
SEQ. ID. NO. 33 GSIVFKEVGYYNVYAKKGERLFINE
SEQ. ID. NO. 41 KKTVKGVPCCWHCERCEGYNYQVDE
SEQ. ID. NO. 47 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 37 QPYEYRLDEFTCADCGLGYWPNASL
SEQ. ID. NO. 33 EKILWSGFSREVPFSNCSRDCLAGT
SEQ. ID. NO. 41 LSCELCPLDQRPNMNRTGCQLIPII
SEQ. ID. NO. 47 TGCFELPQEYIRWGDAWAVGPVTIA
SEQ. ID. NO. 37 TGCFELPQEYIRWGDAWAVGPVTIA
SEQ. ID. NO. 33 RKGIIEGEPTCCFECVECPDGEYSD
SEQ. ID. NO. 41 KLEWHSPWAVVPVFVAILGIIATTF
SEQ. ID. NO. 47 CLGALATLFVLGVFVRHNATPVVKA
SEQ. ID. NO. 37 CLGALATLFVLGVFVRHNATPVVKA
SEQ. ID. NO. 33 ETDASACNKCPDDFWSNENHTSCFE
```

والمراجع

```
SEQ.ID.NO.41 VIVTFVRYNDTPIVRASGRELSYVL
SEQ. ID. NO. 47 SGRELCYILLGGVFLCYCMTFIFIA
SEQ. ID. NO. 37 SGRELCYILLGGVFLCYCMTFIFIA
SEQ. ID. NO. 33 LPQEYIRWGDAWAVGPVTIACLGAL
SEQ. ID. NO. 41 LTGIFLCYSITFLMIAAPDTIICSF
SEQ. ID. NO. 47 · K P S T A V C T L R R L G L G T A F S V C Y S A L
SEQ. ID. NO. 37 KPSTAVCTLRRLGLGTAFSVCYSAL
SEQ. ID. NO. 33 ATLFVLGVFVRHNATPVVKASGREL
SEQ. ID. NO. 41 RRVFLGLGMCFSYAALLTKTNRIHR
SEQ. ID. NO. 47 LTKTNRIARIFGGAREGAQRPRFIS
SEQ. ID. NO. 37 LTKTNRIARIFGGAREGAQRPRFIS
SEQ. ID. NO. 33 CYILLGGVFLCYCMTFIFIAKPSTA
SEQ. ID. NO. 41 I FEQGKKSVTAPKFISPASQLVITF
SEQ. ID. NO. 47 PASQVAICLALISGQLLIVVAWLVV
SEQ. ID. NO. 37 PASQVAICLALISGQLLIVVAWLVV
SEQ. ID. NO. 33 VCTLRRLGLGTAFSVCYSALLTKTN
SEQ. ID. NO. 41 SLISVQLLGVFVWFVVDPPHIIIDY
SEQ. ID. NO. 47 EAPGTGKETAPERREVVTLRCNHRD
SEQ. ID. NO. 37 EAPGTGKETAPERREVVTLRCNHRD
SEQ. ID. NO. 33 RIARIFGGAREGAQRPRFISPASQV
SEQ. ID. NO. 41 GEQRTLDPEKARGVLKCDISDLSLI
SEQ. ID. NO. 47 A S M L G S L A Y N V L L I A L C T L Y A F K T R
SEQ. ID. NO. 37 ASMLGSLAYNVLLIALCTLYAFKTR
SEQ. ID. NO. 33 AICLALISGQLLIVVAWLVVEAPGT
SEQ. ID. NO. 41 CSLGYSILLMVTCTVYAIKTRGVPE
SEQ. ID. NO. 47 KCPENFNEAKFIGFTMYTTCIIWLA
SEQ. ID. NO. 37 KCPENFNEAKFIGFTMYTTCIIWLA
SEQ. ID. NO. 33 GKETAPERREVVTLRCNHRDASMLG
SEQ. ID. NO. 41 TFNEAKPIGFTMYTTCIIWLAFIPI
SEQ. ID. NO. 47 FLPIFYVTSSDYRVQTTTMCVSVSL
SEQ. ID. NO. 37 FLPIFYVTSSDYRVQTTTMCVSVSL
SEQ. ID. NO. 33 SLAYNVLLIALCTLYAFNTRKCPEN
```

```
SEQ. ID. NO. 41 FFGTAQSAEKMYIQTTTLTVSMSLS
SEQ. ID. NO. 47 SGSVVLGCLFAPKLHIILFQPQKNT
SEQ. ID. NO. 37 SGSVVLGCLFAPKLHIILFQPQKNT
SEQ. ID. NO. 33 FNEAKFIGFTMYTTCIIWLALLPIF
SEQ. ID. NO. 41 ASVSLGMLYMPKVYIIIFHPEQNTI
SEQ. ID. NO. 47 IEEVRCSTAAHAFKVAARATLRRSN
SEQ. ID. NO. 37 IEEVRCSTAAHAFKVAARATLRRSN
SEQ. ID. NO. 33 YVTSSDYRVQTTTMCVSVSLSGSVV
SEQ. ID. NO. 41 EEVRCSTAAHAFKVAARATLRRSNV
SEQ. ID. NO. 47 V S R K R S S S L G G S T G S T P S S S I S S K S
SEQ. ID. NO. 37 V S R K R S S S L G G S T G S T P S S S I S S K S
SEQ. ID. NO. 33 LGCLFAPKLHIILFQPQKNVVSHRA
SEQ. ID. NO. 41 SRKRSSSLGGSTGSTPSSSISSKSN
SEQ. ID. NO. 47 N S E D P F P Q P E R Q K Q Q P L A L T Q Q E Q
SEQ. ID. NO. 37 NSEDPFPQPERQKQQQPLALTQQEQ
SEQ. ID. NO. 33 PTSRFGSAAARASSSLGQGSGSQFV
SEQ. ID. NO. 41 S E D P F P Q P E R Q K Q Q P L A L T Q Q E Q Q
SEQ. ID. NO. 47 QQQPLTLPQQQRSQQQPRCKQKVIF
SEQ. ID. NO. 37 QQQPLTLPQQQRSQQQPRCKQKVIF
SEQ. ID. NO. 33 PTVCNGREVVDSTTSSLMTLESIMA
SEQ. ID. NO. 41 QQPLTLPQQQRSQQQPRCKQKVIFG
SEQ. ID. NO. 47 GSGTVTFSLSFDEPQKNAMAHGNST
SEQ. ID. NO. 37 G S G T V T F S L S F D E P Q K N A M A H G N S T
SEQ. ID. NO. 33 CCLSEEAKEARRINDEIERQLRRDK
SEQ. ID. NO. 41 SGTVTFSLSFDEPQKNAMAHGNSTH
SEQ. ID. NO. 47 HQNSLEAQKSSDTLTRHQPLLPLQC
SEQ. ID. NO. 37 HQNSLEAQKSSDTLTRHQPLLPLQC
SEQ. ID. NO. 33 RDARRELKLLLGTGESGKSTFIKQ
SEQ. ID. NO. 41 QNSLEAQKSSDTLTRHQPLLPLQCG
SEQ. ID. NO. 47 GETDLDLTVQETGLQGPVGGDQRPE
SEQ. ID. NO. 37 GETDLDLTVQETGLQGPVGGDQRPE
SEQ. ID. NO. 33 MRIIHGSGYSDEDKRGFTKLVYQNI
```

```
SEQ. ID. NO. 41 ETDLDLTVQETGLQGPVGGDQRPEV
SEQ. ID. NO. 47 VEDPEELSPALVVSSSQSFVISGGG
SEQ. ID. NO. 37 VEDPEELSPALVVSSSQSFV1SGGG
SEQ. ID. NO. 33 FTAMQAMIRAMDTLKIPYKYEHNKA
SEQ. ID. NO. 41 EDPEELSPALVVSSSQSFVISGGGS
SEQ. ID. NO. 47 STVTENVVNSAAAMTLESIMACCLS
SEQ. ID. NO. 37 STVTENVVNSMTLESIMACCLSEEA
SEQ. ID. NO. 33 HAQLVREVDVEKVSAFENPYVDAIK
SEQ. ID. NO. 41 TVTENVVNSMTLESIMACCLSEEAK
SEQ. ID. NO. 47 EEAKEARRINDEIERQLRRDKRDAR
SEQ. ID. NO. 37 KEARRINDEIERQLRRDKRDARREL
SEQ. ID. NO. 33 SLWNDPGIQECYDRRREYQLSDSTK
SEQ. ID. NO. 41 EARRINDEIERQLRRDKRDARRELK
SEQ. ID. NO. 47 RELKLLLGTGESGKSTFIKQMRII
SEQ. ID. NO. 37 KLLLLGTGESGKSTFIKQMRIIHGS
SEQ. ID. NO. 33 YYLNDLDRVADPAYLPTQQDVLRVR
SEQ. ID. NO. 41 LLLGTGESGKSTFIKQMRIIHGSG
SEQ. ID. NO. 47 HGSGYSDEDKRGFTKLVYQNIFTAM
SEQ. ID. NO. 37 GYSDEDKRGFTKLVYQNIFTAMQAM
SEQ. ID. NO. 33 VPTTGIIEYPFDLQSVIFRMVDVGG
SEQ. ID. NO. 41 YSDEDKRGFTKLVYQNIFTAMQAMI
SEQ. ID. NO. 47 QAMIRAMDTLKIPYKYEHNKAHAQL
SEQ. ID. NO. 37 IRAMDTLKIPYKYEHNKAHAQLVRE
SEQ. ID. NO. 33 QRSERRKWIHCFENVTSIMFLVALS
SEQ. ID. NO. 41 RAMDTLKIPYKYEHNKAHAQLVREV
SEQ. ID. NO. 47 VREVDVEKVSAFENPYVDAIKSLWN
SEQ. ID. NO. 37 V D V E K V S A F E N P Y V D A I K S L W N D P G
SEQ. ID. NO. 33 EYDQVLVESDNENRMEESKALFRTI
SEQ. ID. NO. 41 DVEKVSAFENPYVDAIKSLWNDPGI
SEQ. ID. NO. 47 DPGIQECYDRRREYQLSDSTKYYLN
SEQ. ID. NO. 37 I Q E C Y D R R E Y Q L S D S T K Y Y L N D L D
SEQ. ID. NO. 33 ITYPWFQNSSVILFLNKKDLLEEKI
```

1 ++ 1

```
SEQ. ID. NO. 41 QECYDRRREYQLSDSTKYYLNDLDR
SEQ. ID. NO. 47 DLDRVADPAYLPTQQDVLRVRVPTT
SEQ. ID. NO. 37 RVADPAYLPTQQDVLRVRVPTTGII
SEQ. ID. NO. 33 MYSHLVDYFPEYDGPQRDAQAAREF
SEQ. ID. NO. 41 VADPAYLPTQQDVLRVRVPTTGIIE
SEQ. ID. NO. 47 GIIEYPFDLQSVIFRMVDVGGQRSE
SEQ. ID. NO. 37 EYPFDLQSVIFRMVDVGGQRSERRK
SEQ. ID. NO. 33 ILKMFVDLNPDSDKIIYSHFTCATD
SEQ. ID. NO. 41 YPFDLQSVIFRMVDVGGQRSERRKW
SEQ. ID. NO. 47 RRKWIHCFENVTSIMFLVALSEYDQ
SEQ. ID. NO. 37 WIHCFENVTSIMFLVALSEYDQVLV
SEQ. ID. NO. 33 TENIRFYFAAVKDTILQLNLKDCGL
SEQ. ID. NO. 41 IHCFENVTSIMFLVALSEYDQVLVE
SEQ.ID. NO. 47 V L V E S D N E N R M E E S K A L F R T I I T Y P
SEQ. ID. NO. 37 ESDNENRMEESKALFRTIITYPWFQ
SEQ. ID. NO. 33 F
SEQ. ID. NO. 41 S D N E N R M E E S K A L F R T I I T Y P W F Q N
SEQ. ID. NO. 47 WFQNSSVILFLNKKDLLEEKIMYSH
SEQ. ID. NO. 37 NSSVILFLNKKDLLEEKIMYSHLVD
SEQ. ID. NO. 33
SEQ. ID. NO. 41 SSVILFLNKKDLLEEKIMYSHLVDY
SEQ. ID. NO. 47 LVDYFPEYDGPQRDAQAAREFILKM
SEQ. ID. NO. 37 Y F P E Y D G P Q R D A Q A A R E F I L K M F V D
SEQ. ID. NO. 33
SEQ. ID. NO. 41 FPEYDGPQRDAQAAREFILKMFVDL
SEQ. ID. NO. 47 FVDLNPDSDKIIYSHFTCATDTENI
SEQ. ID. NO. 37 LNPDSDKIIYSHFTCATDTENIRFV
SEQ. ID. NO. 33
SEQ. ID. NO. 41 NPDSDKIIYSHFTCATDTENIRFYF
SEQ. ID. NO. 47 R F V F A A V K D T I L Q L N L K D C G L F
SEQ. ID. NO. 37 FAAVKDTILQLNLKDCGLF
SEQ. ID. NO. 33
```

SEQ. ID. NO. 41 AAVKDTILQLNLKDCGLF SEQ. ID. NO. 47 SEQ. ID. NO. 37 SEQ. ID. NO. 33

Figure 12h

## ClustalW Formatted Alignments

SEQ. SEQ.														
SEQ. SEQ.														
SEQ. SEQ.														
SEQ. SEQ.														
SEQ. SEQ.														
SEQ. SEQ.														
SEQ. SEQ.														
SEQ.														
SEQ.														
SEQ SEQ														
SEQ SEQ	 													
SEQ SEQ														

 $x_{j,1}A$ 

SEQ. ID. NO. 44 TCCAAGTCTTATTTGACCCTGGAAA SEQ. ID. NO. 42 CTGCGGCTCTATGACACGGAGTGCG SEQ. ID. NO. 44 ATGGGAAGGTTTTCCTGACGGGTGG SEQ. ID. NO. 42 ACAACGCAAAAGGGTTGAAAGCCTT SEQ. ID. NO. 44 GGACCTCCCAGCTCTGGACGGAGCC SEQ. ID. NO. 42 CTACGATGCAATAAAATACGGGCCG SEQ. ID. NO. 44 CGGGTGGATTTCCGGTGTGACCCCG SEQ. ID. NO. 42 AACCACTTGATGGTGTTTGGAGGCG SEQ. ID. NO. 44 ACTTCCATCTGGTGGGCAGCTCCCG SEQ. ID. NO. 42 TCTGTCCATCCGTCACATCCAT SEQ. ID. NO. 44 GAGCATCTGTAGTCAGGGCCAGTGG SEQ. ID. NO. 42 TGCAGAGTCCCTCCAAGGCTGGAAT SEQ. ID. NO. 44 A G C A C C C C A A G C C C C A C T G C C A G G SEQ. ID. NO. 42 CTGGTGCAGCTTTCTTTGCTGCAA SEQ. ID. NO. 44 TGAATCGAACGCCACACTCAGAACG SEQ. ID. NO. 42 CCACGCCTGTTCTAGCCGATAAGAA SEQ. ID. NO. 44 GCGCGCAGTGTACATCGGGGCACTG SEQ. ID. NO. 42 AAAATACCCTTATTTCTTTCGGACC SEQ. ID. NO. 44 TTTCCCATGAGCGGGGGCTGGCCAG SEQ. ID. NO. 42 G T C C C A T C A G A C A A T G C G G T G A A T C SEQ. ID. NO. 44 GGGGCCAGGCCTGCCAGCCCGGGT SEQ. ID. NO. 42 CAGCCATTCTGAAGTTGCTCAAGCA SEQ. ID. NO. 44 GGAGATGGCGCTGGAGGACGTGAAT SEQ. ID. NO. 42 CTACCAGTGGAAGCGCGTGGGCACG SEQ. ID. NO. 44 AGCCGCAGGGACATCCTGCCGGACT

SEQ. ID. NO. 42 CTGACGCAAGACGTTCAGAGGTTCT

SEQ. ID. NO. 44 ATGAGCTCAAGCTCATCCACCACGA SEQ. ID. NO. 42 CTGAGGTGCGGAATGACCTGACTGG SEQ. ID. NO. 44 CAGCAAGTGTGATCCAGGCCAAGCC SEQ. ID. NO. 42 AGTTCTGTATGGCGAGGACATTGAG SEQ. ID. NO. 44 ACCAAGTACCTATATGAGCTGCTCT SEQ. ID. NO. 42 ATTTCAGACACCGAGAGCTTCTCCA SEQ. ID. NO. 44 A C A A C G A C C C T A T C A A G A T C A T C C T SEQ. ID. NO. 42 ACGATCCCTGTACCAGTGTCAAAAA SEQ. ID. NO. 44 TATGCCTGGCTGCAGCTCTGTCTCC SEQ. ID. NO. 42 GCTGAAGGGGAATGATGTGCGGATC SEQ. ID. NO. 44 ACGCTGGTGGCTGAGGCTGCTAGGA SEQ. ID. NO. 42 A T C C T T G G C C A G T T T G A C C A G A A T A SEQ. ID. NO. 44 TGTGGAACCTCATTGTGCTTTCCTA SEQ. ID. NO. 42 TGGCAGCAAAAGTGTTCTGTTGCC SEQ. ID. NO. 44 TGGCTCCAGCTCACCAGCCCTGTCA SEQ. ID. NO. 42 ATACGAGGAGAACATGTATGGTAGT SEQ. ID. NO. 44 AACCGGCAGCGTTTCCCCACTTTCT SEQ. ID. NO. 42 AAATATCAGTGGATCATTCCGGGCT SEQ. ID. NO. 44 TCCGAACGCACCCATCAGCCACACT SEQ. ID. NO. 42 GGTACGAGCCTTCTTGGTGGGAGCA SEQ. ID. NO. 44 CCACAACCCTACCCGCGTGAAACTC SEQ. ID. NO. 42 GGTGCACACGGAAGCCAACTCATCC SEQ. ID. NO. 44 TTTGAAAAGTGGGGCTGGAAGAAGA SEQ. ID. NO. 42 CGCTGCCTCCGGAAGAATCTGCTTG SEQ. ID. NO. 44 TTGCTACCATCCAGCAGACCACTGA SEQ. ID. NO. 42 CTGCCATGGAGGGCTACATTGGCGT SEQ. ID. NO. 44 GGTCTTCACTTCGACTCTGGACGAC SEQ. ID. NO. 42 GGATTTCGAGCCCCTGAGCTCCAAG SEQ. ID. NO. 44 CTGGAGGAACGAGTGAAGGAGGCTG SEQ. ID. NO. 42 CAGATCAAGACCATCTCAGGAAAGA SEQ. ID. NO. 44 GAATTGAGATTACTTTCCGCCAGAG SEQ. ID. NO. 42 CTCCACAGCAGTATGAGAGAGAGTA SEQ. ID. NO. 42 CAACAACAGGGGTCAGGCGTGGGG SEQ. ID. NO. 44 GTCAAAAACCTGAAGCGCCAGGATG SEQ. ID. NO. 42 CCCAGCAAGTTCCACGGGTACGCCT SEQ. ID. NO. 44 CCCGAATCATCGTGGGACTTTTCTA SEQ. ID. NO. 42 ACGATGGCATCTGGGTCATCGCCAA SEQ. ID. NO. 44 TGAGACTGAAGCCCGGAAAGTTTTT SEQ. 1D. NO. 42 GACACTGCAGAGGGCCATGGAGACA SEQ. ID. NO. 44 TGTGAGGTGTACAAGGAGCGTCTCT SEQ. ID. NO. 42 CTGCATGCCAGCAGCCGGCACCAGC SEQ. ID. NO. 44 TTGGGAAGAAGTACGTCTGGTTCCT SEQ. ID. NO. 42 GGATCCAGGACTTCAACTACACGGA SEQ. ID. NO. 44 CATTGGGTGGTATGCTGACAATTGG SEQ. ID. NO. 42 CCACACGCTGGGCAGGATCATCCTC SEQ. ID. NO. 44 TTCAAGATCTACGACCCTTCTATCA SEQ. ID. NO. 42 AATGCCATGAACGAGACCAACTTCT SEQ. ID. NO. 44 ACTGCACAGTGGATGAGATGACTGA SEQ. ID. NO. 42 TCGGGGTCACGGGTCAAGTTGTATT SEQ. ID. NO. 44 GGCGGTGGAGGGCCACATCACAACT SEQ. ID. NO. 42 CCGGAATGGGGAGAGAATGGGGACC

SEQ. ID. NO. 44 GAGATTGTCATGCTGAATCCTGCCA SEQ. ID. NO. 42 ATTAAATTTACTCAATTTCAAGACA SEQ. ID. NO. 44 A T A C C C G C A G C A T T T C C A A C A T G A C SEQ. ID. NO. 42 GCAGGGAGGTGAAGGTGGGAGAGTA SEQ. ID. NO. 44 A T C C C A G G A A T T T G T G G A G A A C T A SEQ. ID. NO. 42 CAACGCTGTGGCCGACACACTGGAG SEQ. ID. NO. 44 ACCAAGCGACTGAAAAGACACCCTG SEQ. ID. NO. 42 A T C A T C A A T G A C A C C A T C A G G T T C C SEQ. ID. NO. 44 AGGAGACAGGAGGCTTCCAGGAGGC SEQ. ID. NO. 42 AAGGATCCGAACCACCAAAAGACAA SEQ. ID. NO. 44 ACCGCTGGCCTATGATGCCATCTGG SEQ. ID. NO. 42 GACCATCATCCTGGAGCAGCTGCGG SEQ. ID. NO. 44 GCCTTGGCACTGGCCCTGAACAAGA SEQ. ID. NO. 42 A A G A T C T C C C T A C C T C T C T A C A G C A SEQ. ID. NO. 44 CATCTGGAGGAGGCGGCCGTTCTGG SEQ. ID. NO. 42 TCCTCTCTGCCCTCACCATCCTCGG SEQ. ID. NO. 44 TGTGCGCCTGGAGGACTTCAACTAC SEQ. ID. NO. 42 GATGATCATGGCCAGTGCTTTTCTC SEQ. ID. NO. 44 AACAACCAGACCATTACCGACCAAA SEQ. ID. NO. 42 TTCTTCAACATCAAGAACCGGAATC SEQ. ID. NO. 44 TCTACCGGGCAATGAACTCTTCGTC SEQ. ID. NO. 42 AGAAGCTCATAAAGATGTCGAGTCC SEQ. ID. NO. 44 CTTTGAGGGTGTCTCTGGCCATGTG SEQ. ID. NO. 42 ATACATGAACAACCTTATCATCCTT SEQ. ID. NO. 44 GTGTTTGATGCCAGCGGCTCTCGGA SEQ. ID. NO. 42 GGAGGGATGCTCCCTATGCTTCCA

SEQ. ID. NO. 44 TGGCATGGACGCTTATCGAGCAGCT SEQ. ID. NO. 42 TATTCTCTTTTGGCCTTGATGGATC SEQ. ID. NO. 44 TCAGGGTGGCAGCTACAAGAAGATT SEQ. ID. NO. 42 CTTTGTCTCTGAAAAGACCTTTGAA SEQ. ID. NO. 44 GGCTACTATGACAGCACCAAGGATG SEQ. ID. NO. 42 A C A C T T T G C A C C G T C A G G A C C T G G A SEQ. ID. NO. 44 A T C T T T C C T G G T C C A A A A C A G A T A A SEQ. ID. NO. 42 TTCTCACCGTGGGCTACACGACCGC SEQ. ID. NO. 44 ATGGATTGGAGGGTCCCCCCAGCT SEQ. ID. NO. 42 TTTTGGGGGCCATGTTTGCAAAGACC SEQ. ID. NO. 44 GACCAGACCCTGGTCATCAAGACAT SEQ. ID. NO. 42 TGGAGAGTCCACGCCATCTTCAAAA SEQ. ID. NO. 44 TCCGCTTCCTGTCACAGAAACTCTT SEQ. ID. NO. 42 ATGTGAAAATGAAGAAGATCAT SEQ. ID. NO. 44 TATCTCCGTCTCAGTTCTCTCCAGC SEQ. ID. NO. 42 CAAGGACCAGAAACTGCTTGTGATC SEQ. ID. NO. 44 CTGGGCATTGTCCTAGCTGTTGTCT SEQ. ID. NO. 42 GTGGGGGGGCATGCTGATCGACC SEQ. ID. NO. 44 GTCTGTCCTTTAACATCTACAACTC SEQ. ID. NO. 42 TGTGTATCCTGATCTGCTGGCAGGC SEQ. ID. NO. 44 ACATGTCCGTTATATCCAGAACTCA SEQ. ID. NO. 42 TGTGGACCCCCTGCGAAGGACAGTG SEQ. ID. NO. 44 CAGCCCAACCTGAACAACCTGACTG SEQ. ID. NO. 42 GAGAAGTACAGCATGGAGCCGGACC SEQ. ID. NO. 44 CTGTGGGCTGCTCACTGGCTTTAGC SEQ. ID. NO. 42 CAGCAGGACGGGATATCTCCATCCG

SEQ. ID. NO. 44 TGCTGTCTTCCCCCCTGGGGCTCGAT SEQ. ID. NO. 42 CCCTCTCCTGGAGCACTGTGAGAAC

SEQ. ID. NO. 44 GGTTACCACATTGGGAAGGAACCAGT SEQ. ID. NO. 42 ACCCATATGACCATCTGGCTTGGCA

SEQ. ID. NO. 44 TTCCTTTCGTCTGCCAGGCCCGCCT SEQ. ID. NO. 42 TCGTCTATGCCTACAAGGGACTTCT

SEQ. ID. NO. 44 CTGGCTCCTGGGCCTGGGCTTTAGT SEQ. ID. NO. 42 CATGTTGTTCGGTTGTTTCTTAGCT

SEQ. ID. NO. 44 CTGGGCTACGGTTCCATGTTCACCA SEQ. ID. NO. 42 TGGGAGACCCGCAACGTCAGCATCC

SEQ. ID. NO. 44 AGATTTGGTGGGTCCACACGGTCTT SEQ. ID. NO. 42 CCGCACTCAACGACAGCAAGTACAT

SEQ. ID. NO. 44 CACAAAGAAGGAAGAAAAGAAGGAAGGAG SEQ. ID. NO. 42 CGGGATGAGTGTCTACAACGTGGGG

SEQ. ID. NO. 44 TGGAGGAAGACTCTGGAACCCTTGGA SEQ. ID. NO. 42 ATCATGTGCATCATCGGGGCCGCTG

SEQ. ID. NO. 44 A G C T G T A T G C C A C A G T G G G C C T G C T SEQ. ID. NO. 42 T C T C C T T C C T G A C C C G G G A C C A G C C

SEQ. ID. NO. 44 GGTGGGCATGGATGTCCTCACTCTC SEQ. ID. NO. 42 CAATGTGCAGTTCTGCATCGTGGCT

SEQ. ID. NO. 44 GCCATCTGGCAGATCGTGGACCCTC SEQ. ID. NO. 42 CTGGTCATCATCTTCTGCAGCACCA

SEQ. ID. NO. 44 TGCACCGGACCATTGAGACATTTGC SEQ. ID. NO. 42 TCACCCTCTGCCTGGTATTCGTGCC

SEQ. ID. NO. 44 CAAGGAGGAACCTAAGGAAGATATT SEQ. ID. NO. 42 GAAGCTCATCACCCTGAGAACAAAC

SEQ. ID. NO. 44 GACGTCTCTATTCTGCCCCAGCTGG SEQ. ID. NO. 42 CCAGATGCAGCAACGCAGAACAGGC SEQ. ID. NO. 44 AGCATTGCAGCTCCAGGAAGATGAA SEQ. ID. NO. 42 GATTCCAGTTCAGAATCAGAA SEQ. ID. NO. 44 TACATGGCTTGGCATTTTCTATGGT SEQ. ID. NO. 42 GAAAGAAGATTCTAAAACGTCCACC SEQ. ID. NO. 44 TACAAGGGGCTGCTGCTGCTGG SEQ. ID. NO. 44 GAATCTTCCTTGCTTATGAGACCAA SEQ. ID. NO. 42 GCACATCCCGCCTGGAGGGCCTACA SEQ. ID. NO. 44 GAGTGTGTCCACTGAGAAGATCAAT SEQ. ID. NO. 42 GTCAGAAAACCATCGCCTGCGAATG SEQ. ID. NO. 44 GATCACCGGGCTGTGGGCATGGCTA SEQ. ID. NO. 42 AAGATCACAGAGCTGGATAAAGACT SEQ. ID. NO. 44 TCTACAATGTGGCAGTCCTGTGCCT SEQ. ID. NO. 42 TGGAAGAGGTCACCATGCAGCTGCA SEQ. ID. NO. 44 CATCACTGCTCCTGTCACCATGATT SEQ. ID. NO. 42 GGACACACCAGAAAAGACCACCTAC SEQ. ID. NO. 44 CTGTCCAGCCAGCAGGATGCAGCCT SEQ. ID. NO. 42 ATTAAACAGAACCACTACCAAGAGC SEQ. ID. NO. 44 TTGCCTTTGCCTTTTGCCATAGT SEQ. ID. NO. 42 TCAATGACATCCTCAACCTGGGAAA SEQ. ID. NO. 44 TTTCTCCTCCTATATCACTCTTGTT SEQ. ID. NO. 42 CTTCACTGAGAGCACAGATGGAGGA SEQ. ID. NO. 44 GTGCTCTTTGTGCCCAAGATGCGCA SEQ. ID. NO. 42 AAGGCCATTTTAAAAAATCACCTCG

SEQ. ID. NO. 44 GGCTGATCACCCGAGGGGAATGGCA SEQ. ID. NO. 42 ATCAAAATCCCCAGCTACAGTGGAA SEQ. ID. NO. 44 GTCGGAGGCGCAGGACACCATGAAG SEQ. ID. NO. 42 CACAACAGAGCCCTCTCGAACATGC SEQ. ID. NO. 44 A C A G G G T C A T C G A C C A A C A A C A SEQ. ID. NO. 42 AAAGATCCTATAGAAGATATAAACT SEQ. ID. NO. 44 AGGAGGAGAGTCCCGGCTGTTGGA SEQ. ID. NO. 42 CTCCAGAACACATCCAGCGTCGGCT SEQ. ID. NO. 44 GAAGGAGAACCGTGAACTGGAAAAG SEQ. ID. NO. 42 GTCCCTCCAGCTCCCCATCCTCCAC SEQ. ID. NO. 44 ATCATTGCTGAGAAAGAGAGCGTG SEQ. ID. NO. 42 CACGCCTACCTCCCATCGGAG SEQ. ID. NO. 44 TCTCTGAACTGCGCCATCAACTCCA SEQ. ID. NO. 42 GCGTGGACGCCAGCTGTGTCAGCCC SEQ. ID. NO. 44 GTCTCGGCAGCAGCTCCGCTCCCGG SEQ. ID. NO. 42 CTGCGTCAGCCCCACCGCCAGCCC SEQ. ID. NO. 44 CGCCACCCACCGACACCCCAGAAC SEQ. ID. NO. 42 CGCCACAGACATGTGCCACCCTCCT SEQ. ID. NO. 44 CCTCTGGGGGCCTGCCCAGGGGACC SEQ. ID. NO. 42 TCCGAGTCATGGTCTCGGGCCTGGC SEQ. ID. NO. 44 CCCTGAGCCCCCGACCGGCTTAGC SEQ. ID. NO. 42 GGCCGCCATGACTCTGGAGTCCATC SEQ. ID. NO. 44 TGTGATGGGAGTCGAGTGCATTTGC SEQ. ID. NO. 42 ATGGCGTGCTGCCTGAGCGAGGAGG SEQ. ID. NO. 44 TTTATAAGGCGGCCGCCATGACTCT SEQ. ID. NO. 42 CCAAGGAAGCCCGGCGGATCAACGA SEQ. ID. NO. 44 GGAGTCCATCATGGCGTGCTGCCTG SEQ. ID. NO. 42 CGAGATCGAGCGGCAGCTCCGCAGG SEQ. ID. NO. 44 AGCGAGGAGGCCAAGGAAGCCCGGC SEQ. ID. NO. 42 GACAAGCGGGACGCCGGCGGAGC SEQ. ID. NO. 44 GGATCAACGACGAGATCGAGCGGCA SEQ. ID. NO. 42 TCAAGCTGCTGCTGCTCGGGACAGG SEQ. ID. NO. 44 GCTCCGCAGGGACAAGCGGGACGCC SEQ. ID. NO. 42 AGAGAGTGGCAAGAGTACGTTTATC SEQ. ID. NO. 44 CGCCGGGAGCTCAAGCTGCTGC SEQ. ID. NO. 42 AAGCAGATGAGAATCATCCATGGGT SEQ. ID. NO. 44 TCGGGACAGGAGAGAGTGGCAAGAG SEQ. ID. NO. 42 CAGGATACTCTGATGAAGATAAAG SEQ. ID. NO. 44 TACGTTTATCAAGCAGATGAGAATC SEQ. ID. NO. 42 GGGCTTCACCAAGCTGGTGTATCAG SEQ. ID. NO. 44 A T C C A T G G G T C A G G A T A C T C T G A T G SEQ. ID. NO. 42 AACATCTTCACGGCCATGCAGGCCA SEQ. ID. NO. 44 AAGATAAAAGGGGCTTCACCAAGCT SEQ. ID. NO. 42 TGATCAGAGCCATGGACACACTCAA SEQ. ID. NO. 44 GGTGTATCAGAACATCTTCACGGCC SEQ. ID. NO. 42 GATCCCATACAAGTATGAGCACAAT SEQ. ID. NO. 44 ATGCAGGCCATGATCAGAGCCATGG SEQ. ID. NO. 42 AAGGCTCATGCACAATTAGTTCGAG SEQ. ID. NO. 44 A C A C A C T C A A G A T C C C A T A C A A G T A SEQ. ID. NO. 42 AAGTTGATGTGGAGAAGGTGTCTGC SEQ. ID. NO. 44 TGAGCACAATAAGGCTCATGCACAA SEQ. ID. NO. 42 TTTTGAGAATCCATATGTAGATGCA

SEQ. ID. NO. 44 TTAGTTCGAGAAGTTGATGTGGAGA SEQ. ID. NO. 42 ATAAAGAGTTTATGGAATGATCCTG SEQ. ID. NO. 44 AGGTGTCTGCTTTTGAGAATCCATA SEQ. ID. NO. 42 GAATCCAGGAATGCTATGATAGACG SEQ. ID. NO. 44 TGTAGATGCAATAAAGAGTTTATGG SEQ. ID. NO. 42 ACGAGAATATCAATTATCTGACTCT SEQ. ID. NO. 44 AATGATCCTGGAATCCAGGAATGCT SEQ. ID. NO. 42 ACCAAATACTATCTTAATGACTTGG SEQ. ID. NO. 44 ATGATAGACGACGAGAATATCAATT SEQ. ID. NO. 42 ACCGCGTAGCTGACCCTGCCTACCT SEQ. ID. NO. 44 A T C T G A C T C T A C C A A A T A C T A T C T T SEQ. ID. NO. 42 GCCTACGCAACAAGATGTGCTTAGA SEQ. ID. NO. 44 AATGACTTGGACCGCGTAGCTGACC SEQ. ID. NO. 42 GTTCGAGTCCCCACCACAGGGATCA SEQ. ID. NO. 44 CTGCCTACCTGCCTACGCAACAAGA SEQ. ID. NO. 42 TCGAATACCCCTTTGACTTACAAAG SEQ. ID. NO. 44 TGTGCTTAGAGTTCGAGTCCCCACC SEQ. ID. NO. 42 TGTCATTTCAGAATGGTCGATGTA SEQ. ID. NO. 44 ACAGGGATCATCGAATACCCCTTTG SEQ. ID. NO. 42 GGGGGCCAAAGGTCAGAGAAAAA SEQ. ID. NO. 44 ACTTACAAAGTGTCATTTTCAGAAT SEQ. ID. NO. 42 AATGGATACACTGCTTTGAAAATGT SEQ. ID. NO. 44 GGTCGATGTAGGGGGCCAAAGGTCA SEQ. ID. NO. 42 CACCTCTATCATGTTTCTAGTAGCG SEQ. ID. NO. 44 GAGAGAAGAAATGGATACACTGCT SEQ. ID. NO. 42 CTTAGTGAATATGATCAAGTTCTGG

SEQ. ID. NO. 44 TTGAAAATGTCACCTCTATCATGTT SEQ. ID. NO. 42 TGGAGTCAGACAATGAGAACCGAAT SEQ. ID. NO. 44 TCTAGTAGCGCTTAGTGAATATGAT SEQ. ID. NO. 42 GGAGGAAAGCAAGGCTCTCTTAGA SEQ. ID. NO. 44 CAAGTTCTCGTGGAGTCAGACAATG SEQ. ID. NO. 42 A C A A T T A T C A C A T A C C C C T G G T T C C SEQ. ID. NO. 44 A G A A C C G A A T G G A G G A A A G C A A G G C SEQ. ID. NO. 42 AGAACTCCTCGGTTATTCTGTTCTT SEQ. ID. NO. 44 TCTCTTTAGAACAATTATCACATAC SEQ. ID. NO. 42 AAACAAGAAGATCTTCTAGAGGAG SEQ. ID. NO. 44 CCCTGGTTCCAGAACTCCTCGGTTA SEQ. ID. NO. 42 AAAATCATGTATTCCCATCTAGTCG SEQ. ID. NO. 44 TTCTGTTCTTAAACAAGAAGATCT SEQ. ID. NO. 42 ACTACTTCCCAGAATATGATGGACC SEQ. ID. NO. 44 TCTAGAGGAGAAAATCATGTATTCC SEQ. ID. NO. 42 CCAGAGAGATGCCCAGGCAGCCCGA SEQ. ID. NO. 44 CATCTAGTCGACTACTTCCCAGAAT SEQ. ID. NO. 42 GAATTCATTCTGAAGATGTTCGTGG SEQ. ID. NO. 44 ATGATGGACCCCAGAGAGATGCCCA SEQ. ID. NO. 42 ACCTGAACCCAGACAGTGACAAAT SEQ. ID. NO. 44 GGCAGCCCGAGAATTCATTCTGAAG SEQ. ID. NO. 42 TAACTACTCCCACTTCACGTGCGCC SEQ. ID. NO. 44 ATGTTCGTGGACCTGAACCCAGACA SEQ. ID. NO. 42 ACAGACACCGAGAATATCCGCTTTG SEQ. ID. NO. 44 GTGACAAAATTATCTACTCCCACTT SEQ. ID. NO. 42 TCTTTGCTGCCGTCAAGGACACCAT

SEQ. ID. NO. 44 CACGTGCGCCACAGACACCGAGAAT SEQ. ID. NO. 42 CCTCCAGTTGAACCTGAAGGGCTGC

SEQ. ID. NO. 44 A T C C G C T T T G T C T T T G C T G C C G T C A SEQ. ID. NO. 42 G G T C T G T A C

SEQ. ID. NO. 44 AGGACACCATCCTCCAGTTGAACCT SEQ. ID. NO. 42

SEQ. ID. NO. 44 GAAGGGCTGCGGTCTGTAC SEQ. ID. NO. 42

# ClustalW Formatted Alignments

SEQ. ID. NO. 45 M L L L L L L A P L F L R P P G A G G A O T P N A SEQ. ID. NO. 43 MASPRSSGOPGPPPPPPPPPPARLLL SEQ. ID. NO. 45 TSEGCQIIHPPWEGGIRYRGLTRDQ SEQ. ID. NO. 43 LLLLPLLLPLAPGAWGWARGAPRPP SEQ. ID. NO. 45 VKAINFLPVDYEIEYVCRGEREVVG SEQ. ID. NO. 43 PSSPPLSIMGLMPLTKEVAKGSIGR SEQ. ID. NO. 45 PKVRKCLANGSWTDMDTPSRCVRIC SEQ. ID. NO. 43 GVLPAVELAIEQIRNESLLRPYFLD SEQ. ID. NO. 45 SKSYLTLENGKVFLTGGDLPALDGA SEQ. ID. NO. 43 LRLYDTECDNAKGLKAFYDAIKYGP SEQ. ID. NO. 45 R V D F R C D P D F H L V G S S R S I C S Q G Q W SEQ. ID. NO. 43 NHLMVFGGVCPSVTSIIAESLQGWN SEQ. ID. NO. 45 STPKPHCQVNRTPHSERRAVYIGAL SEQ. ID. NO. 43 LVQLSFAATTPVLADKKKYPYFFRT SEQ. ID. NO. 45 FPMSGGWPGGQACQPAVEMALEDVN SEQ. ID. NO. 43 V P S D N A V N P A I L K L L K H Y Q W K R V G T SEQ. ID. NO. 45 SRRDILPDYELKLIHHDSKCDPGQA SEQ. ID. NO. 43 LTQDVQRFSEVRNDLTGVLYGEDIE SEQ. ID. NO. 45 TKYLYELLYNDPIKIILMPGCSSVS SEQ. ID. NO. 43 ISDTESFSNDPCTSVKKLKGNDVRI SEQ. ID. NO. 45 TLVAEAARMWNLIVLSYGSSSPALS SEQ. ID. NO. 43 ILGQFDQNMAAKVFCCAYEENMYGS SEQ. ID. NO. 45 NRQRFPTFFRTHPSATLHNPTRVKL SEQ. ID. NO. 43 KYQWIIPGWYEPSWWEQVHTEANSS

SEQ. ID. NO. 45 FEKWGWKKIATIQQTTEVFTSTLDD SEQ. ID. NO. 43 RCLRKNLLAAMEGYIGVDFEPLSSK SEQ. ID. NO. 45 LEERVKEAGIEITFRQSFFSDPAVP SEQ. ID. NO. 43 QIKTISGKTPQQYEREYNNKRSGVG SEQ. ID. NO. 45 VKNLKRQDARIIVGLFYETEARKVF SEQ. ID. NO. 43 PSKFHGYAYDGIWVIAKTLQRAMET SEQ. ID. NO. 45 CEVYKERLFGKKYVWFLIGWYADNW SEQ. ID. NO. 43 LHASSRHQRIQDFNYTDHTLGRIIL SEQ. ID. NO. 45 FKIYDPSINCTVDEMTEAVEGHITT SEQ. ID. NO. 43 NAMNETNFFGVTGQVVFRNGERMGT SEQ. ID. NO. 45 EIVMLNPANTRSISNMTSQEFVEKL SEQ. ID. NO. 43 IKFTQFQDSREVKVGEYNAVADTLE SEQ. ID. NO. 45 TKRLKRHPEETGG-FQEAPLAYDAI SEQ. ID. NO. 43 IINDTIRFQGSEPPKDKTIILEQLR SEQ. ID. NO. 45 WALALAKTSGGGGRSGVRLEDFN SEQ. ID. NO. 43 KISLPLYSILSALTILGMIMASAFL SEQ. ID. NO. 45 YNNQTITDQIYRAMNSSSFEGVSGH SEQ. ID. NO. 43 FFNIKNRNQKLIKMSSPYMNNLIIL SEQ. ID. NO. 45 V V F D A S G S R M A W T L I E Q L Q G G S Y K K SEQ. ID. NO. 43 GGMLSYASIFLFGLDGSFVSEKTFE SEQ. ID. NO. 45 I GYYDSTKDDLSWSKTDKWIGGSPP SEQ. ID. NO. 43 TLCTVRTWILTVGYTTAFGAMFAKT SEQ. ID. NO. 45 ADQTLVIKTFRFLSQKLFISVSVLS SEQ. ID. NO. 43 WRVHAIFKNVKMKKKIIKDQKLLVI SEQ. ID. NO. 45 SLGIVLAVVCLSFNIYNSHVRYIQN

SEQ. ID. NO. 43 VGGMLLIDLCILICWQAVDPLRRTV

SEQ. ID. NO. 45 SQPNLNNLTAVGCSLALAAVFPLGL SEQ. ID. NO. 43 EKYSMEPDPAGRDISIRPLLEHCEN

SEQ. ID. NO. 45 DGYHIGRNQFPFVCQARLWLLGLGF SEQ. ID. NO. 43 THMTIWLGIVYAYKGLLMLFGCFLA

SEQ. ID. NO. 45 SLGYGSMFTKIWWVHTVFTKKEEKK SEQ. ID. NO. 43 WETRNVSIPALNDSKYIGMSVYNVG

SEQ. ID. NO. 45 EWRKTLEPWKLYATVGLLVGMDVLT SEQ. ID. NO. 43 IMCIIGAAVS FLTRDQPNVQFCIVA

SEQ. ID. NO. 45 LAIWQIVDPLHRTIETFAKEEPKED SEQ. ID. NO. 43 LVIIFCSTITLCLVFVPKLITLRTN

SEQ. ID. NO. 45 I D V S I L P Q L E H C S S R K M N T W L G I F Y SEQ. ID. NO. 43 P D A A T Q N R R F Q F T Q N Q K K E D S K T S T

SEQ. ID. NO. 45 GYKGLLLLLGIFLAYETKSVSTEKI SEQ. ID. NO. 43 SVTSVNQASTSRLEGLQSENHRLRM

SEQ. ID. NO. 45 NDHRAVGMAIYNVAVLCLITAPVTM SEQ. ID. NO. 43 KITELDKDLEEVTMQLQDTPEKTTY

SEQ. ID. NO. 45 ILSSQQDAAFAFASLAIVFSSYITL SEQ. ID. NO. 43 IKQNHYQELNDILNLGNFTESTDGG

SEQ. ID. NO. 45 VVLFVPKMRRLITRGEWQSEAQDTM SEQ. ID. NO. 43 KAILKNHLDQNPQLQWNTTEPSRTC

SEQ. ID. NO. 45 KTGSSTNNNEEEKSRLLEKENRELE SEQ. ID. NO. 43 KDPIEDINSPEHIQRRLSLQLPILH

SEQ. ID. NO. 45 KIIAEKEERVSELRHQLQSRQQLRS SEQ. ID. NO. 43 HAYLPSIGGVDASCVSPCVSPTASP

SEQ. ID. NO. 45 RRHPPTPPEPSGGLPRGPPEPPDRL SEQ. ID. NO. 43 RHRHVPPSFRVMVSGLAAAMTLESI

SEQ. ID. NO. 45 SCDGSRVHLLYKAAAMTLESIMACC SEQ. ID. NO. 43 MACCLSEEAKEARRINDEIERQLRR SEQ. ID. NO. 45 L S E E A K E A R I N D E I E R Q L R R D K R D SEQ. ID. NO. 43 DKRDARRELKLLLGTGESGKSTFI SEQ. ID. NO. 45 ARRELKLLLLGTGESGKSTFIKQMR SEQ. ID. NO. 43 KQMRIIHGSGYSDEDKRGFTKLVYO SEQ. ID. NO. 45 IIHGSGYSDEDKRGFTKLVYQNIFT SEQ. ID. NO. 43 NIFTAMQAMIRAMDTLKIPYKYEHN SEQ. ID. NO. 45 AMQAMIRAMDTLKIPYKYEHNKAHA SEQ. ID. NO. 43 KAHAQLVREVDVEKVSAFENPYVDA SEQ. ID. NO. 45 QLVREVDVEKVSAFENPYVDAIKSL SEQ. ID. NO. 43 IKSLWNDPGIQECYDRRREYQLSDS SEQ. ID. NO. 45 WNDPGIQECYDRRREYQLSDSTKYY SEQ. ID. NO. 43 TKYYLNDLDRVADPAYLPTQQDVLR SEQ. ID. NO. 45 LNDLDRVADPAYLPTQQDVLRVRVP SEQ. ID. NO. 43 VRVPTTGIIEYPFDLQSVIFRMVDV SEQ. ID. NO. 45 TTGIIEYPFDLQSVIFRMVDVGGQR SEQ. ID. NO. 43 GGQRSERRKWIHCFENVTSIMFLVA SEQ. ID. NO. 45 SERRKWIHCFENVTSIMFLVALSEY SEQ. ID. NO. 43 LSEYDQVLVESDNENRMEESKALFR SEQ. ID. NO. 45 DQVLVESDNENRMEESKALFRTIIT SEQ. ID. NO. 43 TIITYPWFQNSSVILFLNKKDLLEE SEQ. ID. NO. 45 YPWFQNSSVILFLNKKDLLEEKIMY SEQ. ID. NO. 43 KIMYSHLVDYFPEYDGPQRDAQAAR SEQ. ID. NO. 45 SHLVDYFPEYDGPQRDAQAAREFIL SEQ. ID. NO. 43 EFILKMFVDLNPDSDKINYSHFTCA SEQ. ID. NO. 45 KM F V D L N P D S D K I I Y S H F T C A T D T E SEQ. ID. NO. 43 T D T E N I R F V F A A V K D T I L Q L N L K G C

SEQ. ID. NO. 45 NIRFVFAAVKDTILQLNLKGCGLY SEQ. ID. NO. 43 GLY






Figure 15





```
SEQ. ID. NO. 48
           MVCEGKRSASCPCFFLLTAKFYWILTMMQR
SEQ. ID. NO. 49
            MVCEGKRSASCPCFFLLTAKFYWILTMMQR
           MVCEGKRSASCPCFFLLTAKFYWILTMMQR
SEQ. ID. NO. 50
            THSQEYAHSIRIDGDITLGGLFPVHGRGSE
SEQ. ID. NO. 48
            THSQEYAHSIRIDGDITLGGLFPVHGRGSE
SEQ. ID. NO. 49
            THSQEYAHSIRVDGDIILGGLFPVHAKGER
SEQ. ID. NO. 50
SEQ. ID. NO. 48
            G K P C G E L K K E K G I H R L E A M L F A L D R I N N D P
SEQ. ID. NO. 49 GKPCGELKKEKGIHRLEAMLFALDRINNDP
SEQ. ID. NO. 50 G V P C G E L K K E K G I H R L E A M L Y A I D Q I N K D P
  11.1
  13
SEQ. ID. NO. 48 DLLPNITLGARILDTCSRDTHALEQSLTFV
SEQ. ID. NO. 49 DLLPNITLGARILDTCSRDTHALEQSLTFV
            D L L S N I T L G V R I L D T C S R D T Y A L E Q S L T F V
SEO. ID. NO. 50
 SEQ. ID. NO. 48
            Q A L I E K D G T E V R C G S G G P P I I T K P E R V V G V
SEQ. ID. NO. 49
            Q A L I E K D G T E V R C G S G G P P I I T K P E R V V G V
           Q A L I E K D A S D V K C A N G D P P I F T K P D K I S G V
SEQ. ID. NO. 50
SEQ. ID. NO. 48
            I G A S G S S V S I M V A N I L R L F K I P Q I S Y A S T A
SEQ. ID. NO. 49
            I G A S G S S V S I M V A N I L R L F K I P Q I S Y A S T A
SEQ. ID. NO. 50
           I G A A A S S V S I M V A N I L R L F K I P Q I S Y A S T A
           P D L S D N S R Y D F F S R V V P S D T Y Q A Q A M V D I V
SEQ. ID. NO. 48
            P D L S D N S R Y D F F S R V V P S D T Y Q A Q A M V D I V
SEQ. ID. NO. 49
            P E L S D N T R Y D F F S R V V P P D S Y Q A Q A M V D I V
SEQ. ID. NO. 50
SEO. ID. NO. 48
            R A L K W N Y V S T V A S E G S Y G E S G V E A F I Q K S R
SEQ. ID. NO. 49
            R A L K W N Y V S T V A S E G S Y G E S G V E A F I Q K S R
SEQ. ID. NO. 50
            TALGWNYVSTLASEGNYGESGVEAFTQISR
           EDGGVCIAQSVKIPREPKAGEFDKIIRRLL
SEQ. ID. NO. 48
            EDGGVCIAQSVKIPREPKAGEFDKIIRRLL
SEQ. ID. NO. 49
            EIGGVCIAQSQKIPREPRPGEFEKIIKRLL
SEQ. ID. NO. 50
```

### FIGURE 16B

```
SEQ. ID. NO. 48 ETSNARAVIIFANEDDIRRVLEAARRANQT
SEQ. ID. NO. 49 ETSNARAVIIFANEDDIRRVLEAARRANQT
SEQ. ID. NO. 50 ETPNARAVIMFANEDDIRRILEAAKKLNQS
            G H F F W M G S D S W G S K I A P V L H L E E V A E G A V T
SEQ. ID. NO. 48
            G H F F W M G S D S W G S K I A P V L H L E E V A E G A V T
SEQ. ID. NO. 49
            G H F L W I G S D S W G S K I A P V Y Q Q E E I A E G A V T
SEQ. ID. NO. 50
             ILPKRMSVRGFDRYFSSRTLDNNRRNIWFA
            I L P K R M S V R G F D R Y F S S R T L D N N R R N I W F A
SEQ. ID. NO. 48
             I L P K R A S I D G F D R Y F R S R T L A N N R R N V W F A
SEQ. ID. NO. 49
SEQ. ID. NO. 50
             EFWEDNFHCKLSRHALKKGSHVKKCTNRER
SEQ. ID. NO. 48
             EFWEDNFHCKLSRHALKKGSHVKKCTNRER
SEQ. ID. NO. 49
             E F W E E N F G C K L G S H G K R N - S H I K K C T G L E R
SEQ. ID. NO. 50
  t of
             IGQDSAYEQEGKVQFVIDAVYAMGHALHAM
             I G Q D S A Y E Q E G K V Q F V I D A V Y A M G H A L H A M
SEO. ID. NO. 48
             IARDSSYEQEGKVQFVIDAVYSMAYALHNM
SEQ. ID. NO. 49
SEQ. ID. NO. 50
             H R D L C P G R V G L C P R M D P V D G T Q L L K Y I R N V
SEO. ID. NO. 48
             H R D L C P G R V G L C P R M D P V D G T Q L L K Y I R N V
SEQ. ID. NO. 49
             H K D L C P G Y I G L C P R M S T I D G K E L L G Y I R A V
SEQ. ID. NO. 50
  il many
 $EQ. ID. NO. 48 N F S G I A G N P V T F N E N G D A P G R Y D I Y Q Y Q L R
 ŠEQ. ID. NO. 49 N F S G I A G N P V T F N E N G D A P G R Y D I Y Q Y Q L R
 SEQ. ID. NO. 50 N F N G S A G T P V T F N E N G D A P G R Y D I F Q Y Q I T
 SEQ. ID. NO. 48 NDSAEYKVIGSWTDHLHLRIERMHWPGSGQ
 SEQ. ID. NO. 49 NDSAEYKVIGSWTDHLHLRIERMHWPGSGQ
 SEQ. ID. NO. 50 NKSTEYKVIGHWTNQLHLKVEDMQWAHREH
              Q L P R S I C S L P C Q P G E R K K T V K G M P C C W H C E
SEQ. ID. NO. 48
              Q L P R S I C S L P C Q P G E R K K T V K G M P C C W H C E
SEQ. ID. NO. 49
              THPASVCSLPCKPGERKKTVKGVPCCWHCE
SEQ. ID. NO. 50
              P C T G Y Q Y Q V D R Y T C K T C P Y D M R P T E N R T G C
 SEQ. ID. NO. 48
              P C T G Y Q Y Q V D R Y T C K T C P Y D M R P T E N R T G C
 SEQ. ID. NO. 49
              RCEGYNYQVDELSCELCPLDQRPNMNRTGC
 SEQ. ID. NO. 50
```

### FIGURE 16C

SEQ. ID. NO. 48 RPIPIIKLEWGSPWAVLPLFLAVVGIAATL SEQ. ID. NO. 49 RPIPIIKLEWGSPWAVLPLFLAVVGIAATL SEQ. ID. NO. 50 QLIPIIKLEWHSPWAVVPVFVAILGIIATT SEQ. ID. NO. 48 F V V I T F V R Y N D T P I V K A S G R E L S Y V L L A G I SEQ. ID. NO. 49 F V V I T F V R Y N D T P I V K A S G R E L S Y V L L A G I SEQ. ID. NO. 50 FVIVTFVRYNDTPIVRASGRELSYVLLTGI F L C Y A T T F L M I A E P D L G T C S L R R I F L G L G M SEQ. ID. NO. 48 F L C Y A T T F L M I A E P D L G T C S L R R I F L G L G M SEQ. ID. NO. 49 F L C Y S I T F L M I A A P D T I I C S F R R V F L G L G M SEQ. ID. NO. 50 S I S Y A A L L T K T N R I Y R I F E Q G K R S V S A P R F SEQ. ID. NO. 48 SISYAALLTKTNRIYRIFEQGKRSVSAPRF SEQ. ID. NO. 49 C F S Y A A L L T K T N R I H R I F E Q G K K S V T A P K F SEQ. ID. NO. 50 1,54 ISPASQLAITFSLISLQLLGICVWFVVDPS SEQ. ID. NO. 48 ISPASQLAITFSLISLQLLGICVWFVVDPS SEO. ID. NO. 49 ISPASQLVITFSLISVQLLGVFVWFVVDPP SEQ. ID. NO. 50 17 H S V V D F Q D Q R T L D P R F A R G V L K C D I S D L S L SEQ. ID. NO. 48 H S V V D F Q D Q R T L D P R F A R G V L K C D I S D L S L SEQ. ID. NO. 49 HIIIDYGEQRTLDPEKARGVLKCDISDLSL SEQ. ID. NO. 50 5. A ICLLGYSMLLMVTCTVYAIKTRGVPETFNE SEO. ID. NO. 48 ICLLGYSMLLMVTCTVYAIKTRGVPETFNE SEO. ID. NO. 49 ICSLGYSILLMVTCTVYAIKTRGVPETFNE SEO. ID. NO. 50 AKPIGFTMYTTCIVWLAFIPIFFGTSQSAD SEQ. ID. NO. 48 AKPIGFTMYTTCIVWLAFIPIFFGTSQSAD SEQ. ID. NO. 49 AKPIGFTMYTTCIIWLAFIPIFFGTAQSAE SEQ. ID. NO. 50 K L Y I Q T T T L T V S V S L S A S V S L G M L Y M P K V Y SEQ. ID. NO. 48  $\texttt{K} \; \texttt{L} \; \texttt{Y} \; \texttt{I} \; \texttt{Q} \; \texttt{T} \; \texttt{T} \; \texttt{L} \; \texttt{T} \; \texttt{V} \; \texttt{S} \; \texttt{V} \; \texttt{S} \; \texttt{L} \; \texttt{S} \; \texttt{A} \; \texttt{S} \; \texttt{V} \; \texttt{S} \; \texttt{L} \; \texttt{G} \; \texttt{M} \; \texttt{L} \; \texttt{Y} \; \texttt{M} \; \texttt{P} \; \texttt{K} \; \texttt{V} \; \texttt{Y}$ SEQ. ID. NO. 49 K M Y I Q T T T L T V S M S L S A S V S L G M L Y M P K V Y SEQ. ID. NO. 50 SEQ. ID. NO. 48 IILFHPEQNVPKRKRSLKAVVTAATMSNKF SEQ. ID. NO. 49 IILFHPEQNTIEEVRCSTAAHAFKVAARAT SEQ. ID. NO. 50 I I I F H P E Q N T I E E V R C S T A A H A F K V A A R A T

#### FIGURE 16D

```
SEQ. ID. NO. 48 TQKGNFRPNGEAKSELCENLEAPALATKQT
           LRRSNVSRKRSSSLGGSTGSTPSSSKS
SEQ. ID. NO. 49
           LRRSNVSRKRSSSLGGSTGSTPSSSISSKS
SEQ. ID. NO. 50
SEQ. ID. NO. 48 Y V T Y T N H A I
           N S E D P F P Q P E R Q K Q Q Q P L A L T Q Q E Q Q Q P L
SEQ. ID. NO. 49
           N S E D P F P Q P E R Q K Q Q Q P L A L T Q Q E Q Q Q P L
SEQ. ID. NO. 50
SEQ. ID. NO. 48
SEQ. ID. NO. 49 TLPQQQRSQQPRCKQKVIFGSGTVTFSLS
SEQ. ID. NO. 50 TLPQQQRSQQPRCKQKVIFGSGTVTFSLS
SEO. ID. NO. 48
SEQ. ID. NO. 49 F D E P Q K N A M A H G N S T H Q N S L E A Q K S S D T L T
SEQ. ID. NO. 50 F D E P Q K N A M A H G N S T H Q N S L E A Q K S S D T L T
  1
SEQ. ID. NO. 48
SEQ. ID. NO. 49 RHQPLLPLQCGETDLDLTVQETGLQGPVGG
SEQ. ID. NO. 50 RHQPLLPLQCGETDLDLTVQETGLQGPVGG
  1.11
  SEQ. ID. NO. 48
SEQ. ID. NO. 49 DQRPEVEDPEELSPALVVSSSQSFVISGGG
SEQ. ID. NO. 50 DQRPEVEDPEELSPALVVSSSQSFVISGGG
 SEQ. ID. NO. 48
 SEQ. ID. NO. 49 S T V T E N V V N S A A A M T L E S I M A C C L S E E A K E
 SEQ. ID. NO. 50 S T V T E N V V N S A A A M T L E S I M A C C L S E E A K E
SEQ. ID. NO. 48
            ARRINDEIERQLRRDKRDARRELKLLLLGT
SEQ. ID. NO. 49
            ARRINDEIERQLRRDKRDARRELKLLLGT
SEO. ID. NO. 50
 SEQ. ID. NO. 48
            G E S G K S T F I K Q M R I I H G S G Y S D E D K R G F T K
 SEO. ID. NO. 49
            G E S G K S T F I K Q M R I I H G S G Y S D E D K R G F T K
 SEQ. ID. NO. 50
 SEQ. ID. NO. 48
 SEQ. ID. NO. 49 LVYQNIFTAMQAMIRAMDTLKIPYKYEHNK
 SEQ. ID. NO. 50 LVYQNIFTAMQAMIRAMDTLKIPYKYEHNK
```

#### FIGURE 16E

```
SEQ. ID. NO. 48
SEQ. ID. NO. 49
             A H A Q L V R E V D V E K V S A F E N P Y V D A I K S L W N
SEQ. ID. NO. 50
             AHAQLVREVDVEKVSAFENPYVDAIKSLWN
SEQ. ID. NO. 48
             D P G I Q E C Y D R R R E Y Q L S D S T K Y Y L N D L D R V
SEQ. ID. NO. 49
             D P G I Q E C Y D R R R E Y Q L S D S T K Y Y L N D L D R V
SEQ. ID. NO. 50
SEQ. ID. NO. 48
SEQ. ID. NO. 49
             A D P A Y L P T Q Q D V L R V R V P T T G I I E Y P F D L Q
SEQ. ID. NO. 50
             A D P A Y L P T Q Q D V L R V R V P T T G I I E Y P F D L Q
SEQ. ID. NO. 48
SEQ. ID. NO. 49
             SVIFRMVDVGGQRSERRKWIHCFENVTSIM
SEQ. ID. NO. 50
             SVIFRMVDVGGQRSERRKWIHCFENVTSIM
SEQ. ID. NO. 48
SEO. ID. NO. 49
             F L V A L S E Y D Q V L V E S D N E N R M E E S K A L F R T
SEO. ID. NO. 50
             F L V A L S E Y D Q V L V E S D N E N R M E E S K A L F R T
  SEQ. ID. NO. 48
SEQ. ID. NO. 49
             IITYPWFQNSSVILFLNKKDLLEEKIMYSH
SEQ. ID. NO. 50
             IITYPWFQNSSVILFLNKKDLLEEKIMYSH
  57
SEQ. ID. NO. 48
SEQ. ID. NO. 49
             LVDYFPEYDGPQRDAQAAREFILKMFVDLN
SEQ. ID. NO. 50
             LVDYFPEYDGPQRDAQAAREFILKMFVDLN
SEQ. ID. NO. 48
SEQ. ID. NO. 49
             P D S D K I I Y S H F T C A T D T E N I R F V F A A V K D T
SEQ. ID. NO. 50
             P D S D K I I Y S H F T C A T D T E N I R F V F A A V K D T
SEQ. ID. NO. 48
SEQ. ID. NO. 49 ILQLNLKDCGLF
SEQ. ID. NO. 50
             ILQLNLKDCGLF
```

T.

il de la company

## SEQUENCE LISTING

<110> NPS PHARMACEUTICALS, INC.

<130> 241/086-CIP

<140> TO BE ASSIGNED

<141> HEREWITH

<150> US 60/080,671

<151> 1998-04-03

<150> PCT/US99/07333

<151> 1999-04-02

<160> 50

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 612

<212> PRT

<213> Human

<400> 1

Met Ala Phe Tyr Ser Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His 1 5 10 15

Thr Ser Ala Tyr Gly Pro Asp Gln Arg Ala Gln Lys Lys Gly Asp Ile 20 25 30

Ile Leu Gly Gly Leu Phe Pro Ile His Phe Gly Val Ala Ala Lys Asp  $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$ 

Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu Cys Ile Arg Tyr Asn 50 55 60

Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala Ile Glu Glu 65 70 75 80

Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr Arg 85 90 95

Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu 100 105 110

Ser Phe Val Ala Gln Asn Lys Ile Asp Ser Leu Asn Leu Asp Glu Phe 120 Cys Asn Cys Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala 135 Thr Gly Ser Gly Val Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe 150 155 Tyr Ile Pro Gln Val Ser Tyr Ala Ser Ser Ser Arg Leu Leu Ser Asn 170 Lys Asn Gln Phe Lys Ser Phe Leu Arg Thr Ile Pro Asn Asp Glu His Gln Ala Thr Ala Met Ala Asp Ile Ile Glu Tyr Phe Arg Trp Asn Trp 200 Val Gly Thr Ile Ala Ala Asp Asp Tyr Gly Arg Pro Gly Ile Glu 210 215 Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe Ser 235 225 230 🖺 Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val 👬 Glu Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser 260 265 Gly Pro Asp Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile 280 ļà Thr Gly Lys Ile Trp Leu Ala Ser Glu Ala Trp Ala Ser Ser Leu 290 Ille Ala Met Pro Gln Tyr Phe His Val Val Gly Gly Thr Ile Gly Phe 1 305 Ala Leu Lys Ala Gly Gln Ile Pro Gly Phe Arg Glu Phe Leu Lys Lys 325 330 Val His Pro Arg Lys Ser Val His Asn Gly Phe Ala Lys Glu Phe Trp 340 Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys Gly Pro Leu

370

385

Ile Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile

Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg Phe

Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn

395

400

375

390

405 410 415

Ser Tyr Asn Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln
420 425 430

Asp Ile Tyr Thr Cys Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser 435 440 445

Cys Ala Asp Ile Lys Lys Val Glu Ala Trp Gln Val Leu Lys His Leu 450 455 460

Arg His Leu Asn Phe Thr Asn Asn Met Gly Glu Gln Val Thr Phe Asp 465 470 475 480

Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile Ile Asn Trp His Leu 485 490 495

Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly Tyr Tyr Asn 500 505 510

Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys Ile 515 520 525

Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg 530 535 540

Asp Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr 545 550 555 560

Cys Cys Phe Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu 565 570 575

Thr Asp Ala Ser Ala Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn 580 585 590

Glu Asn His Thr Ser Cys Ile Ala Lys Glu Ile Glu Phe Leu Ser Trp 595 600 605

Thr Glu Pro Phe 610

<210> 2

<211> 590

<212> PRT

<213> Human

<400> 2

Met Leu Leu Leu Leu Leu Ala Pro Leu Phe Leu Arg Pro Pro Gly
1 5 10 15

Ala Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile
20 25 30

- Ile His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg 35 40 45
- Asp Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu 50 55 60
- Tyr Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys 65 70 75 80
- Cys Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys 85 90 95
- Val Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val
  100 105 110
- Phe Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Asp 115 120 125
- Phe Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Ile 130 135 140
- Cys Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn 145 150 155 160
- Arg Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe 165 170 175
- Pro Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val 180 185 190
- Glu Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp 195 200 205
- Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln 210 215 220
- Ala Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile 225 230 235 240
- Ile Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala 245 250 255
- Ala Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro
  260 265 270
- Ala Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro 275 280 285
- Ser Ala Thr Leu His Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp 290 295 300
- Gly Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr 305 310 315 320
- Ser Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu 325 330 335

- Ile Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys 340 345 350
- Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu 355 360 365
- Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe 370 375 380
- Gly Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp 385 390 395 400
- Phe Lys Ile Tyr Asp Pro Ser Ile Asn Cys Thr Val Asp Glu Met Thr
  405 410 415
- Glu Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro 420 425 430
- Ala Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu
  435 440 445
- Lys Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe 450 455 460
- Gln Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala 465 470 475 480
- Leu Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu
  485 490 495
- Asp Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala 500 505 510
- Met Asn Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp 515 520 525
- Ala Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly 530 540
- Gly Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu 545 550 555 560
- Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp 565 570 575
- Gln Thr Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys 580 585 590

```
<210> 3
```

<211> 473

<212> PRT

<213> Human

<400> 3

Met Gly Pro Gly Ala Pro Phe Ala Arg Val Gly Trp Pro Leu Pro Leu 1 5 10 15

Leu Val Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser 20 25 30

Pro His Leu Pro Arg Pro His Ser Arg Val Pro Pro His Pro Ser Ser 35 40 45

Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly
50 55 60

Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu 65 70 75 80

Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu 85 90 95

Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu 100 105 110

Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly
115 120 125

Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn 130 135 140

Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala Leu Ser Asn Arg 145 150 155 160

Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser Ala Thr Leu His
165 170 175

Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly Trp Lys Lys Ile 180 185 190

Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser Thr Leu Asp Asp 195 200 205

Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile Thr Phe Arg Gln 210 215 220

Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys Asn Leu Lys Arg Gln 225 230 235 240

Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu Thr Glu Ala Arg Lys 245 250 255

Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe Gly Lys Lys Tyr Val 260 265 270

Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp Phe Lys Ile Tyr Asp 275 280 285

Pro Ser Ile Asn Cys Thr Val Asp Glu Met Thr Glu Ala Val Glu Gly 290 295 300

His Ile Thr Thr Glu Ile Val Met Leu Asn Pro Ala Asn Thr Arg Ser 310 315 320

Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu Lys Leu Thr Lys Arg
325 330 335

Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe Gln Glu Ala Pro Leu 340 345 350

Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala Leu Asn Lys Thr Ser 355 360 365

Gly Gly Gly Arg Ser Gly Val Arg Leu Glu Asp Phe Asn Tyr Asn 370 375 380

Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met Asn Ser Ser Ser 385 390 395 400

Phe Glu Gly Val Ser Gly His Val Val Phe Asp Ala Ser Gly Ser Arg
405 410 415

Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly Gly Ser Tyr Lys Lys 420 425 430

Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu Ser Trp Ser Lys Thr
435 440 445

Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln Thr Leu Val Ile 450 455 460

Lys Thr Phe Arg Phe Leu Ser Gln Lys 465 470

<210> 4

<211> 480

<212> PRT

<213> Human

<400> 4

Met Ala Ser Pro Arg Ser Ser Gly Gln Pro Gly Pro Xaa Pro Pro 1 5 10 15

Pro Pro Pro Pro Ala Arg Leu Leu Leu Leu Leu Leu Leu Leu Leu 20 25 30

Leu Pro Leu Ala Pro Gly Ala Trp Gly Trp Ala Arg Gly Ala Pro Arg

35 40 45 Pro Pro Pro Ser Ser Pro Pro Leu Ser Ile Met Gly Leu Met Pro Leu 50 55 Thr Lys Glu Val Ala Lys Gly Ser Ile Gly Arg Gly Val Leu Pro Ala Val Glu Leu Ala Ile Glu Gln Ile Arg Asn Glu Ser Leu Leu Arg Pro Tyr Phe Leu Asp Leu Arg Leu Tyr Asp Thr Glu Cys Asp Asn Ala Lys 100 Gly Leu Lys Ala Phe Tyr Asp Ala Ile Lys Tyr Gly Pro Asn His Leu Met Val Phe Gly Gly Val Cys Pro Ser Val Thr Ser Ile Ile Ala Glu 130 135 Ser Leu Gln Gly Trp Asn Leu Val Gln Leu Ser Phe Ala Ala Thr Thr 150 Pro Val Leu Ala Asp Lys Lys Lys Tyr Pro Tyr Phe Phe Arg Thr Val 165 170 Pro Ser Asp Asn Ala Val Asn Pro Ala Ile Leu Lys Leu Lys His 180 Tyr Gln Trp Lys Arg Val Gly Thr Leu Thr Gln Asp Val Gln Arg Phe 200 Ser Glu Val Arg Asn Asp Leu Thr Gly Val Leu Tyr Gly Glu Asp Ile 215 Glu Ile Ser Asp Thr Glu Ser Phe Ser Asn Asp Pro Cys Thr Ser Val 225 230 Lys Lys Leu Lys Gly Asn Asp Val Arg Ile Ile Leu Gly Gln Phe Asp 250 Gln Asn Met Ala Ala Lys Val Phe Cys Cys Ala Tyr Glu Glu Asn Met 265 270 Tyr Gly Ser Lys Tyr Gln Trp Ile Ile Pro Gly Trp Tyr Glu Pro Ser Trp Trp Glu Gln Val His Thr Glu Ala Asn Ser Ser Arg Cys Leu Arg 295 Lys Asn Leu Leu Ala Ala Met Glu Gly Tyr Ile Gly Val Asp Phe Glu 305 310 320 Pro Leu Ser Ser Lys Gln Ile Lys Thr Ile Ser Gly Lys Thr Pro Gln

330

335

325

Gln Tyr Glu Arg Glu Tyr Asn Asn Lys Arg Ser Gly Val Gly Pro Ser 340 345 350

Lys Phe His Gly Tyr Ala Tyr Asp Gly Ile Trp Val Ile Ala Lys Thr 355 360 365

Leu Gln Arg Ala Met Glu Thr Leu His Ala Ser Ser Arg His Gln Arg 370 375 380

Ile Gln Asp Phe Asn Tyr Thr Asp His Thr Leu Gly Arg Ile Ile Leu 385 390 395 400

Asn Ala Met Asn Glu Thr Asn Phe Phe Gly Val Thr Gly Gln Val Val 405 410 415

Phe Arg Asn Gly Glu Arg Met Gly Thr Ile Lys Phe Thr Gln Phe Gln 420 425 430

Asp Ser Arg Glu Val Lys Val Gly Glu Tyr Asn Ala Val Ala Asp Thr 435 440 445

Leu Glu Ile Ile Asn Asp Thr Ile Arg Phe Gln Gly Ser Glu Pro Pro 450 455 460

Lys Asp Lys Thr Ile Ile Leu Glu Gln Leu Arg Lys Ile Ser Leu Pro 465 470 475 480

<210> 5

<211> 583

<212> PRT

<213> Human

<400> 5

Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu 1 5 10 15

Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His 20 25 30

Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu 35 40 45

Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys 50 55 60

Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 65 70 75 80

Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile 85 90. 95

Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala
100 105 110

Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala 115 120 125

Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro 130 135 140

Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile 145 150 155 160

Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 165 170 175

Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe 180 185 190

Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp 195 200 205

Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu 210 215 220

Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg 225 230 235 240

Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu 245 250 255

Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr 260 265 270

Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg 275 280 285

Arg Ile Leu Glu Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu 290 295 300

Trp Ile Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln 305 310 315 320

Gln Glu Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala 325 330 335

Ser Ile Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn 340 350

Asn Arg Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly 355 360 365

Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys 370 375 380

Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly 385 390 395 400

Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu 405 410 415 His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro 420 425 430

Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala 435 440 445

Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn 450 455 460

Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn 465 470 475 480

Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His 485 490 495

Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro
500 505 510

Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr 515 520 525

Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr 530 535 540

Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln 545 550 555 560

Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys 565 570 575

Leu Glu Trp His Ser Pro Trp 580

<210> 6

<211> 250

<212> PRT

<213> Human

<400> 6

Gly Ile Ala Leu Thr Leu Phe Ala Val Leu Gly Ile Phe Leu Thr Ala
1 5 10 15

Phe Val Leu Gly Val Phe Ile Lys Phe Arg Asn Thr Pro Ile Val Lys 20 25 30

Ala Thr Asn Arg Glu Leu Ser Tyr Leu Leu Leu Phe Ser Leu Leu Cys
35 40 45

Cys Phe Ser Ser Leu Phe Phe Ile Gly Glu Pro Gln Asp Trp Thr 50 55 60

Cys Arg Leu Arg Gln Pro Ala Phe Gly Ile Ser Phe Val Leu Cys Ile

	65	65					70					75				
	Ser	Cys	Ile	Leu	Val 85	Lys	Thr	Asn	Arg	Val 90	Leu	Leu	Val	Phe	Glu 95	Ala
	Lys	Ile	Pro	Thr 100	Ser	Phe	His	Arg	Lys 105	Trp	Trp	Gly	Leu	Asn 110	Leu	Gln
	Phe	Leu	Leu 115	Val	Phe	Leu	Cys	Thr 120	Phe	Met	Gln	Ile	Val 125	Ile	Cys	Val
	Ile	Trp 130	Leu	Tyr	Thr	Ala	Pro 135	Pro	Ser	Ser	Tyr	Arg 140	Asn	Gln	Glu	Leu
	Glu 145	Asp	Glu	Ile	Ile	Phe 150	Ile	Thr	Cys	His	Glu 155	Gly	Ser	Leu	Met	Ala 160
	Leu	Gly	Phe	Leu	Ile 165	Gly	Tyr	Thr	Cys	Leu 170	Leu	Ala	Ala	Ile	Cys 175	Phe
And the state of t	Phe	Phe	Ala	Phe 180	Lys	Ser	Arg	Lys	Leu 185	Pro	Glu	Asn	Phe	Asn 190	Glu	Ala
	Lys	Phe	Ile 195	Thr	Phe	Ser	Met	Leu 200	Ile	Phe	Phe	Ile	Val 205	Trp	Ile	Ser
	Phe	Ile 210	Pro	Ala	Tyr	Ala	Ser 215	Thr	Tyr	Gly	Lys	Phe 220	Val	Ser	Ala	Val
	Glu 225	Val	Ile	Ala	Ile	Leu 230	Ala	Ala	Ser	Phe	Gly 235	Leu	Leu	Ala	Cys	Ile 240
American Control of the Control of t	Phe	Phe	Asn	Lys	Ile 245	Tyr	Ile	Ile	Leu	Phe 250						
		<210> <211> <212> <213>		267 PRT	an											
		<400>		7												
	Leu 1	Phe	Ile	Ser	Val 5	Ser	Val	Leu	Ser	Ser 10	Leu	Gly	Ile	Val	Leu 15	Ala
	Val	Val	Сув	Leu 20	Ser	Phe	Asn	Ile	Tyr 25	Asn	Ser	His	Val	Arg 30	Tyr	Ile
	Gln	Asn	Ser 35	Gln	Pro	Asn	Leu	Asn 40	Asn	Leu	Thr	Ala	Val 45	Gly	Cys	Ser

Leu Ala Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile 50 55 60

Gly Arg Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu 65 70 75 80

Gly Leu Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp 85 90 95

Trp Val His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg
100 105 110

Lys Thr Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val
115 120 125

Gly Met Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu 130 135 140

His Arg Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile 145 150 155 160

Asp Val Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met 165 170 175

Asn Thr Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu 180 185 190

Leu Gly Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys 195 200 205

Ile Asn Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val 210 215 220

Leu Cys Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln 225 230 235 240

Asp Ala Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr
245 250 255

Ile Thr Leu Val Val Leu Phe Val Pro Lys Met 260 265

<210> 8

<211> 267

<212> PRT

<213> Human

<400> 8

Leu Phe Ile Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala 1 5 10 15

Val Val Cys Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile
20 25 30

Gln Asn Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser 35 40 45

Leu Ala Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile 50 55 60

Gly Arg Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu 65 70 75 80

Gly Leu Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp 85 90 95

Trp Val His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg
100 105 110

Lys Thr Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val
115 120 125

Gly Met Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu 130 135 140

Asp Val Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met 165 170 175

Asn Thr Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu 180 185 190

Leu Gly Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys
195 200 205

Ile Asn Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val 210 215 220

Leu Cys Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln 225 230 235 240

Asp Ala Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr 245 250 255

Ile Thr Leu Val Val Leu Phe Val Pro Lys Met 260 265

<210> 9

<211> 264

<212> PRT

<213> Human

<400> 9

Leu Tyr Ser Ile Leu Ser Ala Leu Thr Ile Leu Gly Met Ile Met Ala 1 5 10 15 Ser Ala Phe Leu Phe Phe Asn Ile Lys Asn Arg Asn Gln Lys Leu Ile 20 25 30

Lys Met Ser Ser Pro Tyr Met Asn Asn Leu Ile Ile Leu Gly Gly Met 35 40 45

Leu Ser Tyr Ala Ser Ile Phe Leu Phe Gly Leu Asp Gly Ser Phe Val 50 55 60

Ser Glu Lys Thr Phe Glu Thr Leu Cys Thr Val Arg Thr Trp Ile Leu 65 70 75 80

Thr Val Gly Tyr Thr Thr Ala Phe Gly Ala Met Phe Ala Lys Thr Trp
85 90 95

Arg Val His Ala Ile Phe Lys Asn Val Lys Met Lys Lys Lys Ile Ile 100 105 110

Lys Asp Gln Lys Leu Leu Val Ile Val Gly Gly Met Leu Leu Ile Asp 115 120 125

Leu Cys Ile Leu Ile Cys Trp Gln Ala Val Asp Pro Leu Arg Arg Thr 130 135 140

Val Glu Lys Tyr Ser Met Glu Pro Asp Pro Ala Gly Arg Asp Ile Ser 145 150 155 160

Ile Arg Pro Leu Leu Glu His Cys Glu Asn Thr His Met Thr Ile Trp
165 170 175

Leu Gly Ile Val Tyr Ala Tyr Lys Gly Leu Leu Met Leu Phe Gly Cys 180 185 190

Phe Leu Ala Trp Glu Thr Arg Asn Val Ser Ile Pro Ala Leu Asn Asp 195 200 205

Ser Lys Tyr Ile Gly Met Ser Val Tyr Asn Val Gly Ile Met Cys Ile 210 215 220

Ile Gly Ala Ala Val Ser Phe Leu Thr Arg Asp Gln Pro Asn Val Gln 225 230 235 240

Phe Cys Ile Val Ala Leu Val Ile Ile Phe Cys Ser Thr Ile Thr Leu 245 250 255

Cys Leu Val Phe Val Pro Lys Leu 260

<210> 10

<211> 260

<212> PRT

<213> Human

<400> 10

Ala Val Val Pro Val Phe Val Ala Ile Leu Gly Ile Ile Ala Thr Thr 1 5 10 15

Phe Val Ile Val Thr Phe Val Arg Tyr Asn Asp Thr Pro Ile Val Arg
20 25 30

Ala Ser Gly Arg Glu Leu Ser Tyr Val Leu Leu Thr Gly Ile Phe Leu 35 40 45

Cys Tyr Ser Ile Thr Phe Leu Met Ile Ala Ala Pro Asp Thr Ile Ile 50 55 60

Cys Ser Phe Arg Arg Val Phe Leu Gly Leu Gly Met Cys Phe Ser Tyr 65 70 75 80

Ala Ala Leu Leu Thr Lys Thr Asn Arg Ile His Arg Ile Phe Glu Gln 85 90 95

Gly Lys Lys Ser Val Thr Ala Pro Lys Phe Ile Ser Pro Ala Ser Gln
100 105 110

Leu Val Ile Thr Phe Ser Leu Ile Ser Val Gln Leu Leu Gly Val Phe
115 120 125

Val Trp Phe Val Val Asp Pro Pro His Ile Ile Ile Asp Tyr Gly Glu 130 135 140

Gln Arg Thr Leu Asp Pro Glu Lys Ala Arg Gly Val Leu Lys Cys Asp 145 150 155 160

Ile Ser Asp Leu Ser Leu Ile Cys Ser Leu Gly Tyr Ser Ile Leu Leu 165 170 175

Met Val Thr Cys Thr Val Tyr Ala Ile Lys Thr Arg Gly Val Pro Glu 180 185 190

Thr Phe Asn Glu Ala Lys Pro Ile Gly Phe Thr Met Tyr Thr Thr Cys 195 200 205

Ile Ile Trp Leu Ala Phe Ile Pro Ile Phe Phe Gly Thr Ala Gln Ser 210 215 220

Ala Glu Lys Met Tyr Ile Gln Thr Thr Thr Leu Thr Val Ser Met Ser 225 230 235 240

Leu Ser Ala Ser Val Ser Leu Gly Met Leu Tyr Met Pro Lys Val Tyr
245 250 255

Ile Ile Ile Phe

260

<210> 11

<211> 216

<212> PRT

<213> Human

<400> 11

Lys Pro Ser Arg Asn Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala 1 5 10 15

His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val 20 25 30

Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro 35 40 45

Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln 50 55 60

Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr Gln Gln Glu 65 70 75 80

Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln 85 90 95

Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr 100 105 110

Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly 115 120 125

Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr 130 135 140

Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly Glu Thr Asp 145 150 155 160

Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly 165 170 175

Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu 180 185 190

Val Val Ser Ser Ser Gln Ser Phe Val Ile Ser Gly Gly Ser Thr 195 200 205

Val Thr Glu Asn Val Val Asn Ser 210 215

```
<210> 12
<211> 104
<212> PRT
<213> Human
```

<400> 12

Arg Arg Leu Ile Thr Arg Gly Glu Trp Gln Ser Glu Ala Gln Asp Thr 1 5 10 15

Met Lys Thr Gly Ser Ser Thr Asn Asn Asn Glu Glu Glu Lys Ser Arg 20 25 30

Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile Ile Ala Glu Lys 35 40 45

Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln Ser Arg Gln Gln 50 55 60

Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Glu Pro Ser Gly Gly 65 70 75 80

Leu Pro Arg Gly Pro Pro Glu Pro Pro Asp Arg Leu Ser Cys Asp Gly 85 90 95

Ser Arg Val His Leu Leu Tyr Lys

<210> 13

<211> 104

<212> PRT

<213> Human

<400> 13

Arg Arg Leu Ile Thr Arg Gly Glu Trp Gln Ser Glu Ala Gln Asp Thr 1 5 10 15

Met Lys Thr Gly Ser Ser Thr Asn Asn Asn Glu Glu Glu Lys Ser Arg 20 25 30

Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile Ile Ala Glu Lys 35 40 45

Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln Ser Arg Gln Gln 50 55 60

Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Glu Pro Ser Gly Gly 65 70 75 80

Leu Pro Arg Gly Pro Pro Glu Pro Pro Asp Arg Leu Ser Cys Asp Gly 85 90 95

Ser Arg Val His Leu Leu Tyr Lys
100

<210> 14

<211> 197

<212> PRT

<213> Human

<400> 14

Ile Thr Leu Arg Thr Asn Pro Asp Ala Ala Thr Gln Asn Arg Arg Phe
1 5 10 15

Gln Phe Thr Gln Asn Gln Lys Lys Glu Asp Ser Lys Thr Ser Thr Ser 20 25 30

Val Thr Ser Val Asn Gln Ala Ser Thr Ser Arg Leu Glu Gly Leu Gln 35 40 45

Ser Glu Asn His Arg Leu Arg Met Lys Ile Thr Glu Leu Asp Lys Asp 50 55 60

Leu Glu Glu Val Thr Met Gln Leu Gln Asp Thr Pro Glu Lys Thr Thr 65 70 75 80

Tyr Ile Lys Gln Asn His Tyr Gln Glu Leu Asn Asp Ile Leu Asn Leu 85 90 95

Gly Asn Phe Thr Glu Ser Thr Asp Gly Gly Lys Ala Ile Leu Lys Asn 100 105 110

His Leu Asp Gln Asn Pro Gln Leu Gln Trp Asn Thr Thr Glu Pro Ser 115 120 125

Arg Thr Cys Lys Asp Pro Ile Glu Asp Ile Asn Ser Pro Glu His Ile 130 135 140

Gln Arg Arg Leu Ser Leu Gln Leu Pro Ile Leu His His Ala Tyr Leu 145 150 155 160

Pro Ser Ile Gly Gly Val Asp Ala Ser Cys Val Ser Pro Cys Val Ser 165 170 175

Pro Thr Ala Ser Pro Arg His Arg His Val Pro Pro Ser Phe Arg Val 180 185 190

Met Val Ser Gly Leu

195

```
<210> 15
<211> 65
<212> PRT
<213> Human
```

<400> 15

His Pro Glu Gln Asn Val Gln Lys Arg Lys Arg Ser Phe Lys Ala Val 1 5 10 15

Val Thr Ala Ala Thr Met Gln Ser Lys Leu Ile Gln Lys Gly Asn Asp 20 25 30

Arg Pro Asn Gly Glu Val Lys Ser Glu Leu Cys Glu Ser Leu Glu Thr 35 40 45

Asn Ser Lys Ser Ser Val Glu Phe Pro Met Val Lys Ser Gly Ser Thr 50 55 60

Ser 65

> <210> 16 <211> 374 <212> PRT <213> Human

> > <400> 16

Met Ala Arg Ser Leu Thr Trp Gly Cys Cys Pro Trp Cys Leu Thr Glu 1 5 10 15

Glu Glu Lys Thr Ala Ala Arg Ile Asp Gln Glu Ile Asn Arg Ile Leu 20 25 30

Leu Glu Gln Lys Lys Gln Glu Arg Glu Glu Leu Lys Leu Leu Leu 35 40 45

Gly Pro Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile 50 55 60

Ile His Gly Val Gly Tyr Ser Glu Glu Asp Arg Arg Ala Phe Arg Leu 65 70 75 80

Leu Ile Tyr Gln Asn Ile Phe Val Ser Met Gln Ala Met Ile Asp Ala 85 90 95

Met Asp Arg Leu Gln Ile Pro Phe Ser Arg Pro Asp Ser Lys Gln His
100 105 110

Ala Ser Leu Val Met Thr Gln Asp Pro Tyr Lys Val Ser Thr Phe Glu 115 120 125

Lys Pro Tyr Ala Val Ala Met Gln Tyr Leu Trp Arg Asp Ala Gly Ile 130 135 140 Arg Ala Cys Tyr Glu Arg Arg Glu Phe His Leu Leu Asp Ser Ala 145 150 155 160

Val Tyr Tyr Leu Ser His Leu Glu Arg Ile Ser Glu Asp Ser Tyr Ile 165 170 175

Pro Thr Ala Gln Asp Val Leu Arg Ser Arg Met Pro Thr Thr Gly Ile 180 185 190

Asn Glu Tyr Cys Phe Ser Val Lys Lys Thr Lys Leu Arg Ile Val Asp 195 200 205

Val Gly Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu 210 215 220

Asn Val Ile Ala Leu Ile Tyr Leu Ala Ser Leu Ser Glu Tyr Asp Gln 225 230 235 240

Cys Leu Glu Glu Asn Asp Gln Glu Asn Arg Met Glu Glu Ser Leu Ala 245 250 255

Leu Phe Ser Thr Ile Leu Glu Leu Pro Trp Phe Lys Ser Thr Ser Val 260 265 270

Ile Leu Phe Leu Asn Lys Thr Asp Ile Leu Glu Asp Lys Ile His Thr 275 280 285

Ser His Leu Ala Thr Tyr Phe Pro Ser Phe Gln Gly Pro Arg Arg Asp 290 295 300

Ala Glu Ala Ala Lys Ser Phe Ile Leu Asp Met Tyr Ala Arg Val Tyr 305 310 315 320

Ala Ser Cys Ala Glu Pro Gln Asp Gly Gly Arg Lys Gly Ser Arg Ala 325 330 335

Arg Arg Phe Phe Ala His Phe Thr Cys Ala Thr Asp Thr Gln Ser Val 340 345 350

Arg Ser Val Phe Lys Asp Val Arg Asp Ser Val Leu Ala Arg Tyr Leu 355 360 365

Asp Glu Ile Asn Leu Leu 370 <210> 17

<211> 374

<212> PRT

<213> Human

<400> 17

Met Ala Arg Ser Leu Thr Trp Arg Cys Cys Pro Trp Cys Leu Thr Glu
1 5 10 15

Asp Glu Lys Ala Ala Ala Arg Val Asp Gln Glu Ile Asn Arg Ile Leu 20 25 30

Leu Glu Gln Lys Lys Gln Asp Arg Gly Glu Leu Lys Leu Leu Leu Leu 35 40 45

Gly Pro Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile 50 55 60

Ile His Gly Ala Gly Tyr Ser Glu Glu Glu Arg Lys Gly Phe Arg Pro 65 70 75 80

Leu Val Tyr Gln Asn Ile Phe Val Ser Met Arg Ala Met Ile Glu Ala 85 90 95

Met Glu Arg Leu Gln Ile Pro Phe Ser Arg Pro Glu Ser Lys His His
100 105 110

Ala Ser Leu Val Met Ser Gln Asp Pro Tyr Lys Val Thr Thr Phe Glu 115 120 125

Lys Arg Tyr Ala Ala Ala Met Gln Trp Leu Trp Arg Asp Ala Gly Ile 130 135 140

Arg Ala Cys Tyr Glu Arg Arg Glu Phe His Leu Leu Asp Ser Ala 145 150 155 160

Val Tyr Tyr Leu Ser His Leu Glu Arg Ile Thr Glu Glu Gly Tyr Val 165 170 175

Pro Thr Ala Gln Asp Val Leu Arg Ser Arg Met Pro Thr Thr Gly Ile 180 185 190

Asn Glu Tyr Cys Phe Ser Val Gln Lys Thr Asn Leu Arg Ile Val Asp 195 200 205

Val Gly Gln Lys Ser Glu Arg Lys Lys Trp Ile His Cys Phe Glu 210 215 220

Asn Val Ile Ala Leu Ile Tyr Leu Ala Ser Leu Ser Glu Tyr Asp Gln 225 230 235 240

Cys Leu Glu Glu Asn Asn Gln Glu Asn Arg Met Lys Glu Ser Leu Ala 245 250 255

Leu Phe Gly Thr Ile Leu Glu Leu Pro Trp Phe Lys Ser Thr Ser Val 260 265 270

```
Ile Leu Phe Leu Asn Lys Thr Asp Ile Leu Glu Glu Lys Ile Pro Thr
                            280
Ser His Leu Ala Thr Tyr Phe Pro Ser Phe Gln Gly Pro Lys Gln Asp
                        295
Ala Glu Ala Ala Lys Arg Phe Ile Leu Asp Met Tyr Thr Arg Met Tyr
305
                                         315
Thr Gly Cys Val Asp Gly Pro Glu Gly Ser Lys Lys Gly Ala Arg Ser
                                    330
Arg Arg Leu Phe Ser His Tyr Thr Cys Ala Thr Asp Thr Gln Asn Ile
            340
                                345
                                                     350
Arg Lys Val Phe Lys Asp Val Arg Asp Ser Val Leu Ala Arg Tyr Leu
                            360
Asp Glu Ile Asn Leu Leu
    370
      <210> 18
      <211> 3234
      <212> DNA
      <213> Human
      <400> 18
atggcatttt atagctgctg ctgggtcctc ttggcactca cctggcacac ctctgcctac
gggccagacc agcgagccca aaagaagggg gacattatcc ttggggggct ctttcctatt
                                                                       120
cattttggag tagcagctaa agatcaagat ctcaaatcaa ggccggagtc tgtggaatgt
                                                                       180
atcaggtata atttccgtgg gtttcgctgg ttacaggcta tgatatttgc catagaggag
                                                                       240
ataaacagca gcccagccct tcttcccaac ttgacgctgg gatacaggat atttgacact
                                                                       300
tgcaacaccg tttctaaggc cttggaagcc accctgagtt ttgttgctca aaacaaaatt
                                                                       360
gattetttga acettgatga gttetgeaac tgeteagage acatteeete taegattget
                                                                       420
gtggtgggag caactggctc aggcgtctcc acggcagtgg caaatctgct ggggctcttc
                                                                       480
tacattcccc aggtcagtta tgcctcctcc agcagactcc tcagcaacaa gaatcaattc
                                                                       540
aagtetttee teegaaceat eeccaatgat gageaceagg eeactgeeat ggeagacate
                                                                       600
atcgagtatt tccgctggaa ctgggtgggc acaattgcag ctgatgacga ctatgggcgg
                                                                       660
```

ccggggattg agaaattccg agaggaagct gaggaaaggg atatctgcat cgacttcagt gaactcatct cccagtactc tgatgaggaa gagatccagc atgtggtaga ggtgattcaa

aattccacgg ccaaagtcat cgtggttttc tccagtggcc cagatcttga gcccctcatc

aaggagattg teeggegeaa tateaeggge aagatetgge tggeeagega ggeetgggee

agetectece tgategeeat geeteagtac ttecaegtgg ttggeggeac cattggatte

getetgaagg etgggeagat eceaggette egggaattee tgaagaaggt ecateecagg

aagtotgtoo acaatggttt tgocaaggag ttttgggaag aaacatttaa ctgocacoto

caagaaggtg caaaaggacc tttacctgtg gacacctttc tgagaggtca cgaagaaagt

ggcgacaggt ttagcaacag ctcgacagcc ttccgacccc tctgtacagg ggatgagaac

atcagcagtg togagacccc ttacatagat tacacqcatt tacqqatatc ctacaatqtq

tacttageag tetacteeat tgcccacqcc ttgcaaqata tatatacctg ettacctggg

agagggctct tcaccaatgg ctcctgtgca gacatcaaga aagttgaggc gtggcaggtc

ctgaagcacc tacggcatct aaactttaca aacaatatgg gggagcaggt gacctttgat

gagtgtggtg acctggtggg gaactattcc atcatcaact ggcacctctc cccagaggat

60

720

780

840

900

960

1020

1080

1140

1200

1260

1320

1380

1440

1500

					~~~~~~~~	1560
ggctccatcg	tgtttaagga	agtcgggtat	tacaacgtct	atgccaagaa	gggagaaaga	1620
ctcttcatca	acgaggagaa	aatcctgtgg	agtgggttct	ccagggaggt	gecettetee	1680
aactgcagcc	gagactgcct	ggcagggacc	aggaaaggga	tcattgaggg	ggagcccacc	
tactacttta	agtgtgtgga	gtgtcctgat	ggggagtata	gtgatgagac	agatgccagt	1740
acctataaca	aqtqcccaga	tgacttctgg	tccaatgaga	accacacctc	ctgcattgcc	1800
aaggagatcg	agtttctgtc	gtggacggag	ccctttggga	tcgcactcac	cctctttgcc	1860
atactagaca	ttttcctgac	agcctttgtg	ctgggtgtgt	ttatcaagtt	ccgcaacaca	1920
cccattqtca	aqqccaccaa	ccgagagctc	tcctacctcc	tectettete	cctgctctgc	1980
tgcttctcca	actccctatt	cttcatcggg	gagccccagg	actggacgtg	ccgcctgcgc	2040
cadccddcct	ttggcatcag	cttcgtgctc	tgcatctcat	gcatcctggt	gaaaaccaac	2100
catatectec	tagtatttaa	qqccaagatc	cccaccagct	tccaccgcaa	gtggtggggg	2160
ctcaacctqc	agttcctqct	ggttttcctc	tgcaccttca	tgcagattgt	catctgtgtg	2220
atctggctct	acaccqcqcc	cccctcaagc	taccgcaacc	aggagctgga	ggatgagatc	2280
atcttcatca	cqtqccacga	gggctccctc	atggccctgg	gcttcctgat	cggctacacc	2340
tacctactaa	ctqccatctq	cttcttcttt	gccttcaagt	cccggaagct	gccggagaac	2400
ttcaatgaag	ccaaqttcat	caccttcagc	atgctcatct	tcttcatcgt	ctggatctcc	2460
ttcattccag	cctatqccaq	cacctatggc	aagtttgtct	ctgccgtaga	ggtgattgcc	2520
atcctqqcaq	ccagctttgg	cttgctggcg	tgcatcttct	tcaacaagat	ctacatcatt	2580
ctcttcaagc	catcccqcaa	caccatcgag	gaggtgcgtt	gcagcaccgc	agctcacgct	2640
ttcaaggtgg	ctqcccqqqc	cacgctgcgc	cgcagcaacg	tctcccgcaa	gcggtccagc	2700
agcettggag	gctccacggg	atccaccccc	tcctcctcca	tcagcagcaa	gagcaacagc	2760
gaagacccat	tcccacaqcc	cgagaggcag	aagcagcagc	agccgctggc	cctaacccag	2820
caagagcagc	agcagcagcc	cctgaccctc	ccacagcagc	aacgatctca	geageagece	2880
agatgcaagc	agaaggtcat	ctttggcagc	ggcacggtca	ccttctcact	gagetttgat	2940
gageeteaga	agaacgccat	ggcccacggg	aattctacgc	accagaactc	cctggaggcc	3000
cagaaaagca	gcgatacgct	gacccgacac	cagccattac	tcccgctgca	gtgcggggaa	3060
acqqacttaq	atctgaccgt	ccaggaaaca	ggtctgcaag	gacctgtggg	tggagaccag	3120
cggccagagg	tqqaggaccc	tgaagagttg	tecceageae	ttgtagtgtc	cagttcacag	3180
agctttgtca	tcagtggtgg	aggcagcact	gttacagaaa	acgtagtgaa	ttca	3234

<210> 19 <211> 3464 <212> DNA <213> Human

atgttgctgc	tgctgctact	ggcgccactc	ttcctccgcc	ccccgggcgc	gggcggggcg	60
cagaccccca	acqccacctc	agaaggttgc	cagatcatac	acccgccctg	ggaagggggc	120
atcaggtacc	ggggcctgac	tcgggaccag	gtgaaggcta	tcaacttcct	gccagtggac	180
tatgagattg	agtatgtgtg	ccggggggag	cgcgaggtgg	tggggcccaa	ggtccgcaag	240
tacctaacca	acqqctcctq	gacagatatg	gacacaccca	gccgctgtgt	ccgaatctgc	300
tccaagtctt	atttgaccct	ggaaaatggg	aaggttttcc	tgacgggtgg	ggacctccca	360
gct.ct.gga.cg	gagcccgggt	ggatttccgg	tgtgaccccg	acttccatct	ggtgggcagc	420
teceggagea	tctqtaqtca	gggccagtgg	agcaccccca	agccccactg	ccaggtgaat	480
cgaacgccac	actcagaacg	gcgcgcagtg	tacatcgggg	cactgtttcc	catgagcggg	540
agetageeag	gagaccagac	ctgccagccc	gcggtggaga	tggcgctgga	ggacgtgaat	600
addddadad	acatcctqcc	ggactatgag	ctcaagctca	tccaccacga	cagcaagtgt	660
gaticcaggc	aagccaccaa	gtacctatat	gagctgctct	acaacgaccc	tatcaagatc	720
atcettatee	ctgactgcag	ctctgtctcc	acqctggtgg	ctgaggctgc	taggatgtgg	780
aacctcatta	tactttccta	tggctccagc	tcaccagccc	tgtcaaaccg	gcagcgtttc	840
cccactttct	tecgaacgea	cccatcagcc	acactccaca	accctacccg	cgtgaaactc	900
tttgaaaagt	gagactagaa	gaagattgct	accatccagc	agaccactga	ggtcttcact	960
tcaactctaa	acqacctqqa	ggaacgagtg	aaggaggctg	gaattgagat	tactttccgc	1020

```
cagagtttct tctcagatcc agctgtgccc gtcaaaaaacc tgaagcgcca ggatgcccga
                                                                      1080
atcatcgtgg gacttttcta tgagactgaa gcccggaaag ttttttgtga ggtgtacaag
                                                                      1140
gagcgtctct ttgggaagaa gtacgtctgg ttcctcattg ggtggtatgc tgacaattgg
                                                                      1200
                                                                      1260
ttcaagatct acgaccette tatcaactge acagtggatg agatgactga ggcggtggag
                                                                      1320
ggccacatca caactgagat tgtcatgctg aatcctgcca atacccgcag catttccaac
                                                                      1380
atgacatccc aggaatttgt ggagaaacta accaagcgac tgaaaagaca ccctgaggag
acaggagget tecaggagge acceptagee tatgatgeca tetgggeett ggeactggee
                                                                      1440
ctgaacaaga catctggagg aggcggccgt tctggtgtgc gcctggagga cttcaactac
                                                                      1500
aacaaccaga ccattaccga ccaaatctac cgggcaatga actcttcgtc ctttgagggt
                                                                      1560
gtctctggcc atgtggtgtt tgatgccagc ggctctcgga tggcatggac gcttatcgag
                                                                      1620
cagetteagg gtggeageta caagaagatt ggetactatg acageaceaa ggatgatett
                                                                      1680
                                                                      1740
tcctggtcca aaacagataa atggattgga gggtcccccc cagctgacca gaccctggtc
atcaagacat toogottoot gtoacagaaa ototttatot cogtotoagt tototooago
                                                                      1800
ctgggcattg tcctagctgt tgtctgtctg tcctttaaca tctacaactc acatgtccgt
                                                                      1860
tatatccaga actcacagcc caacctgaac aacctgactg ctgtgggctg ctcactggct
                                                                      1920
ttagctgctg tcttccccct ggggctcgat ggttaccaca ttgggaggaa ccagtttcct
                                                                      1980
ttegtetgee aggeeegeet etggeteetg ggeetggget ttagtetggg etaeggttee
                                                                      2040
atgttcacca agatttggtg ggtccacacg gtcttcacaa agaaggaaga aaagaaggag
                                                                      2100
                                                                      2160
tggaggaaga ctctggaacc ctggaagctg tatgccacag tgggcctgct ggtgggcatg
                                                                      2220
gatgtcctca ctctcgccat ctggcagatc gtggaccctc tgcaccggac cattgagaca
tttqccaaqq aqqaacctaa qqaaqatatt qacqtctcta ttctqcccca gctggagcat
                                                                      2280
tgcageteca ggaagatgaa tacatggett ggcattttet atggttacaa ggggetgetg
                                                                      2340
ctgctgctgg gaatcttcct tgcttatgag accaagagtg tgtccactga gaagatcaat
                                                                      2400
                                                                      2460
qatcaccqqq ctqtqqqcat qqctatctac aatqtqqcaq tcctqtqcct catcactqct
cctgtcacca tgattctgtc cagccagcag gatgcagcct ttgcctttgc ctctcttgcc
                                                                      2520
atagttttct cctcctatat cactcttgtt gtgctctttg tgcccaagat gcgcaggctg
                                                                      2580
                                                                      2640
atcacccgag gggaatggca gtcggaggcg caggacacca tgaagacagg gtcatcgacc
                                                                      2700
aacaacaacg aggaggagaa gtcccggctg ttggagaagg agaaccgtga actggaaaag
                                                                      2760
atcattgctg agaaagagga gcgtgtctct gaactgcgcc atcagctcca gtctcggcag
                                                                      2820
cageteeget eeeggegeea eecacegaea eececagaac eetetggggg eetgeeeagg
ggaccccctg agcccccga ccggcttagc tgtgatggga gtcgagtgca tttgctttat
                                                                      2880
aagtgagggt agggtgaggg aggacaggcc agtaggggga gggaaaggga gaggggaagg
                                                                      2940
gcaggggact caggaagcag ggggtcccca tccccagctg ggaagaacat gctatccaat
                                                                      3000
ctcatctctt gtaaatacat gtccccctgt gagttctggg ctgatttggg tctctcatac
                                                                      3060
ctctgggaaa cagacctttt tctctcttac tgcttcatgt aattttgtat cacctcttca
                                                                      3120
caatttagtt cgtacctggc ttgaagctgc tcactgctca cacgctgcct cctcagcagc
                                                                      3180
ctcactgcat ctttctcttc ccatgcaaca ccctcttcta gttaccacgg caacccctgc
                                                                      3240
                                                                      3300
ageteetetg cetttgtget etgtteetgt eeageagggg teteecaaca agtgetettt
ccaccccaaa ggggcctctc cttttctcca ctgtcataat ctctttccat cttacttgcc
                                                                      3360
cttctatact ttctcacatg tggctccccc tgaattttgc ttcctttggg gagctcattc
                                                                      3420
ntttcgccaa ggntcacatg ctcccttgcc tctggctccg tgca
                                                                      3464
```

```
<210> 20
```

```
atggggccg gggcccttt tgcccggtg gggtggccac tgccgcttct ggttgtgatg 60 gcggcagggg tggctccgt gtgggcctcc cactccccc atctcccgcg gcctcactcg 120 cgggtccccc cgcacccctc ctcagaacgg cgcgcagtgt acatcggggc actgtttccc 180 atgagcgggg gctggccagg gggccaggcc tgccagcccg cggtggagat ggcgctggag 240 gacgtgaata gccgcaggga catcctgccg gactatgagc tcaagctcat ccaccacgac 300 agcaagtgtg atccaggcca agccacaag tacctatatg agctgctcta caacgaccct 360
```

<sup>&</sup>lt;211> 2887

<sup>&</sup>lt;212> DNA

<sup>&</sup>lt;213> Human

						420
atcaagatca	tccttatgcc	tggctgcagc	tetgteteca	cgctggtggc	tgaggetget	480
aggatgtgga	acctcattgt	gctttcctat	ggctccagct	caccageeet	gecaaaccgg	540
cagcgtttcc	ccactttctt	ccgaacgcac	ccatcagcca	cactccacaa	cectaeeege	
gtgaaactct	ttgaaaagtg	gggctggaag	aagattgcta	ccatccagca	gaccactgag	600 660
gtcttcactt	cgactctgga	cgacctggag	gaacgagtga	aggaggctgg	aattgagatt	
actttccgcc	agagtttctt	ctcagatcca	gctgtgcccg	tcaaaaacct	gaagegeeag	720
gatgcccgaa	tcatcgtggg	acttttctat	gagactgaag	cccggaaagt	tttttgtgag	780
gtgtacaagg	agcgtctctt	tgggaagaag	tacgtctggt	tcctcattgg	gtggtatgct	840
gacaattggt	tcaagatcta	cgacccttct	atcaactgca	cagtggatga	gatgactgag	900
gcggtggagg	gccacatcac	aactgagatt	gtcatgctga	atcctgccaa	tacccgcagc	960
atttccaaca	tgacatccca	ggaatttgtg	gagaaactaa	ccaagcgact	gaaaagacac	1020
cctgaggaga	caggaggctt	ccaggaggca	ccgctggcct	atgatgccat	ctgggccttg	1080
gcactggccc	tgaacaagac	atctggagga	ggcggccgtt	ctggtgtgcg	cctggaggac	1140
ttcaactaca	acaaccagac	cattaccgac	caaatctacc	gggcaatgaa	ctcttcgtcc	1200
tttgagggtg	tctctggcca	tgtggtgttt	gatgccagcg	gctctcggat	ggcatggacg	1260
cttatcgagc	agcttcaggg	tggcagctac	aagaagattg	gctactatga	cagcaccaag	1320
gatgatcttt	cctggtccaa	aacagataaa	tggattggag	ggtccccccc	agctgaccag	1380
accctggtca	tcaaqacatt	ccgcttcctg	tcacagaaac	tctttatctc	cgtctcagil	1440
ctctccaqcc	tqqqcattgt	cctagctgtt	gtctgtctgt	cctttaacat	ctacaactca	1500
catatccatt	atatccagaa	ctcacagccc	aacctgaaca	acctgactgc	tgtgggctgc	1560
tcactqqctt	tagctgctgt	cttccccctg	gggctcgatg	gttaccacat	tgggaggaac	1620
cagtttcctt	tcqtctqcca	ggcccgcctc	tggctcctgg	gcctgggctt	tagtctgggc	1680
tacggttcca	tgttcaccaa	gatttggtgg	gtccacacgg	tcttcacaaa	gaaggaagaa	1740
aagaaggagt	qqaqqaaqac	tctggaaccc	tggaagctgt	atgccacagt	gggcctgctg	1800
atagacatag	atgtcctcac	tctcgccatc	tggcagatcg	tggaccctct	gcaccggacc	1860
attgagacat	ttqccaagga	ggaacctaag	gaagatattg	acgtctctat	tetgeeceag	1920
ctggagcatt	gcagctccag	gaagatgaat	acatggcttg	gcattttcta	tggttacaag	1980
agactactac	tactactaga	aatcttcctt	gcttatgaga	ccaagagtgt	gtccactgag	2040
aagatcaatg	atcaccgggc	tgtgggcatg	gctatctaca	atgtggcagt	cctgtgcctc	2100
atcactqctc	ctgtcaccat	gattctgtcc	agccagcagg	atgcagcctt	tgcctttgcc	2160
tctcttqcca	tagttttctc	ctcctatatc	actcttgttg	tgctctttgt	gcccaagatg	2220
cacaaactaa	tcacccgagg	ggaatggcag	tcggaggcgc	aggacaccat	gaagacaggg	2280
tcatcqacca	acaacaacga	ggaggagaag	tcccggctgt	tggagaagga	gaaccgtgaa	2340
ctggaaaaga	tcattgctga	gaaagaggag	cgtgtctctg	aactgcgcca	tcaactccag	2400
tctcqqcaqc	agctccgctc	ccggcgccac	ccaccgacac	ccccagaacc	ctctgggggc	2460
ctacccaaaa	gaccccctga	gccccccgac	: cggcttagct	gtgatgggag	tcgagtgcat	2520
ttactttata	. aqtqaqqqta	. gggtgaggga	. ggacaggcca	gtagggggag	ggaaagggag	2580
aggggaaggg	caggggactc	aggaagcagg	, gggtccccat	ccccagctgg	gaagaacatg	2640
ctatccaatc	tcatctcttg	: taaatacatg	, tececetgtg	agttctgggd	tgatttgggt	2700
ctctcatacc	tctgggaaac	: agaccttttt	: ctctcttact	gcttcatgta	attttgtate	2760
acctcttcac	: aatttagttc	gtacctggct	: tgaagctgct	cactgctcac	acgetgeete	2820
ctcaqcaqco	tcactgcatc	tttctcttcc	: catgcaacac	cctcttctag	ttaccacggc	2880
aacccct	-					2887

```
<210> 21
```

```
atggcttcccgcggagctccgggcagccgggccgcngccgccgccgcaccgccgcc60gcgcgcctgctactgctactgctgctgcgctgctgctgcctctggcgccggggcctggggctgggcgcggggcgcccccggccgccgcccagcagcccgccgctctccatcatgggcctcatgccgctcaccaaggaggtggccaagggcagcatcgggcgcggtgtgctccccgcc
```

<sup>&</sup>lt;211> 3144

<sup>&</sup>lt;212> DNA

<sup>&</sup>lt;213> Human

gtggaactgg ccatcgagca gatccgcaac gagtcactcc tgcgccccta cttcctcgac 300 360 ctgcggctct atgacacgga gtgcgacaac gcaaaagggt tgaaagcctt ctacgatgca ataaaatacg ggccgaacca cttgatggtg tttggaggcg tctgtccatc cgtcacatcc 420 480 atcattgcag agtccctcca aggctggaat ctggtgcagc tttcttttgc tgcaaccacg cctgttctag ccgataagaa aaaataccct tatttctttc ggaccgtccc atcagacaat 540 600 geggtgaate cagecattet gaagttgete aagcactace agtggaageg egtgggeaeg 660 ctgacgcaag acgttcagag gttctctgag gtgcggaatg acctgactgg agttctgtat ggcgaggaca ttgagatttc agacaccgag agcttctcca acgatccctg taccagtgtc 720 aaaaagctga aggggaatga tgtgcggatc atccttggcc agtttgacca gaatatggca 780 gcaaaagtgt tctgttgtgc atacgaggag aacatgtatg gtagtaaata tcagtggatc 840 attccgggct ggtacgagcc ttcttggtgg gagcaggtgc acacggaagc caactcatcc 900 960 cgctgcctcc ggaagaatct gcttgctgcc atggagggct acattggcgt ggatttcgag cccctgagct ccaagcagat caagaccatc tcaggaaaga ctccacagca gtatgagaga 1020 gagtacaaca acaagcggtc aggcgtgggg cccagcaagt tccacgggta cgcctacgat 1080 1140 ggcatctggg tcatcgccaa gacactgcag agggccatgg agacactgca tgccagcagc 1200 cggcaccage ggatccagga ettcaactac acggaccaca cgctgggcag gatcatcctc aatgecatga acgagaccaa ettetteggg gteacgggte aagttgtatt eeggaatggg 1260 gagagaatgg ggaccattaa atttactcaa tttcaagaca gcagggaggt gaaggtggga 1320 1380 gagtacaacg ctgtggccga cacactggag atcatcaatg acaccatcag gttccaagga 1440 tecgaaceae caaaagacaa gaccateate etggageage tgeggaagat etecetacet ctctacagca tcctctctgc cctcaccatc ctcgggatga tcatggccag tgcttttctc 1500 ttcttcaaca tcaagaaccg gaatcagaag ctcataaaga tgtcgagtcc atacatgaac 1560 aaccttatca tccttggagg gatgctctcc tatgcttcca tatttctctt tggccttgat 1620 ggatectttg tetetgaaaa gacetttgaa acaetttgea eegteaggae etggattete 1680 acceptagget acaceacege titteggagec atgittegeaa agacetaggag agtecacegec 1740 atcttcaaaa atgtgaaaat gaagaagaag atcatcaagg accagaaact gcttgtgatc 1800 1860 gtgggggca tgctgctgat cgacctgtgt atcctgatct gctggcaggc tgtggacccc 1920 ctgcgaagga cagtggagaa gtacagcatg gagccggacc cagcaggacg ggatatctcc 1980 atccqccctc tcctqqaqca ctgtqaqaac acccatatga ccatctggct tggcatcgtc tatgectaca agggaettet catgttgtte ggttgtttet tagettggga gaecegeaac 2040 2100 gtcagcatcc ccgcactcaa cgacagcaag tacatcggga tgagtgtcta caacgtgggg 2160 atcatgtgca tcatcggggc cgctgtctcc ttcctgaccc gggaccagcc caatgtgcag 2220 ttctgcatcg tggctctggt catcatcttc tgcagcacca tcaccctctg cctggtattc 2280 qtqccqaaqc tcatcaccct qaqaacaaac ccaqatqcag caacgcagaa caggcgattc 2340 cagttcactc agaatcagaa gaaagaagat tctaaaacgt ccacctcggt caccagtgtg 2400 aaccaagcca gcacatcccg cctggagggc ctacagtcag aaaaccatcg cctgcgaatg 2460 aagatcacag agctggataa agacttggaa gaggtcacca tgcagctgca ggacacacca gaaaagacca cctacattaa acagaaccac taccaagagc tcaatgacat cctcaacctg 2520 ggaaacttca ctgagagcac agatggagga aaggccattt taaaaaaatca cctcgatcaa 2580 aatccccagc tacagtggaa cacaacagag ccctctcgaa catgcaaaga tcctatagaa 2640 gatataaact ctccagaaca catccagcgt cggctgtccc tccagctccc catcctccac 2700 2760 cacgcctacc teccatecat eggaggegtg gacgccaget gtgtcageec etgegtcage cccaccgcca gcccccgcca cagacatgtg ccaccctcct tccgagtcat ggtctcgggc 2820 2880 ctgtaagggt gggaggcctg ggcccggggc ctcccccgtg acagaaccac actgggcaga ggggtctgct gcagaaacac tgtcggctct ggctgcggag aagctgggca ccatggctgg 2940 cctctcagga ccactcggat ggcactcagg tggacaggac ggggcagggg gagacttggc 3000 3060 acctgacctc gagccttatt tgtgaagtcc ttatttcttc acaaagaaga ggaacggaaa 3120 tgggacgtct tccttaacat ctgcaaacaa ggaggcgctg ggatatcaaa cttgcaaaaa aaaaaaaaa aaaaaaaaaa aaaa 3144

<210> 22 <211> 2880 <212> DNA <213> Rat

<400> 22

atgctgctgc tgctgctggt gcctctcttc ctccgccccc tgggcgctgg cggggcgcag 60 acccccaacg ccacctcgga aggttgccag attatacatc cgccctggga aggtggcatc 120 180 aggtaccgtg gcttgactcg cgaccaggtg aaggccatca acttcctgcc tgtggactat 240 gagatcgaat atgtgtgccg aggggagcgc gaggtggtgg ggcccaaggt gcgcaaatgc 300 ctggccaacg gctcctggac ggatatggac acacccagcc gctgtgtccg aatctgctcc 360 aagtettatt tgaeeetgga aaatgggaag gtttteetga egggtgggga eeteeeaget 420 ctggatggag cccgggtgga gttccgatgt gaccccgact tccatctggt gggcagctcc cggagcgtct gtagtcaggg ccagtggagc acccccaagc cccactgcca ggtgaatcga 480 540 acgccacact cagaacggcg tgcagtatac atcggggcgc tgtttcccat gagcgggggc tggccggggg gccaggcctg ccagcccgcg gtggagatgg cgctggagga cgttaacagc 600 660 cgcagagaca tcctgccgga ctacgagctc aagcttatcc accacgacag caagtgtgac ccagggcaag ccaccaagta cttgtacgaa ctactctaca atgaccccat caagatcatt 720 ctcatgcctg gctgtagttc tgtctccaca cttgtagctg aggctgcccg gatgtggaac 780 cttattgtgc tctcatatgg ctccagttca ccagccttgt caaaccgaca gcggtttccc 840 acgttcttcc ggacgcatcc atccgccaca ctccacaatc ccacccgggt gaaactcttc 900 gaaaagtggg gctggaagaa gatcgctacc atccaacaga ccaccgaggt cttcacctca 960 acgctggatg acctggagga gcgagtgaaa gaggctggga tcgagatcac tttccgacag 1020 1080 agtttcttct cggatccagc tgtgcctgtt aaaaacctga agcgtcaaga tgctcgaatc 1140 atcgtgggac ttttctatga gacggaagcc cggaaagttt tttgtgaggt ctataaggaa aggetetttg ggaagaagta egtetggtte etcategggt ggtatgetga caactggtte 1200 1260 aagacctatg acccgtcaat caattgtaca gtggaagaaa tgaccgaggc ggtggagggc 1320 cacatcacca cggagattgt catgctgaac cctgccaaca cccgaagcat ttccaacatg 1380 acgtcacagg aatttgtgga gaaactaacc aagcggctga aaagacaccc cgaggagact ggaggettee aggaggeace actggeetat gatgetatet gggeettgge tttggeettg 1440 1500 aacaagacgt ctggaggagg tggtcgttcc ggcgtgcgcc tggaggactt taactacaac aaccagacca ttacagacca gatctaccgg gccatgaact cctcctctt tgagggcgtt 1560 tctggccatg tggtctttga tgccagcggc tcccggatgg catggacact tatcgagcag 1620 ctacagggcg gcagctacaa gaagatcggc tactacgaca gcaccaagga tgatctttcc 1680 tggtccaaaa cggacaagtg gattggaggg tctcccccag ctgaccagac cttggtcatc 1740 1800 aagacattcc gtttcctgtc tcagaaactc tttatctccg tctcagttct ctccagcctg ggcattgttc ttgctgttgt ctgtctgtcc tttaacatct acaactccca cgttcgttat 1860 1920 atccagaact cccagcccaa cctgaacaat ctgactgctg tgggctgctc actggcactg 1980 gctgctgtct tccctctcgg gctggatggt taccacatag ggagaagcca gttcccgttt gtctgccagg cccgcctttg gctcttgggc ttgggcttta gtctgggcta tggctctatg 2040 2100 ttcaccaaga tctggtgggt ccacacagtc ttcacgaaga aggaggagaa gaaggagtgg 2160 aggaagaccc tagagccctg gaaactctat gccactgtgg gcctgctggt gggcatggat gtcctgactc ttgccatctg gcagattgtg gaccccttgc accgaaccat tgagactttt 2220 gccaaggagg aaccaaagga agacatcgat gtctccattc tgccccagtt ggagcactgc 2280 agctccaaga agatgaatac gtggcttggc attttctatg gttacaaggg gctgctgctg 2340 ctgctgggaa tctttcttgc ttacgaaacc aagagcgtgt ccactgaaaa gatcaatgac 2400 cacagggeeg tgggeatgge tatetacaat gtegeggtee tgtgteteat cactgeteet 2460 gtgaccatga tcctttccag tcagcaggac gcagcctttg cctttgcctc tctggccatc 2520 gtgttctctt cctacatcac tctggttgtg ctctttgtgc ccaagatgcg caggctgatc 2580 accegagggg aatggcagte tgaaacgcag gacaccatga aaacaggate atccaccaac 2640 aacaacgagg aagagaagtc ccgactgttg gagaaggaaa accgagaact ggaaaagatc 2700 ategetgaga aagaggageg egtetetgaa etgegeeate ageteeagte teggeageaa 2760 ctccgctcac ggcgccaccc cccaacaccc ccagatccct ctgggggcct tcccagggga 2820 2880 ccctctgagc cccctgaccg gcttagctgt gatgggagtc gagtacattt gctttacaag

```
<210> 23
<211> 2532
<212> DNA
<213> Rat
```

	ggggaccctg					60
gcggctgggg	tggctccggt	gtgggcctct	cactcccctc	atctcccgcg	gcctcacccg	120
agggtccccc	cgcacccctc	ctcagaacgg	cgtgcagtat	acatcggggc	gctgtttccc	180
atgagcgggg	gctggccggg	gggccaggcc	tgccagcccg	cggtggagat	ggcgctggag	240
	gccgcagaga					300
	acccagggca					360
	ttctcatgcc					420
	accttattgt					480
	ccacgttctt					540
	tcgaaaagtg					600
	caacgctgga					660
	agagtttctt					720
	tcatcgtggg					780
	aaaggctctt					840
	tcaagaccta					900
	gccacatcac					960
	tgacgtcaca					1020
	ctggaggctt					1080
	tgaacaagac					1140
	acaaccagac					1200
	tttctggcca					1260
	agctacaggg					1320
	cctggtccaa					1380
	tcaagacatt					1440
	tgggcattgt					1500
	atatccagaa					1560
	tggctgctgt					1620
	ttgtctgcca					1680
	tgttcaccaa					1740
	ggaggaagac					1800
	atgtcctgac					1860
	ttgccaagga					1920
	gcagctccaa					1980
	tgctgctggg					2040
	accacagggc					2100
	ctgtgaccat					2160
	tcgtgttctc					2220
	tcacccgagg					2280
	acaacaacga					2340
	tcatcgctga					2400
	aactccgctc					2460
	gaccctctga					2520
ttgctttaca						2532

<210> 24

<211> 960

<212> PRT

<213> Rat

<400> 24

Met Leu Leu Leu Leu Val Pro Leu Phe Leu Arg Pro Leu Gly Ala
1 5 10 15

Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile Ile 20 25 30

His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg Asp 35 40 45

Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu Tyr 50 55 60

Val Cys Arg Gly Glu Arg Glu Val Val Gly Pro Lys Val Arg Lys Cys 65 70 75 80

Leu Ala Asn Gly Ser Trp Thr Asp Met Asp Thr Pro Ser Arg Cys Val 85 90 95

Arg Ile Cys Ser Lys Ser Tyr Leu Thr Leu Glu Asn Gly Lys Val Phe
100 105 110

Leu Thr Gly Gly Asp Leu Pro Ala Leu Asp Gly Ala Arg Val Glu Phe
115 120 125

Arg Cys Asp Pro Asp Phe His Leu Val Gly Ser Ser Arg Ser Val Cys 130 135 140

Ser Gln Gly Gln Trp Ser Thr Pro Lys Pro His Cys Gln Val Asn Arg 145 150 155 160

Thr Pro His Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro 165 170 175

Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu 180 185 190

Met Ala Leu Glu Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr 195 200 205

Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala 210 215 220

Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile 225 230 235 240

Leu Met Pro Gly Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala 245 250 255

Arg Met Trp Asn Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala 260 265 270

- Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser 275 280 285
- Ala Thr Leu His Asn Pro Thr Arg Val Lys Leu Phe Glu Lys Trp Gly 290 295 300
- Trp Lys Lys Ile Ala Thr Ile Gln Gln Thr Thr Glu Val Phe Thr Ser 305 310 315 320
- Thr Leu Asp Asp Leu Glu Glu Arg Val Lys Glu Ala Gly Ile Glu Ile 325 330 335
- Thr Phe Arg Gln Ser Phe Phe Ser Asp Pro Ala Val Pro Val Lys Asn 340 345 350
- Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu Thr 355 360 365
- Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe Gly 370 375 380
- Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp Phe 385 390 395 400
- Lys Thr Tyr Asp Pro Ser Ile Asn Cys Thr Val Glu Glu Met Thr Glu 405 410 415
- Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro Ala 420 425 430
- Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu Lys
  435
  440
  445
- Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe Gln 450 455 460
- Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala Leu 465 470 475 480
- Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu Asp 485 490 495
- Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala Met 500 505 510
- Asn Ser Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp Ala 515 520 525
- Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly Gly 530 535 540
- Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu Ser 545 550 555
- Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp Gln 565 570 575

Ile Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile 580 585 590

Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Cys 595 600 605

Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser 610 615 620

Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala Leu 625 630 635 640

Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Ser
645 650 655

Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly 660 670

Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val His 675 680 685

Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu 690 695 700

Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp 705 710 715 720

Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr
725 730 735

Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser 740 745 750

Ile Leu Pro Gln Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp
755 760 765

Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly Ile 770 775 780

Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp 785 790 795 800

His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu 805 810 815

Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala 820 825 830

Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu 835 840 845

Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu 850 855 860

Trp Gln Ser Glu Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn

875

870

880

865 Asn Asn Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu 885 Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg 905 900 His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro 920 Thr Pro Pro Asp Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys 955 945 950 <210> 25 <211> 844 <212> PRT <213> Rat <400> 25 Met Gly Pro Gly Gly Pro Cys Thr Pro Val Gly Trp Pro Leu Pro Leu 5 Leu Leu Val Met Ala Ala Gly Val Ala Pro Val Trp Ala Ser His Ser Pro His Leu Pro Arg Pro His Pro Arg Val Pro Pro His Pro Ser Ser Glu Arg Arg Ala Val Tyr Ile Gly Ala Leu Phe Pro Met Ser Gly Gly Trp Pro Gly Gly Gln Ala Cys Gln Pro Ala Val Glu Met Ala Leu Glu 75 Asp Val Asn Ser Arg Arg Asp Ile Leu Pro Asp Tyr Glu Leu Lys Leu Ile His His Asp Ser Lys Cys Asp Pro Gly Gln Ala Thr Lys Tyr Leu Tyr Glu Leu Leu Tyr Asn Asp Pro Ile Lys Ile Ile Leu Met Pro Gly 115 120 Cys Ser Ser Val Ser Thr Leu Val Ala Glu Ala Ala Arg Met Trp Asn 135 Leu Ile Val Leu Ser Tyr Gly Ser Ser Ser Pro Ala Leu Ser Asn Arg Gln Arg Phe Pro Thr Phe Phe Arg Thr His Pro Ser Ala Thr Leu His 170

165

Mark And

47

Mark Africa

ř.

an.

**Ξ** 

÷ &

17.13. Mark

June And

450

175

455

460

Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe Ile Ser Val Ser Val
465 470 475 480

Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val Cys Leu Ser Phe Asn 485 490 495

The Tyr Asn Ser His Val Arg Tyr Ile Gln Asn Ser Gln Pro Asn Leu 500 510

Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala Leu Ala Ala Val Phe 515 520 525

Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg Ser Gln Phe Pro Phe 530 540

Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu Gly Phe Ser Leu Gly 545 550 560

Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val His Thr Val Phe Thr  $565 \hspace{1.5cm} 570 \hspace{1.5cm} 575$ 

Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr Leu Glu Pro Trp Lys 580 585 590

Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met Asp Val Leu Thr Leu 595 600 605

Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg Thr Ile Glu Thr Phe 610 620

Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val Ser Ile Leu Pro Gln 625 630 635 640

Leu Glu His Cys Ser Ser Lys Lys Met Asn Thr Trp Leu Gly Ile Phe 645 650 655

Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly Ile Phe Leu Ala Tyr
660 665 670

Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn Asp His Arg Ala Val 675 680 685

Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys Leu Ile Thr Ala Pro 690 695 700

Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala Ala Phe Ala Phe Ala 705 710 715 720

Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr Leu Val Val Leu Phe
725 730 735

Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly Glu Trp Gln Ser Glu
740 745 750

Thr Gln Asp Thr Met Lys Thr Gly Ser Ser Thr Asn Asn Asn Glu Glu

i no Milita

755 760 765 Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg Glu Leu Glu Lys Ile 780 770 775 Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu Arg His Gln Leu Gln 790 795 Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro Pro Thr Pro Pro Asp 810 Pro Ser Gly Gly Leu Pro Arg Gly Pro Ser Glu Pro Pro Asp Arg Leu 820 825 830 Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr Lys 835 840 <210> 26 <211> 2616 <212> DNA <213> Human <400> 26

atgggatcgc tgcttgcgct cctggcactg ctgccgctgt ggggtgctgt ggctgagggc 60 ccagccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg 120 caccagaagg gcggcccagc agaggactgt ggtcctgtca atgagcaccg tggcatccag 180 egectggagg ceatgetttt tgeactggac egeateaace gtgaccegea eetgetgeet 240 ggcgtgcgcc tgggtgcaca catcetegac agttgctcca aggacacaca tgcgctggag 300 caggcactgg actttgtgcg tgcctcactc agccgtggtg ctgatggatc acgccacatc 360 tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt 420 ggcggttcct acagtgatgt ctccatccag gtggccaacc tcttgaggct atttcagatc 480 ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac 540 tttgcccgca cagtgcctcc tgacttcttc caaqccaagg ccatggctga gattctccgc 600 660 ttcttcaact ggacctatgt gtccactgag gcctctgagg gcgactatgg cgagacaggc 720 attgaggcct ttgagctaga ggctcgtgcc cgcaacatct gtgtggccac ctcggagaaa gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag 780 cccaqtqccc qcqtqqctqt cctqttcacc cqttctqaqq atqcccqqqa qctqcttqct 840 900 gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg gagagtgtgg tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc 960 tectacecca teagtgaett tgeeteetae ttecagagee tggaecettg gaacaacage 1020 cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga 1080 gactgegeag eccaetetet eegggetgtg ceetttgaae aggagteeaa gateatgttt 1140 gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc 1200 cccaacacca cccggctctg tgacgcgatg cggccagtta acgggcgccg cctctacaag 1260 gactttgtgc tcaacgtcaa gtttgatgcc ccctttcgcc cagctgacac ccacaatgag 1320 gteegetttg accgetttgg tgatggtatt ggccqctaca acatettcac ctatetgcgt 1380 gcaggcagtg ggcgctatcg ctaccagaag gtgggctact ggqcagaagg cttgactctg 1440 gacaccagce teateceatg ggeeteaceg teageeggee eeetggeege etetegetge 1500 agtgagccct gcctccagaa tgaggtgaag agtgtgcagc cgggcgaagt ctgctgctgg 1560 ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt 1620 ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactqcc ccagqagtac 1680 atcogctggg gcgatgcctg ggctgtggga cctgtcacca tcgcctgcct cggtgccctg 1740 gccaccctgt ttgtgctggg tgtctttgtg cggcacaatg ccacaccagt ggtcaaggcc 1800 tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc 1860 1920 ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc

actgccttct	ctgtctgcta	ctcagccctg	ctcaccaaga	ccaaccgcat	tgcacgcatc	1980
ttcggtgggg	cccgggaggg	tgcccagcgg	ccacgcttca	tcagtcctgc	ctcacaggtg	2040
gccatctgcc	tggcacttat	ctcgggccag	ctgctcatcg	tggtcgcctg	gctggtggtg	2100
gaggcaccgg	gcacaggcaa	ggagacagcc	cccgaacggc	gggaggtggt	gacactgcgc	2160
tgcaaccacc	gcgatgcaag	tatgttgggc	tcgctggcct	acaatgtgct	cctcatcgcg	2220
ctctgcacgc	tttatgcctt	caatactcgc	aagtgccccg	aaaacttcaa	cgaggccaag	2280
ttcattggct	tcaccatgta	caccacctgc	atcatctggc	tggcattgtt	gcccatcttc	2340
tatgtcacct	ccagtgacta	ccgggtacag	accaccacca	tgtgcgtgtc	agtcagcctc	2400
agcggctccg	tggtgcttgg	ctgcctcttt	gcgcccaagc	tgcacatcat	cctcttccag	2460
ccgcagaaga	acgtggttag	ccaccgggca	cccaccagcc	gctttggcag	tgctgctgcc	2520
agggccagct	ccagccttgg	ccaagggtct	ggctcccagt	ttgtccccac	tgtttgcaat	2580
ggccgtgagg	tggtggactc	gacaacgtca	tcgctt			2616

<210> 27

<211> 824

<212> PRT

<213> Human

<400> 27

Met Gly Ser Leu Leu Ala Leu Leu Ala Leu Leu Pro Leu Trp Gly Ala 1 5 10 15

Val Ala Glu Gly Pro Ala Lys Lys Val Leu Thr Leu Glu Gly Asp Leu 20 25 30

Val Leu Gly Gly Leu Phe Pro Val His Gln Lys Gly Gly Pro Ala Glu
35 40 45

Asp Cys Gly Pro Val Asn Glu His Arg Gly Ile Gln Arg Leu Glu Ala 50 55 60

Met Leu Phe Ala Leu Asp Arg Ile Asn Arg Asp Pro His Leu Leu Pro 65 70 75 80

Gly Val Arg Leu Gly Ala His Ile Leu Asp Ser Cys Ser Lys Asp Thr 85 90 95

His Ala Leu Glu Gln Ala Leu Asp Phe Val Arg Ala Ser Leu Ser Arg
100 105 110

Gly Ala Asp Gly Ser Arg His Ile Cys Pro Asp Gly Ser Tyr Ala Thr 115 120 125

His Gly Asp Ala Pro Thr Ala Ile Thr Gly Val Ile Gly Gly Ser Tyr 130 135 140

Ser Asp Val Ser Ile Gln Val Ala Asn Leu Leu Arg Leu Phe Gln Ile 145 150 155 160

Pro Gln Ile Ser Tyr Ala Ser Thr Ser Ala Lys Leu Ser Asp Lys Ser 165 170 175

Arg Tyr Asp Tyr Phe Ala Arg Thr Val Pro Pro Asp Phe Phe Gln Ala

			180					185					190		
Lys	Ala	Met 195	Ala	Glu	Ile	Leu	Arg 200	Phe	Phe	Asn	Trp	Thr 205	Tyr	Val	Ser
Thr	Glu 210	Ala	Ser	Glu	Gly	Asp 215	Tyr	Gly	Glu	Thr	Gly 220	Ile	Glu	Ala	Phe
Glu 225	Leu	Glu	Ala	Arg	Ala 230	Arg	Asn	Ile	Cys	Val 235	Ala	Thr	Ser	Glu	Lys 240
Val	Gly	Arg	Ala	Met 245	Ser	Arg	Ala	Ala	Phe 250	Glu	Gly	Val	Val	Arg 255	Ala
Leu	Leu	Gln	Lys 260	Pro	Ser	Ala	Arg	Val 265	Ala	Val	Leu	Phe	Thr 270	Arg	Ser
Glu	Asp	Ala 275	Arg	Glu	Leu	Leu	Ala 280	Ala	Ser	Gln	Arg	Leu 285	Asn	Ala	Ser
Phe	Thr 290	Trp	Val	Ala	Ser	Asp 295	Gly	Trp	Gly	Ala	Leu 300	Glu	Ser	Val	Val
Ala 305	Gly	Ser	Glu	Gly	Ala 310	Ala	Glu	Gly	Ala	Ile 315	Thr	Ile	Glu	Leu	Ala 320
Ser	Tyr	Pro	Ile	Ser 325	Asp	Phe	Ala	Ser	Tyr 330	Phe	Gln	Ser	Leu	Asp 335	Pro
Trp	Asn	Asn	Ser 340		Asn	Pro	Trp	Phe 345	Arg	Glu	Phe	Trp	Glu 350	Gln	Arg
Phe	Arg	Cys 355		Phe	Arg	Gln	Arg 360	Asp	Cys	Ala	Ala	His 365	Ser	Leu	Arg
Ala	Val 370		Phe	: Glu	Gln	Glu 375		Lys	Ile	Met	Phe 380	Val	Val	Asn	Ala
Val 385		: Ala	Met	: Ala	His		Leu	. His	Asn	Met 395	His	Arg	Ala	. Leu	Cys 400
Pro	) Asr	ı Thr	Thr	405		суя	a Asp	Ala	Met 410	Arg	Pro	Val	Asn	Gly 415	Arg
Arç	J Leu	1 Туг	Lys 420		Phe	e Val	. Leu	Asn 425		. Lys	Phe	Asp	Ala 430	Pro	Phe
Arg	g Pro	Ala 435		) Thr	His	s Asr	1 Glu 440		Arg	g Phe	Asp	Arg 445	Phe	e Gly	Asp
GlΣ	7 Ile 450		y Arg	д Туг	Asr	1 Ile 455		e Thr	Туг	Leu	460	, Ala	Gl∑	7 Ser	Gly
Arg 46		r Arg	g Tyi	r Glr	1 Lys 470		l Gly	у Туг	r Trp	Ala 475	Glu i	ı Gly	z Let	ı Thr	Leu 480
Ası	o Thi	r Se	r Le	u Ile	e Pro	o Trj	o Ala	a Sei	r Pro	ser	Ala	a Gly	/ Pro	Lei	ı Ala

495

490

Ala Ser Arg Cys Ser Glu Pro Cys Leu Gln Asn Glu Val Lys Ser Val
500 505 510

485

Thr Cys Ile Ile Trp Leu Ala Leu Leu Pro Ile Phe Tyr Val Thr Ser

775

```
Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu
785
                    790
Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile
Ile Leu Phe Gln Pro Gln Lys Asn
            820
      <210> 28
      <211> 1077
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> Chimeric Gqi5
      <400> 28
atqactctqq aqtccatcat qqcqtqctqc ctqaqcqaqq agqccaaqqa agcccggcgq
                                                                        60
atcaacgacg agatcgagcg gcagctccgc agggacaagc gggacgcccg ccgggagctc
                                                                       120
aaqctqctqc tqctcqqqac aqqaqaqaqt qgcaaqagta cgtttatcaa gcagatgaga
                                                                       180
atcatccatq qqtcaqqata ctctgatgaa gataaaaggg gcttcaccaa gctggtgtat
                                                                       240
caqaacatct tcacqqccat gcaqqccatg atcagagcca tggacacact caagatccca
                                                                       300
tacaagtatg agcacaataa ggctcatgca caattagttc gagaagttga tgtggagaag
                                                                       360
qtqtctqctt ttqaqaatcc atatqtaqat qcaataaaga gtttatgqaa tqatcctgga
                                                                       420
                                                                       480
atccaggaat gctatgatag acgacgagaa tatcaattat ctgactctac caaatactat
                                                                       540
cttaatqact tqqaccqcqt aqctqaccct qcctacctqc ctacqcaaca agatqtqctt
agagttegag tecceaceae agggateate qaataceeet ttgacttaca aagtgteatt
                                                                       600
ttcagaatgg tcgatgtagg gggccaaagg tcagagagaa gaaaatggat acactgcttt
                                                                       660
                                                                       720
qaaaatqtca cctctatcat qtttctagta qcqcttagtg aatatgatca agttctcgtg
qaqtcaqaca atqaqaaccq aatggaggaa agcaaggctc tctttagaac aattatcaca
                                                                       780
tacccctqqt tccaqaactc ctcqqttatt ctgttcttaa acaaqaaaga tcttctaqaq
                                                                       840
gagaaaatca tgtattccca tctagtcgac tacttcccag aatatgatgg accccagaga
                                                                       900
gatgcccagg cagcccgaga attcattctg aagatgttcg tggacctgaa cccagacagt
                                                                       960
                                                                      1020
gacaaaatta totaotooca ottoacgtgo gocacagaca cogagaatat cogotttgto
                                                                      1077
tttgctgccg tcaaggacac catcctccag ttgaacctga aggactgcgg tctgttc
      <210> 29
      <211> 359
      <212> PRT
      <213> Artificial Sequence
      <220>
      <223> Chimeric Gqi5
      <400> 29
Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys
                                    10
Glu Ala Arq Arq Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp
```

Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly

		35					40					45			
Glu	Ser 50	Gly	Lys	Ser	Thr	Phe 55	Ile	Lys	Gln	Met	Arg 60	Ile	Ile	His	Gly
Ser 65	Gly	Tyr	Ser	Asp	Glu 70	Asp	Lys	Arg	Gly	Phe 75	Thr	Lys	Leu	Val	Tyr 80
Gln	Asn	Ile	Phe	Thr 85	Ala	Met	Gln	Ala	Met 90	Ile	Arg	Ala	Met	Asp 95	Thr
Leu	Lys	Ile	Pro 100	Tyr	Lys	Tyr	Glu	His 105	Asn	Lys	Ala	His	Ala 110	Gln	Leu
Val	Arg	Glu 115	Val	Asp	Val	Glu	Lys 120	Val	Ser	Ala	Phe	Glu 125	Asn	Pro	Tyr
Val	Asp 130	Ala	Ile	Lys	Ser	Leu 135	Trp	Asn	Asp	Pro	Gly 140	Ile	Gln	Glu	Cys
Tyr 145	Asp	Arg	Arg	Arg	Glu 150	Tyr	Gln	Leu	Ser	Asp 155	Ser	Thr	Lys	Tyr	Tyr 160
Leu	Asn	Asp	Leu	Asp 165	Arg	Val	Ala	Asp	Pro 170	Ala	Tyr	Leu	Pro	Thr 175	Gln
Gln	Asp	Val	Leu 180	Arg	Val	Arg	Val	Pro 185	Thr	Thr	Gly	Ile	Ile 190	Glu	Tyr
Pro	Phe	Asp 195	Leu	Gln	Ser	Val	Ile 200	Phe	Arg	Met	Val	Asp 205	Val	Gly	Gly
Gln	Arg 210	Ser	Glu	Arg	Arg	Lys 215	Trp	Ile	His	Cys	Phe 220	Glu	Asn	Val	Thr
Ser 225	Ile	Met	Phe	Leu	Val 230	Ala	Leu	Ser	Glu	Tyr 235	Asp	Gln	Val	Leu	Val 240
Glu	Ser	Asp	Asn	Glu 245	Asn	Arg	Met	Glu	Glu 250	Ser	Lys	Ala	Leu	Phe 255	Arg
Thr	Ile	Ile	Thr 260	Tyr	Pro	Trp	Phe	Gln 265	Asn	Ser	Ser	Val	Ile 270	Leu	Phe
Leu	Asn	Lys 275	Lys	Asp	Leu	Leu	Glu 280	Glu	Lys	Ile	Met	Tyr 285	Ser	His	Leu
Val	Asp 290	Tyr	Phe	Pro	Glu	Tyr 295	Asp	Gly	Pro	Gln	Arg 300	Asp	Ala	Gln	Ala
Ala 305	Arg	Glu	Phe	Ile	Leu 310	Lys	Met	Phe	Val	Asp 315	Leu	Asn	Pro	Asp	Ser 320
Asp	Lys	Ile	Ile	Tyr 325	Ser	His	Phe	Thr	Cys 330	Ala	Thr	Asp	Thr	Glu 335	Asn
Ile	Arg	Phe	Val	Phe	Ala	Ala	Val	Lys	Asp	Thr	Ile	Leu	Gln	Leu	Asn

```
340 345 350
```

Leu Lys Asp Cys Gly Leu Phe 355

<210> 30 <211> 2751 <212> DNA <213> Artificial Sequence

<223> Chimeric hCAR/hmGluR2

<400> 30

<220>

atggcatttt atagctgctg ctgggtcctc ttggcactca cctggcacac ctctgcctac 60 gggccagacc agcgagcca aaagaagggg gacattatcc ttggggggct ctttcctatt 120 cattttggag tagcagctaa agatcaagat ctcaaatcaa ggccggagtc tgtggaatgt 180 240 atcaggtata atttccgtgg gtttcgctgg ttacaggcta tgatatttgc catagaggag ataaacagca gcccagccct tcttcccaac ttgacgctgg gatacaggat atttgacact 300 tgcaacaccg tttctaaggc cttggaagcc accctgagtt ttgttgctca aaacaaaatt 360 gattetttga acettgatga gttetgeaac tgeteagage acatteeete taegattget 420 gtggtgggag caactggctc aggcgtctcc acggcagtgg caaatctgct ggggctcttc 480 tacattcccc aggteagtta tgcctcctcc ageagactcc tcagcaacaa gaatcaattc 540 aagtetttee teegaaceat eeccaatgat gageaceagg eeactgeeat ggeagacate 600 ategagtatt teegetggaa etgggtggge acaattgeag etgatgaega etatgggegg 660 720 ccggggattg agaaattccg agaggaagct gaggaaaggg atatctgcat cgacttcagt qaactcatct cccaqtactc tqatqaqqaa qaqatccaqc atgtggtaga gqtgattcaa 780 aattccacgg ccaaagtcat cgtggttttc tccagtggcc cagatcttga gcccctcatc 840 900 aaggagattg teeggegeaa tateaeggge aagatetgge tggceagega ggeetgggee 960 agetectece tqategeeat geeteagtac ttecaegtgg ttggeggeac cattggatte 1020 gctctgaagg ctgggcagat cccaggcttc cgggaattcc tgaagaaggt ccatcccagg aagtetgtee acaatggttt tgecaaggag ttttgggaag aaacatttaa etgecaeete 1080 1140 caagaaggtg caaaaggacc tttacctgtg gacacctttc tgagaggtca cgaagaaagt 1200 ggegacaggt ttagcaacag ctcgacagcc ttccgacccc tctgtacagg ggatgagaac 1260 atcagcagtg tcgagacccc ttacatagat tacacgcatt tacggatatc ctacaatgtg tacttaqcaq tctactccat tqcccacqcc ttqcaaqata tatatacctg cttacctggg 1320 agagggetet teaceaatgg etectgtgea gacateaaga aagttgagge gtggeaggte 1380 ctgaagcacc tacggcatct aaactttaca aacaatatgg gggagcaggt gacctttgat 1440 1500 gagtgtggtg acctggtggg gaactattcc atcatcaact ggcacctctc cccagaggat 1560 ggctccatcg tgtttaagga agtcgggtat tacaacgtct atgccaagaa gggagaaaga 1620 ctcttcatca acgaggagaa aatcctgtgg agtgggttct ccagggaggt gcccttctcc 1680 aactgcagcc gagactgcct ggcagggacc aggaaaggga tcattgaggg ggagcccacc 1740 tgctgctttg agtgtgtgga gtgtcctgat ggggagtata gtgatgagac agatgccagt 1800 gcctgtaaca agtgcccaga tgacttctgg tccaatgaga accacacctc ctgcttcgaa 1860 ctgccccagg agtacatccg ctggggcgat gcctgggctg tgggacctgt caccatcgcc 1920 tgcctcggtg ccctggccac cctgtttgtg ctgggtgtct ttgtgcggca caatgccaca ccagtggtca aggcctcagg tcgggagctc tgctacatcc tgctgggtgg tgtcttcctc 1980 tgctactgca tgaccttcat cttcattgcc aagccatcca cggcagtgtg taccttacgg 2040 2100 cgtcttggtt tgggcactgc cttctctgtc tgctactcag ccctgctcac caagaccaac cgcattgcac gcatcttcgg tggggcccgg gagggtgccc agcggccacg cttcatcagt 2160 2220 cctgcctcac aggtggccat ctgcctggca cttatctcgg gccagctgct catcgtggtc 2280 gcctggctgg tggtggaggc accgggcaca ggcaaggaga cagcccccga acggcgggag 2340 gtggtgacac tgcgctgcaa ccaccgcgat gcaagtatgt tgggctcgct ggcctacaat gtgctcctca tcgcgctctg cacgctttat gccttcaata ctcgcaagtg ccccgaaaac 2400 2460 ttcaacgagg ccaagttcat tggcttcacc atgtacacca cctgcatcat ctggctggca

 tcttctatgt gcctcagcgg tccagccgca	ctccgtggtg	cttggctgcc	tctttgcgcc	caagctgcac	2520 2580 2640
 ctgccagggc gcaatggccg					2700 2751

<210> 31

<211> 917

<212> PRT

<213> Artificial Sequence

<220>

<223> Chimeric hCAR/hmGluR2

<400> 31

Met Ala Phe Tyr Ser Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His

1 10 15

Thr Ser Ala Tyr Gly Pro Asp Gln Arg Ala Gln Lys Lys Gly Asp Ile 20 25 30

Ile Leu Gly Gly Leu Phe Pro Ile His Phe Gly Val Ala Ala Lys Asp 35 40 45

Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu Cys Ile Arg Tyr Asn 50 55 60

Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala Ile Glu Glu 65 70 75 80

Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr Arg
85 90 95

Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu 100 105 110

Ser Phe Val Ala Gln Asn Lys Ile Asp Ser Leu Asn Leu Asp Glu Phe 115 120 125

Cys Asn Cys Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala 130 135 140

Thr Gly Ser Gly Val Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe 145 150 155 160

Tyr Ile Pro Gln Val Ser Tyr Ala Ser Ser Ser Arg Leu Leu Ser Asn 165 170 175

Lys Asn Gln Phe Lys Ser Phe Leu Arg Thr Ile Pro Asn Asp Glu His
180 185 190

Gln Ala Thr Ala Met Ala Asp Ile Ile Glu Tyr Phe Arg Trp Asn Trp 195 200 205

- Val Gly Thr Ile Ala Ala Asp Asp Asp Tyr Gly Arg Pro Gly Ile Glu 210 215 220
- Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe Ser 225 230 235 240
- Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val
  245 250 255
- Glu Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser 260 265 270
- Gly Pro Asp Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile 275 280 285
- Thr Gly Lys Ile Trp Leu Ala Ser Glu Ala Trp Ala Ser Ser Leu 290 295 300
- Ile Ala Met Pro Gln Tyr Phe His Val Val Gly Gly Thr Ile Gly Phe 305 310 315 320
- Ala Leu Lys Ala Gly Gln Ile Pro Gly Phe Arg Glu Phe Leu Lys Lys 325 330 335
- Val His Pro Arg Lys Ser Val His Asn Gly Phe Ala Lys Glu Phe Trp 340 345 350
- Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys Gly Pro Leu 355 360 365
- Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg Phe 370 375 380
- Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn 385 390 395 400
- Ile Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile 405 410 415
- Ser Tyr Asn Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln
  420 425 430
- Asp Ile Tyr Thr Cys Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser 435 440 445
- Cys Ala Asp Ile Lys Lys Val Glu Ala Trp Gln Val Leu Lys His Leu 450 460
- Arg His Leu Asn Phe Thr Asn Asn Met Gly Glu Gln Val Thr Phe Asp 465 470 475 480
- Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile Ile Asn Trp His Leu 485 490 495

- Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly Tyr Tyr Asn 500 505 510
- Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys Ile 515 520 525
- Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg 530 540
- Asp Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr 545 550 555 560
- Cys Cys Phe Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu
  565 570 575
- Thr Asp Ala Ser Ala Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn 580 595
- Glu Asn His Thr Ser Cys Phe Glu Leu Pro Gln Glu Tyr Ile Arg Trp
  595 600 605
- Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys Leu Gly Ala 610 620
- Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His Asn Ala Thr 625 630 635 640
- Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile Leu Leu Gly 645 650 655
- Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile Ala Lys Pro 660 665 670
- Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly Thr Ala Phe 675 680 685
- Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg Ile Ala Arg 690 695 700
- Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg Phe Ile Ser 705 710 715 720
- Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser Gly Gln Leu 725 730 735
- Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly Thr Gly Lys
  740 745 750
- Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg Cys Asn His
  755 760 765
- Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val Leu Leu Ile 770 775 780
- Ala Leu Cys Thr Leu Tyr Ala Phe Asn Thr Arg Lys Cys Pro Glu Asn 785 790 795 800

```
Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile
                                    810
Ile Trp Leu Ala Leu Leu Pro Ile Phe Tyr Val Thr Ser Ser Asp Tyr
                                825
Arg Val Gln Thr Thr Met Cys Val Ser Val Ser Leu Ser Gly Ser
        835
                            840
Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile Ile Leu Phe
                        855
                                            860
Gln Pro Gln Lys Asn Val Val Ser His Arg Ala Pro Thr Ser Arg Phe
865
                    870
                                        875
Gly Ser Ala Ala Ala Arg Ala Ser Ser Leu Gly Gln Gly Ser Gly
                                    890
Ser Gln Phe Val Pro Thr Val Cys Asn Gly Arg Glu Val Val Asp Ser
                                905
Thr Thr Ser Ser Leu
        915
      <210> 32
      <211> 3831
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> Chimeric phCaR/hmGluR2*Gqi5
      <400> 32
                                                                        60
atggcatttt atagctgctg ctgggtcctc ttggcactca cctggcacac ctctgcctac
                                                                       120
gggccagacc agcgagcca aaagaagggg gacattatcc ttggggggct ctttcctatt
                                                                       180
cattttggag tagcagctaa agatcaagat ctcaaatcaa ggccggagtc tgtggaatgt
atcaggtata atttccgtgg gtttcgctgg ttacaggcta tgatatttgc catagaggag
                                                                       240
ataaacagca gcccagccct tcttcccaac ttgacgctgg gatacaggat atttgacact
                                                                       300
tgcaacaccg tttctaaggc cttggaagcc accetgagtt ttgttgctca aaacaaaatt
                                                                       360
                                                                       420
gattetttga accttgatga gttetgeaac tgeteagage acatteeete taegattget
gtggtgggag caactggctc aggcgtctcc acggcagtgg caaatctgct ggggctcttc
                                                                       480
tacattecce aggreagtta tgeeteetee ageagaetee teageaacaa gaateaatte
                                                                       540
aagtetttee teegaaceat eeecaatgat gageaceagg eeactgeeat ggeagacate
                                                                       600
atcqaqtatt tccqctqqaa ctqqqtqqqc acaattqcaq ctqatqacqa ctatqqqcqq
                                                                       660
ccggggattg agaaattccg agaggaagct gaggaaaggg atatctgcat cgacttcagt
                                                                       720
gaactcatct cccagtactc tgatgaggaa gagatccagc atgtggtaga ggtgattcaa
                                                                       780
aattecaegg ccaaagteat egtggtttte tecagtggee cagatettga geceeteate
                                                                       840
                                                                       900
aaggagattg teeggegeaa tateacqqqc aaqatetqqc tqqccaqcqa gqcetgqgcc
                                                                       960
agetectece tgategeeat geeteagtac ttecaeqtqq ttqqcqqcac cattqqatte
```

gctctgaagg ctgqqcagat cccaqqcttc cgqgaattcc tgaagaaggt ccatcccagg

aagtctgtcc acaatggttt tgccaaggag ttttgggaag aaacatttaa ctgccacctc

caagaaggtg caaaaggacc tttacctgtg gacacctttc tgagaggtca cgaagaaagt

ш

1020

1080 1140

ggcgacaggt ttagcaacag ctcgacagcc ttccgacccc tctgtacagg ggatgagaac 1200 1260 atcagcagtg tcgagacccc ttacatagat tacacgcatt tacggatatc ctacaatgtg 1320 tacttagcag totactccat tgcccacgcc ttgcaagata tatatacctg cttacctggg agagggetet teaceaatgg eteetgtgea gacateaaga aagttgagge gtggeaggte 1380 ctgaagcacc tacggcatct aaactttaca aacaatatgg gggagcaggt gacctttgat 1440 gagtgtggtg acctggtggg gaactattcc atcatcaact ggcacctctc cccagaggat 1500 1560 ggctccatcg tgtttaagga agtcgggtat tacaacgtct atgccaagaa gggagaaaga 1620 ctcttcatca acgaggagaa aatcctgtgg agtgggttct ccagggaggt gcccttctcc aactgcagcc gagactgcct ggcagggacc aggaaaggga tcattgaggg ggagcccacc 1680 1740 tgctgctttg agtgtgtgga gtgtcctgat ggggagtata gtgatgagac agatgccagt 1800 gcctgtaaca agtgcccaga tgacttctgg tccaatgaga accacacctc ctgcttcgaa 1860 ctgccccagg agtacatccg ctggggcgat gcctgggctg tgggacctgt caccatcgcc 1920 tgcctcggtg ccctggccac cctgtttgtg ctgggtgtct ttgtgcggca caatgccaca 1980 ccagtggtca aggcctcagg tcgggagctc tgctacatcc tgctgggtgg tgtcttcctc 2040 tgctactgca tgaccttcat cttcattgcc aagccatcca cggcagtgtg taccttacgg 2100 cgtcttggtt tgggcactgc cttctctgtc tgctactcag ccctgctcac caagaccaac 2160 cgcattgcac gcatcttcgg tggggcccgg gagggtgccc agcggccacg cttcatcagt cctgcctcac aggtggccat ctgcctggca cttatctcgg gccagctgct catcgtggtc 2220 2280 gcctggctgg tggtggaggc accgggcaca ggcaaggaga cagcccccga acggcgggag 2340 gtggtgacac tgcgctgcaa ccaccgcgat gcaagtatgt tgggctcgct ggcctacaat qtqctcctca tcqcqctctq cacqctttat gccttcaata ctcgcaagtg ccccgaaaac 2400 ttcaacgagg ccaagttcat tggcttcacc atgtacacca cctgcatcat ctggctggca 2460 ttgttgccca tcttctatgt cacctccagt gactaccggg tacagaccac caccatgtgc 2520 2580 qtgtcagtca gcctcaqcqq ctccqtqqtq cttgqctgcc tctttgcgcc caagctgcac atcatectet tecageegea gaagaaegtg gttageeace gggeaeceae eageegettt 2640 ggcagtgctg ctgccagggc cagctccagc cttggccaag ggtctggctc ccagtttgtc 2700 cccactgttt gcaatggccg tgaggtggtg gactcgacaa cgtcatcgct tatgactctg 2760 2820 gagtccatca tggcgtgctg cctgagcgag gaggccaagg aagcccggcg gatcaacgac gagategage ggeageteeg cagggacaag egggaegece geegggaget caagetgetg 2880 ctgctcggga caggagagag tggcaagagt acgtttatca agcagatgag aatcatccat 2940 3000 gggtcaggat actctgatga agataaaagg ggcttcacca agctggtgta tcagaacatc 3060 ttcacggcca tgcaggccat gatcagagcc atggacacac tcaagatccc atacaagtat 3120 gagcacaata aggctcatgc acaattagtt cgagaagttg atgtggagaa ggtgtctgct 3180 tttgagaatc catatgtaga tgcaataaag agtttatgga atgatcctgg aatccaggaa tqctatgata gacgacgaga atatcaatta tctgactcta ccaaatacta tcttaatgac 3240 3300 ttggaccgcg tagctgaccc tgcctacctg cctacgcaac aagatgtgct tagagttcga 3360 gtccccacca cagggatcat cgaatacccc tttgacttac aaagtgtcat tttcagaatg 3420 gtcgatgtag ggggccaaag gtcagagaga agaaaatgga tacactgctt tgaaaatgtc 3480 acctctatca tgtttctagt agcgcttagt gaatatgatc aagttctcgt ggagtcagac aatgagaacc gaatggagga aagcaaggct ctctttagaa caattatcac atacccctgg 3540 3600 ttccagaact cctcggttat tctgttctta aacaagaaag atcttctaga ggagaaaatc 3660 atgtattccc atctagtcga ctacttccca gaatatgatg gaccccagag agatgcccag 3720 gcagcccgag aattcattct gaagatgttc gtggacctga acccagacag tgacaaaatt atctactccc acttcacgtg cgccacagac accgagaata tccgctttgt ctttgctgcc 3780 gtcaaggaca ccatcctcca gttgaacctg aaggactgcg gtctgttcta a 3831 <210> 33

<211> 1276

<212> PRT

<213> Artificial Sequence

<220>

<223> Chimeric phCaR/hmGluR2\*Gqi5

<400> 33

Met Ala Phe Tyr Ser Cys Cys Trp Val Leu Leu Ala Leu Thr Trp His

1 10 15

Thr Ser Ala Tyr Gly Pro Asp Gln Arg Ala Gln Lys Lys Gly Asp Ile 20 25 30

Ile Leu Gly Gly Leu Phe Pro Ile His Phe Gly Val Ala Ala Lys Asp 35 40 45

Gln Asp Leu Lys Ser Arg Pro Glu Ser Val Glu Cys Ile Arg Tyr Asn 50 55 60

Phe Arg Gly Phe Arg Trp Leu Gln Ala Met Ile Phe Ala Ile Glu Glu 65 70 75 80

Ile Asn Ser Ser Pro Ala Leu Leu Pro Asn Leu Thr Leu Gly Tyr Arg 85 90 95

Ile Phe Asp Thr Cys Asn Thr Val Ser Lys Ala Leu Glu Ala Thr Leu 100 105 110

Ser Phe Val Ala Gln Asn Lys Ile Asp Ser Leu Asn Leu Asp Glu Phe 115 120 125

Cys Asn Cys Ser Glu His Ile Pro Ser Thr Ile Ala Val Val Gly Ala 130 135 140

Thr Gly Ser Gly Val Ser Thr Ala Val Ala Asn Leu Leu Gly Leu Phe 145 150 155 160

Tyr Ile Pro Gln Val Ser Tyr Ala Ser Ser Ser Arg Leu Leu Ser Asn 165 170 175

Lys Asn Gln Phe Lys Ser Phe Leu Arg Thr Ile Pro Asn Asp Glu His
180 185 190

Gln Ala Thr Ala Met Ala Asp Ile Ile Glu Tyr Phe Arg Trp Asn Trp 195 200 205

Val Gly Thr Ile Ala Ala Asp Asp Asp Tyr Gly Arg Pro Gly Ile Glu 210 215 220

Lys Phe Arg Glu Glu Ala Glu Glu Arg Asp Ile Cys Ile Asp Phe Ser 225 230 235 240

Glu Leu Ile Ser Gln Tyr Ser Asp Glu Glu Glu Ile Gln His Val Val
245 250 255

- Glu Val Ile Gln Asn Ser Thr Ala Lys Val Ile Val Val Phe Ser Ser 260 265 270
- Gly Pro Asp Leu Glu Pro Leu Ile Lys Glu Ile Val Arg Arg Asn Ile 275 280 285
- Thr Gly Lys Ile Trp Leu Ala Ser Glu Ala Trp Ala Ser Ser Ser Leu 290 295 300
- Ile Ala Met Pro Gln Tyr Phe His Val Val Gly Gly Thr Ile Gly Phe 305 310 315 320
- Ala Leu Lys Ala Gly Gln Ile Pro Gly Phe Arg Glu Phe Leu Lys Lys 325 330 335
- Val His Pro Arg Lys Ser Val His Asn Gly Phe Ala Lys Glu Phe Trp 340 345 350
- Glu Glu Thr Phe Asn Cys His Leu Gln Glu Gly Ala Lys Gly Pro Leu 355 360 365
- Pro Val Asp Thr Phe Leu Arg Gly His Glu Glu Ser Gly Asp Arg Phe 370 375 380
- Ser Asn Ser Ser Thr Ala Phe Arg Pro Leu Cys Thr Gly Asp Glu Asn 385 390 395 400
- Ile Ser Ser Val Glu Thr Pro Tyr Ile Asp Tyr Thr His Leu Arg Ile 405 410 415
- Ser Tyr Asn Val Tyr Leu Ala Val Tyr Ser Ile Ala His Ala Leu Gln 420 425 430
- Asp Ile Tyr Thr Cys Leu Pro Gly Arg Gly Leu Phe Thr Asn Gly Ser 435 440 445
- Cys Ala Asp Ile Lys Lys Val Glu Ala Trp Gln Val Leu Lys His Leu 450 455 460
- Arg His Leu Asn Phe Thr Asn Asn Met Gly Glu Gln Val Thr Phe Asp 465 470 475 480
- Glu Cys Gly Asp Leu Val Gly Asn Tyr Ser Ile Ile Asn Trp His Leu 485 490 495
- Ser Pro Glu Asp Gly Ser Ile Val Phe Lys Glu Val Gly Tyr Tyr Asn 500 505 510
- Val Tyr Ala Lys Lys Gly Glu Arg Leu Phe Ile Asn Glu Glu Lys Ile 515 520 525
- Leu Trp Ser Gly Phe Ser Arg Glu Val Pro Phe Ser Asn Cys Ser Arg 530 535 540
- Asp Cys Leu Ala Gly Thr Arg Lys Gly Ile Ile Glu Gly Glu Pro Thr

560 545 550 555 Cys Cys Phe Glu Cys Val Glu Cys Pro Asp Gly Glu Tyr Ser Asp Glu 565 Thr Asp Ala Ser Ala Cys Asn Lys Cys Pro Asp Asp Phe Trp Ser Asn Glu Asn His Thr Ser Cys Phe Glu Leu Pro Gln Glu Tyr Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys Leu Gly Ala 615 Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile Ala Lys Pro 660 Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser Gly Gln Leu 730 725 Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly Thr Gly Lys 745 740 Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg Cys Asn His 760 Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val Leu Leu Ile 775 770 Ala Leu Cys Thr Leu Tyr Ala Phe Asn Thr Arg Lys Cys Pro Glu Asn 785 Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile 805 Ile Trp Leu Ala Leu Leu Pro Ile Phe Tyr Val Thr Ser Ser Asp Tyr 825 Arg Val Gln Thr Thr Met Cys Val Ser Val Ser Leu Ser Gly Ser 840

- Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile Ile Leu Phe 850 855 860
- Gln Pro Gln Lys Asn Val Val Ser His Arg Ala Pro Thr Ser Arg Phe 865 870 875 880
- Gly Ser Ala Ala Ala Arg Ala Ser Ser Ser Leu Gly Gln Gly Ser Gly 885 890 895
- Ser Gln Phe Val Pro Thr Val Cys Asn Gly Arg Glu Val Val Asp Ser 900 905 910
- Thr Thr Ser Ser Leu Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu 915 920 925
- Ser Glu Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg 930 935 940
- Gln Leu Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu 945 950 955 960
- Leu Leu Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met 965 970 975
- Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe 980 985 990
- Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile 995 1000 1005
- Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys 1010 1015 1020
- Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala 1025 1030 1035 1040
- Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro 1045 1050 1055
- Gly Ile Gln Glu Cys Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp 1060 1065 1070
- Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala 1075 1080 1085
- Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr 1090 1095 1100
- Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met 1105 1110 1115 1120
- Val Asp Val Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys 1125 1130 1135
- Phe Glu Asn Val Thr Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr 1140 1145 1150

Asp Gln Val Leu Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser 1160 Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser 1180 1170 1175 Ser Val Ile Leu Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile 1185 1190 1195 Met Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln 1205 1210 Arq Asp Ala Gln Ala Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp 1220 1225 Leu Asn Pro Asp Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala 1235 1240 1245 Thr Asp Thr Glu Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr 1255 1260 1250 Ile Leu Gln Leu Asn Leu Lys Asp Cys Gly Leu Phe 1270 1265 <210> 34 <211> 3105 <212> DNA <213> Artificial Sequence <220> <223> Chimeric hmGluR2/hCaR <400> 34 atgggatege tgettgeget eeeggeactg etgetgetgt ggggtgetgt ggetgaggge 60 ccagccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg caccagaagg gcggcccagc agaggactgt ggtcctgtca atgagcaccg tggcatccag cqcctqqaqq ccatqctttt tqcactqqac cqcatcaacc qtqacccqca cctqctqcct ggcgtgcgcc tgggtgcaca catcctcgac agttgctcca aggacacaca tgcgctggag caggcactgg actttgtgcg tgcctcactc agccgtggtg ctgatggctc acgccacatc tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt

120 180 240 300 360 420 480 ggeggttect acagtgatgt etecatecag gtggecaace tettgagget attteagate 540 ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac tttgcccgca cagtqcctcc tgacttcttc caagccaagg ccatggctga gattctccgc 600 ttcttcaact ggacctatgt gtccactgtg gcgtctgagg gcgactatgg cgagacaggc 660 attgaggeet ttgagetaga ggetegtgee egeaacatet gtgtggeeae eteggagaaa 720 780 gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag cccagtgccc gcgtggctgt cctgttcacc cgttctgagg atgcccggga gctgcttgct 840 gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg 900 gagagtgtgg tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc 960 tcctacccca tcagtgactt tgcctcctac ttccagagcc tggacccttg gaacaacagc 1020 cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga 1080 gactgcgcag cccactctct ccgggctgtg ccctttgagc aggagtccaa gatcatgttt 1140

```
gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc
                                                                      1200
cccaacacca cccggctctg tgacgcgatg cggccagtta acgggcgccg cctctacaag
                                                                      1260
                                                                      1320
gactttgtgc tcaacgtcaa gtttgatgcc ccctttcgcc cagctgacac ccacaatgag
gtccgctttg accgctttgg tgatggtatt ggccgctaca acatcttcac ctatctgcgt
                                                                      1380
gcaggcagtg ggcgctatcg ctaccagaag gtgggctact gggcagaagg cttgactctg
                                                                      1440
                                                                      1500
gacaccagce teateceatg ggeeteacee teageeggee eeetgeeege etetegetge
                                                                      1560
agtgagccct gcctccagaa tgaggtgaag agtgtgcagc cgggcgaagt ctgctgctgg
ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt
                                                                      1620
                                                                      1680
ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactgcc ccaggagtac
                                                                      1740
atcogctggg gcgatgcctg ggctgtggga cctgtcacca tcgcctgcct cggtgccctg
gccaccctct ttgtgctggg tgtctttgtg cggcacaatg ccacaccagt ggtcaaggcc
                                                                      1800
tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc
                                                                      1860
                                                                      1920
ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc
actgccttct ctgtctgcta ctcagccctg ctcaccaaga ccaaccgcat tgcacgcatc
                                                                      1980
                                                                      2040
ttcggtgggg cccgggaggg tgcccagcgg ccacgcttca tcagtcctgc ctcacaggtg
gccatctgcc tggcacttat ctcgggccag ctgctcatcg tggtcgcctg gctggtgg
                                                                      2100
gaggcaccgg gcacaggcaa ggagacagcc cccgaacggc gggaggtggt gacactgcgc
                                                                      2160
                                                                      2220
tgcaaccacc gegatgcaag tatgttgggc tegetggeet acaatgtget ceteategeg
                                                                      2280
ctctgcacgc tttatgcctt caagactcgc aagtgccccg aaaacttcaa cgaggccaag
                                                                      2340
ttcattggct tcaccatgta caccacctgc atcatctggc tggcattcct gcccatcttc
                                                                      2400
tatgtcacct ccagtgacta ccgggtacag accaccacca tgtgcgtgtc agtcagcctc
ageggeteeg tggtgettgg etgeetettt gegeecaage tgeacateat eetetteeag
                                                                      2460
ccgcagaaga acaccatcga ggaggtgcgt tgcagcaccg cagctcacgc tttcaaggtg
                                                                      2520
                                                                      2580
gctgccggg ccacgctgcg ccgcagcaac gtctcccgca agcggtccag cagccttgga
ggctccacgg gatccacccc ctcctcctcc atcagcagca agagcaacag cgaagaccca
                                                                      2640
ttcccacagc ccgagaggca gaagcagcag cagccgctgg ccctaaccca gcaagagcag
                                                                      2700
caqcaqcaqc ccctgaccct cccacagcag caacgatctc agcagcagcc cagatgcaag
                                                                      2760
cagaaggtca tctttggcag cggcacggtc accttctcac tgagctttga tgagcctcag
                                                                      2820
                                                                      2880
aaqaacgcca tggcccacgg gaattctacg caccagaact ccctggaggc ccagaaaagc
agcgatacgc tgacccgaca ccagccatta ctcccgctgc agtgcgggga aacggactta
                                                                      2940
                                                                      3000
gatctgaccg tccaggaaac aggtctgcaa ggacctgtgg gtggagacca gcggccagag
gtggaggacc ctgaagagtt gtccccagca cttgtagtgt ccagttcaca gagctttgtc
                                                                      3060
atcagtggtg gaggcagcac tgttacagaa aacgtagtga attca
                                                                      3105
```

	50					55					60				
Met 65	Leu	Phe	Ala	Leu	Asp 70	Arg	Ile	Asn	Arg	Asp 75	Pro	His	Leu	Leu	Pro 80
Gly	Val	Arg	Leu	Gly 85	Ala	His	Ile	Leu	Asp 90	Ser	Cys	Ser	Lys	Asp 95	Thr
His	Ala	Leu	Glu 100	Gln	Ala	Leu	Asp	Phe 105	Val	Arg	Ala	Ser	Leu 110	Ser	Arg
Gly	Ala	Asp 115	Gly	Ser	Arg	His	Ile 120	Cys	Pro	Asp	Gly	Ser 125	Tyr	Ala	Thr
His	Gly 130	Asp	Ala	Pro	Thr	Ala 135	Ile	Thr	Gly	Val	Ile 140	Gly	Gly	Ser	Tyr
Ser 145	Asp	Val	Ser	Ile	Gln 150	Val	Ala	Asn	Leu	Leu 155	Arg	Leu	Phe	Gln	Ile 160
Pro	Gln	Ile	Ser	Tyr 165	Ala	Ser	Thr	Ser	Ala 170	Lys	Leu	Ser	Asp	Lys 175	Ser
Arg	Tyr	Asp	Tyr 180	Phe	Ala	Arg	Thr	Val 185	Pro	Pro	Asp	Phe	Phe 190	Gln	Ala
Lys	Ala	Met 195	Ala	Glu	Ile	Leu	Arg 200	Phe	Phe	Asn	Trp	Thr 205	Tyr	Val	Ser
Thr	Val 210	Ala	Ser	Glu	Gly	Asp 215	Tyr	Gly	Glu	Thr	Gly 220	Ile	Glu	Ala	Phe
Glu 225	Leu	Glu	Ala	Arg	Ala 230	Arg	Asn	Ile	Cys	Val 235	Ala	Thr	Ser	Glu	Lys 240
Val	Gly	Arg	Ala	Met 245	Ser	Arg	Ala	Ala	Phe 250	Glu	Gly	Val	Val	Arg 255	Ala
Leu	Leu	Gln	Lys 260	Pro	Ser	Ala	Arg	Val 265		Val	Leu	Phe	Thr 270	Arg	Ser
Glu	Asp	Ala 275	Arg	Glu	Leu	Leu	Ala 280	Ala	Ser	Gln	Arg	Leu 285	Asn	Ala	Ser
Phe	Thr 290	Trp	Val	Ala	Ser	Asp 295	Gly	Trp	Gly	Ala	Leu 300	Glu	Ser	Val	Val
Ala 305	Gly	Ser	Glu	Gly	Ala 310	Ala	Glu	Gly	Ala	Ile 315	Thr	Ile	Glu	Leu	Ala 320
Ser	Tyr	Pro	Ile	Ser 325	Asp	Phe	Ala	Ser	Tyr 330	Phe	Gln	Ser	Leu	Asp 335	Pro
Trp	Asn	Asn	Ser 340	Arg	Asn	Pro	Trp	Phe 345	Arg	Glu	Phe	Trp	Glu 350	Gln	Arg

Phe Arg Cys Ser Phe Arg Gln Arg Asp Cys Ala Ala His Ser Leu Arg 355 360 365

Ala Val Pro Phe Glu Gln Glu Ser Lys Ile Met Phe Val Val Asn Ala 370 375 380

Val Tyr Ala Met Ala His Ala Leu His Asn Met His Arg Ala Leu Cys 385 390 395 400

Pro Asn Thr Thr Arg Leu Cys Asp Ala Met Arg Pro Val Asn Gly Arg
405 410 415

Arg Leu Tyr Lys Asp Phe Val Leu Asn Val Lys Phe Asp Ala Pro Phe 420 425 430

Arg Pro Ala Asp Thr His Asn Glu Val Arg Phe Asp Arg Phe Gly Asp 435 440 445

Gly Ile Gly Arg Tyr Asn Ile Phe Thr Tyr Leu Arg Ala Gly Ser Gly 450 455 460

Arg Tyr Arg Tyr Gln Lys Val Gly Tyr Trp Ala Glu Gly Leu Thr Leu 465 470 475 480

Asp Thr Ser Leu Ile Pro Trp Ala Ser Pro Ser Ala Gly Pro Leu Pro
485 490 495

Ala Ser Arg Cys Ser Glu Pro Cys Leu Gln Asn Glu Val Lys Ser Val
500 505 510

Gln Pro Gly Glu Val Cys Cys Trp Leu Cys Ile Pro Cys Gln Pro Tyr 515 520 525

Glu Tyr Arg Leu Asp Glu Phe Thr Cys Ala Asp Cys Gly Leu Gly Tyr 530 540

Trp Pro Asn Ala Ser Leu Thr Gly Cys Phe Glu Leu Pro Gln Glu Tyr 545 550 555 560

Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys
565 570 575

Leu Gly Ala Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His
580 585 590

Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile 595 600 605

Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile 610 615 620

Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly 625 630 635 640

Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg

645 650 655 Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser 680 Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly 695 Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg 710 Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val 725 Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Lys Thr Arg Lys Cys 745 Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr 755 Thr Cys Ile Ile Trp Leu Ala Phe Leu Pro Ile Phe Tyr Val Thr Ser 775 Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu 795 Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile Ile Leu Phe Gln Pro Gln Lys Asn Thr Ile Glu Glu Val Arg Cys Ser 825 Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg 835 840 Ser Asn Val Ser Arg Lys Arg Ser Ser Leu Gly Gly Ser Thr Gly 855 850 Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro 865 875 Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Pro Leu Ala Leu Thr 890 Gln Gln Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg 900 905 Ser Gln Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly 920 Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met

935

```
Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser
945
                    950
                                        955
Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly
                                    970
                965
Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro
                                985
            980
Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser
                            1000
        995
Pro Ala Leu Val Val Ser Ser Ser Gln Ser Phe Val Ile Ser Gly Gly
                                             1020
                        1015
Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser
                    1030
                                        1035
1025
      <210> 36
      <211> 4185
      <212> DNA
      <213> Artificial Sequence
      <220>
      <223> Chimeric pmGluR2//CaR*G(qi5
      <400> 36
atgggatcgc tgcttgcgct cccggcactg ctgctgctgt ggggtgctgt ggctgagggc
                                                                        60
ccagccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg
                                                                       120
                                                                       180
caccagaagg gcggcccagc agaggactgt ggtcctgtca atgagcaccg tggcatccag
cgcctggagg ccatgctttt tgcactggac cgcatcaacc gtgacccgca cctgctgcct
                                                                       240
                                                                       300
ggcgtgcgcc tgggtgcaca catcctcgac agttgctcca aggacacaca tgcgctggag
                                                                       360
caqqcactqq actttqtqcq tqcctcactc aqccqtggtg ctgatggctc acgccacatc
tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt
                                                                       420
                                                                       480
qqcqqttcct acaqtqatqt ctccatccaq qtqqccaacc tcttgaggct atttcagatc
                                                                       540
ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac
                                                                       600
tttqcccqca caqtqcctcc tqacttcttc caagccaagg ccatggctga gattctccgc
ttcttcaact ggacctatgt gtccactgtg gcgtctgagg gcgactatgg cgagacaggc
                                                                       660
attgaggeet ttgagetaga ggetegtgee egcaacatet gtgtggeeac eteggagaaa
                                                                       720
                                                                       780
gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag
cccagtgccc gcgtggctgt cctgttcacc cgttctgagg atgcccggga gctgcttgct
                                                                       840
gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg
                                                                       900
qaqaqtqtqq tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc
                                                                       960
tectacecca teagtgaett tgeetectae ttecagagee tggaecettg gaacaacage
                                                                      1020
                                                                      1080
cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga
gactgcgcag cccactctct ccgggctgtg ccctttgagc aggagtccaa gatcatgttt
                                                                      1140
                                                                      1200
gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc
                                                                      1260
cccaacacca cccggctctg tgacgcgatg cggccagtta acgggcgccg cctctacaag
qactttqtqc tcaacqtcaa qtttqatqcc ccctttcqcc cagctgacac ccacaatgag
                                                                      1320
qtccqctttq accqctttqq tqatqqtatt qqccqctaca acatcttcac ctatctqcqt
                                                                      1380
qcaqqcaqtq qqcqctatcq ctaccaqaaq qtqqqctact qqqcaqaaqq cttqactctg
                                                                      1440
gacaccagec teateceatg ggeeteacec teageeggee ecetgeeege etetegetge
                                                                      1500
```

agtgagecet geeteeagaa tgaggtgaag agtgtgeage egggegaagt etgetgetgg

1560

ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt 1620 ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactgcc ccaggagtac 1680 atcogctggg gcgatgcctg ggctgtggga cctgtcacca tcgcctgcct cggtgccctg 1740 gccaccctct ttgtgctggg tgtctttgtg cggcacaatg ccacaccagt ggtcaaggcc 1800 tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc 1860 1920 ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc 1980 actgeettet etgtetgeta etcageeetg etcaceaaga ecaacegeat tgeaegeate ttcggtgggg cccgggaggg tgcccagcgg ccacgcttca tcagtcctgc ctcacaggtg 2040 2100 gccatctgcc tggcacttat ctcgggccag ctgctcatcg tggtcgcctg gctggtggtg 2160 gaggcaccgg gcacaggcaa ggagacagcc cccgaacggc gggaggtggt gacactgcgc 2220 tgcaaccacc gcgatgcaag tatgttgggc tcgctggcct acaatgtgct cctcatcgcg 2280 ctctqcacqc tttatqcctt caaqactcgc aagtgccccg aaaacttcaa cgaggccaag 2340 ttcattggct tcaccatgta caccacctgc atcatctggc tggcattcct gcccatcttc tatgtcacct ccagtgacta ccgggtacag accaccacca tgtgcgtgtc agtcagcctc 2400 2460 ageggeteeg tggtgettgg etgeetettt gegeecaage tgeacateat cetetteeag ccgcagaaga acaccatcga ggaggtgcgt tgcagcaccg cagctcacgc tttcaaggtg 2520 gctgcccggg ccacgctgcg ccgcagcaac gtctcccgca agcggtccag cagccttgga 2580 ggctccacgg gatccacccc ctcctcctcc atcagcagca agagcaacag cgaagaccca 2640 2700 ttcccacagc ccgagaggca gaagcagcag cagccgctgg ccctaaccca gcaagagcag 2760 cagcagcage ceetgaceet eccacageag caacgatete ageageagee cagatgcaag cagaaggtca tetttggcag eggeaeggte acetteteae tgagetttga tgageeteag 2820 aagaacgcca tggcccacgg gaattctacg caccagaact ccctggaggc ccagaaaagc 2880 agegatacge tgaccegaca ceagecatta etceegetge agtgegggga aaeggaetta 2940 3000 qatctqaccq tccaqqaaac aqqtctqcaa ggacctgtgg gtggagacca gcggccagag 3060 gtggaggacc ctgaagagtt gtccccagca cttgtagtgt ccagttcaca gagctttgtc 3120 atcagtggtg gaggcagcac tgttacagaa aacgtagtga attcaatgac tctggagtcc 3180 atcatggcgt gctgcctgag cgaggaggcc aaggaagccc ggcggatcaa cgacgagatc 3240 gageggeage teegeaggga caagegggae geeegeeggg ageteaaget getgetgete 3300 gggacaggag agagtggcaa gagtacgttt atcaagcaga tgagaatcat ccatgggtca 3360 ggatactctg atgaagataa aaggggcttc accaagctgg tgtatcagaa catcttcacg gccatgcagg ccatgatcag agccatggac acactcaaga tcccatacaa gtatgagcac 3420 3480 aataaggctc atgcacaatt agttcgagaa gttgatgtgg agaaggtgtc tgcttttgag 3540 aatccatatg tagatgcaat aaagagttta tggaatgatc ctggaatcca ggaatgctat 3600 gatagacgac gagaatatca attatctgac tctaccaaat actatcttaa tgacttggac 3660 cgcgtagctg accetgccta cctgcctacg caacaagatg tgcttagagt tcgagtcccc 3720 accacaggga tcatcgaata cccctttgac ttacaaagtg tcattttcag aatggtcgat 3780 qtaqqqqcc aaaqqtcaqa qaqaaqaaaa tggatacact gctttgaaaa tgtcacctct 3840 atcatgtttc tagtagcgct tagtgaatat gatcaagttc tcgtggagtc agacaatgag aaccgaatgg aggaaagcaa ggctctcttt agaacaatta tcacataccc ctggttccag 3900 3960 aactcctcgg ttattctgtt cttaaacaag aaagatcttc tagaggagaa aatcatgtat tcccatctag tcgactactt cccagaatat gatggacccc agagagatgc ccaggcagcc 4020 4080 cgagaattca ttctgaagat gttcgtggac ctgaacccag acagtgacaa aattatctac teccaettea egtgegeeae agacaeegag aatateeget ttgtetttge tgeegteaag 4140 4185 gacaccatcc tccagttgaa cctgaaggac tgcggtctgt tctaa

```
<210> 37
<211> 1394
<212> PRT
<213> Artificial Sequence
<220>
<223> Chimeric pmGluR2//CaR*G(qi5
```

## <400> 37

Met Gly Ser Leu Leu Ala Leu Pro Ala Leu Leu Leu Leu Trp Gly Ala 1 5 10 15

Val Ala Glu Gly Pro Ala Lys Lys Val Leu Thr Leu Glu Gly Asp Leu 20 25 30

Val Leu Gly Gly Leu Phe Pro Val His Gln Lys Gly Gly Pro Ala Glu 35 40 45

Asp Cys Gly Pro Val Asn Glu His Arg Gly Ile Gln Arg Leu Glu Ala 50 55 60

Met Leu Phe Ala Leu Asp Arg Ile Asn Arg Asp Pro His Leu Leu Pro 65 70 75 80

Gly Val Arg Leu Gly Ala His Ile Leu Asp Ser Cys Ser Lys Asp Thr 85 90 95

His Ala Leu Glu Gln Ala Leu Asp Phe Val Arg Ala Ser Leu Ser Arg
100 105 110

Gly Ala Asp Gly Ser Arg His Ile Cys Pro Asp Gly Ser Tyr Ala Thr 115 120 125

His Gly Asp Ala Pro Thr Ala Ile Thr Gly Val Ile Gly Gly Ser Tyr 130 135 140

Ser Asp Val Ser Ile Gln Val Ala Asn Leu Leu Arg Leu Phe Gln Ile 145 150 155 160

Pro Gln Ile Ser Tyr Ala Ser Thr Ser Ala Lys Leu Ser Asp Lys Ser 165 170 175

Arg Tyr Asp Tyr Phe Ala Arg Thr Val Pro Pro Asp Phe Phe Gln Ala 180 185 190

Lys Ala Met Ala Glu Ile Leu Arg Phe Phe Asn Trp Thr Tyr Val Ser 195 200 205

Thr Val Ala Ser Glu Gly Asp Tyr Gly Glu Thr Gly Ile Glu Ala Phe 210 215 220

Glu Leu Glu Ala Arg Ala Arg Asn Ile Cys Val Ala Thr Ser Glu Lys 225 230 235 240

Val Gly Arg Ala Met Ser Arg Ala Ala Phe Glu Gly Val Val Arg Ala 245 250 255

Leu Leu Gln Lys Pro Ser Ala Arg Val Ala Val Leu Phe Thr Arg Ser 260 265 270

Glu Asp Ala Arg Glu Leu Leu Ala Ala Ser Gln Arg Leu Asn Ala Ser 275 280 285 Phe Thr Trp Val Ala Ser Asp Gly Trp Gly Ala Leu Glu Ser Val Val 290 295 300

Ala Gly Ser Glu Gly Ala Ala Glu Gly Ala Ile Thr Ile Glu Leu Ala 305 310 315 320

Ser Tyr Pro Ile Ser Asp Phe Ala Ser Tyr Phe Gln Ser Leu Asp Pro 325 330 335

Trp Asn Asn Ser Arg Asn Pro Trp Phe Arg Glu Phe Trp Glu Gln Arg 340 345 350

Phe Arg Cys Ser Phe Arg Gln Arg Asp Cys Ala Ala His Ser Leu Arg 355 360 365

Ala Val Pro Phe Glu Gln Glu Ser Lys Ile Met Phe Val Val Asn Ala 370 375 380

Val Tyr Ala Met Ala His Ala Leu His Asn Met His Arg Ala Leu Cys 385 390 395 400

Pro Asn Thr Thr Arg Leu Cys Asp Ala Met Arg Pro Val Asn Gly Arg 405 410 415

Arg Leu Tyr Lys Asp Phe Val Leu Asn Val Lys Phe Asp Ala Pro Phe 420 425 430

Arg Pro Ala Asp Thr His Asn Glu Val Arg Phe Asp Arg Phe Gly Asp 435 440 445

Gly Ile Gly Arg Tyr Asn Ile Phe Thr Tyr Leu Arg Ala Gly Ser Gly 450 460

Arg Tyr Arg Tyr Gln Lys Val Gly Tyr Trp Ala Glu Gly Leu Thr Leu 465 470 475 480

Asp Thr Ser Leu Ile Pro Trp Ala Ser Pro Ser Ala Gly Pro Leu Pro
485 490 495

Ala Ser Arg Cys Ser Glu Pro Cys Leu Gln Asn Glu Val Lys Ser Val
500 505 510

Gln Pro Gly Glu Val Cys Cys Trp Leu Cys Ile Pro Cys Gln Pro Tyr 515 520 525

Glu Tyr Arg Leu Asp Glu Phe Thr Cys Ala Asp Cys Gly Leu Gly Tyr 530 540

Trp Pro Asn Ala Ser Leu Thr Gly Cys Phe Glu Leu Pro Gln Glu Tyr 545 550 555 560

Ile Arg Trp Gly Asp Ala Trp Ala Val Gly Pro Val Thr Ile Ala Cys
565 570 575

Leu Gly Ala Leu Ala Thr Leu Phe Val Leu Gly Val Phe Val Arg His 580 585 590

Asn Ala Thr Pro Val Val Lys Ala Ser Gly Arg Glu Leu Cys Tyr Ile 595 600 605

Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile 610 615 620

Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly 625 630 635 640

Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg 645 650 655

Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg
660 665 670

Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser 675 680 685

Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly 690 695 700

Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg 705 710 715 720

Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val 725 730 735

Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Lys Thr Arg Lys Cys 740 745 750

Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr 755 760 765

Thr Cys Ile Ile Trp Leu Ala Phe Leu Pro Ile Phe Tyr Val Thr Ser 770 780

Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu 785 790 795 800

Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile 805 810 815

Ile Leu Phe Gln Pro Gln Lys Asn Thr Ile Glu Glu Val Arg Cys Ser 820 825 830

Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg 835 840 845

Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly 850 855 860

Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro 865 870 875 880

Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Pro Leu Ala Leu Thr

Gln Gln Gln Gln Gln Fro Leu Thr Leu Pro Gln Gln Gln Arg

£ħ Ans and į. 4. 40.4 from ferrer 

Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp 1185 1190 1195 1200

Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg 1205 1210 1215

Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln 1220 1225 1230

Ser Val Ile Phe Arg Met Val Asp Val Gly Gln Arg Ser Glu Arg 1235 1240 1245

Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile Met Phe Leu 1250 1255 1260

Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val Glu Ser Asp Asn Glu 1265 1270 1275 1280

Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile Ile Thr Tyr 1285 1290 1295

Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn Lys Lys Asp 1300 1305 1310

Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp Tyr Phe Pro 1315 1320 1325

Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg Glu Phe Ile 1330 1335 1340

Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser Asp Lys Ile Ile Tyr 1345 1350 1355 1360

Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn Ile Arg Phe Val Phe 1365 1370 1375

Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn Leu Lys Asp Cys Gly 1380 1385 1390

<210> 38

<211> 3177

<212> DNA

<213> Artificial Sequence

<220>

<223> Chimeric hmGluR8/hCaR

<400> 38

atggtatgcg agggaaagcg atcagcctct tgcccttgtt tcttcctctt gaccgccaag ttctactqqa tcctcacaat gatgcaaaga actcacagcc aggagtatgc ccattccata

cgggtggatg gggacattat tttggggggt ctcttccctg tccacgcaaa gggagagaga 180 240 ggggtgcctt gtggggagct gaagaaggaa aaggggattc acagactgga ggccatgctt tatgcaattg accagattaa caaggaccct gatctccttt ccaacatcac tctgggtgtc 300 cqcatcctcq acacgtgctc tagggacacc tatgctttgg agcagtctct aacattcgtg 360 caggcattaa tagagaaaga tgcttcggat gtgaagtgtg ctaatggaga tccacccatt 420 ttcaccaagc ccgacaagat ttctggcgtc ataggtgctg cagcaagctc cgtgtccatc 480 540 atggttgcta acattttaag actttttaag atacctcaaa tcagctatgc atccacagcc ccagagctaa gtgataacac caggtatgac tttttctctc gagtggttcc gcctgactcc 600 taccaagccc aagccatggt ggacatcgtg acagcactgg gatggaatta tgtttcgaca 660 720 ctggcttctg aggggaacta tggtgagagc ggtgtggagg ccttcaccca gatctcgagg 780 gagattggtg gtgtttgcat tgctcagtca cagaaaatcc cacgtgaacc aagacctgga 840 gaatttgaaa aaattatcaa acgcctgcta gaaacaccta atgctcgagc agtgattatg tttgccaatg aggatgacat caggaggata ttggaagcag caaaaaaact aaaccaaagt 900 960 gggcattttc tctggattgg ctcagatagt tggggatcca aaatagcacc tgtctatcag 1020 caagaggaga ttgcagaagg ggctgtgaca attttgccca aacgagcatc aattgatgga 1080 tttgatcgat actttagaag ccgaactctt gccaataatc gaagaaatgt gtggtttgca gaattctggg aggagaattt tggctgcaag ttaggatcac atgggaaaag gaacagtcat 1140 ataaagaaat gcacagggct ggagcgaatt gctcgggatt catcttatga acaggaagga 1200 1260 aaqqtccaat ttgtaattga tgctgtatat tccatggctt acgccctgca caatatgcac 1320 aaagatetet geeetggata eattggeett tgteeacgaa tgagtaceat tgatgggaaa 1380 gagctacttg gttatattcg ggctgtaaat tttaatggca gtgctggcac tcctgtcact tttaatgaaa acggagatgc tcctggacgt tatgatatct tccagtatca aataaccaac 1440 1500 aaaagcacag agtacaaagt catcggccac tggaccaatc agcttcatct aaaagtggaa 1560 gacatgcagt gggctcatag agaacatact cacceggcgt ctgtctgcag cctgccgtgt 1620 aaqccaqqqq agaggaagaa aacggtgaaa ggggtccctt gctgctggca ctgtgaacgc tgtgaaggtt acaactacca ggtggatgag ctgtcctgtg aactttgccc tctggatcag 1680 agacccaaca tgaaccgcac aggctgccag cttatcccca tcatcaaatt ggagtggcat 1740 1800 tctccctggg ctgtggtgcc tgtgtttgtt gcaatattgg gaatcatcgc caccaccttt gtgatcgtga cctttgtccg ctataatgac acacctatcg tgagggcttc aggacgcgaa 1860 cttagttacg tgctcctaac ggggattttt ctctgttatt caatcacgtt tttaatgatt 1920 1980 gcagcaccag atacaatcat atgctccttc cgacgggtct tcctaggact tggcatgtgt ttcagctatg cagcccttct gaccaaaaca aaccgtatcc accgaatatt tgagcagggg 2040 2100 aagaaatctg tcacagcgcc caagttcatt agtccagcat ctcagctggt gatcaccttc agecteatet cegtecaget cettggagtg tttgtetggt ttgttgtgga tecececeae 2160 atcatcattg actatggaga gcagcggaca ctagatccag agaaggccag gggagtgctc 2220 2280 aagtgtgaca tttctgatct ctcactcatt tgttcacttg gatacagtat cctcttgatg 2340 gtcacttgta ctgtttatgc cattaaaacg agaggtgtcc cagagacttt caatgaagcc 2400 aaacctattg gatttaccat gtataccacc tgcatcattt ggttagcttt catccccatc ttttttggta cagcccagtc agcagaaaag atgtacatcc agacaacaac acttactgtc 2460 2520 tccatgagtt taagtgcttc agtatctctg ggcatgctct atatgcccaa ggtttatatt 2580 ataatttttc atccagaaca gaataccatc gaggaggtgc gttgcagcac cgcagctcac gettteaagg tggetgeeeg ggeeaegetg egeegeagea aegteteeeg eaageggtee 2640 agcagcettg gaggetecae gggatecaee eceteeteet ecateageag caagagcaae 2700 2760 agcgaagacc cattcccaca gcccgagagg cagaagcagc agcagccgct ggccctaacc 2820 cagcaagagc agcagcagca gcccctgacc ctcccacagc agcaacgatc tcagcagcag 2880 cccagatgca agcagaaggt catctttggc agcggcacgg tcaccttctc actgagcttt 2940 gatgagcctc agaagaacgc catggcccac gggaattcta cgcaccagaa ctccctggag 3000 gcccagaaaa gcagcgatac gctgacccga caccagccat tactcccgct gcagtgcggg 3060 qaaacggact tagatctgac cgtccaggaa acaggtctgc aaggacctgt gggtggagac 3120 cagcggccag aggtggagga ccctgaagag ttgtccccag cacttgtagt gtccagttca 3177 cagagetttg teatcagtgg tggaggeage actgttacag aaaacgtagt gaattea

<211> 1059

<212> PRT

<213> Artificial Sequence

<220>

<223> Chimeric hmGluR8/hCaR

<400> 39

Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu 1 5 10 15

Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His 20 25 30

Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu 35 40 45

Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys 50 55 60

Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 65 70 75 80

Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile 85 90 95

Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala 100 105 110

Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala 115 120 125

Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro 130 135 140

Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile 145 150 155 160

Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 165 170 175

Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe 180 185 190

Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp 195 200 205

Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu 210 215 220

Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg 225 230 235 240

Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu 245 250 255 Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr 260 265 270

Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg 275 280 285

Arg Ile Leu Glu Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu 290 295 300

Trp Ile Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln 305 310 315 320

Gln Glu Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala 325 330 335

Ser Ile Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn 340 345 350

Asn Arg Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly 355 360 365

Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys 370 375 380

Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly 385 390 395 400

Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu 405 410 415

His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro 420 425 430

Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala 435 440 445

Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn 450 455 460

Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn 465 470 475 480

Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His
485 490 495

Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro 500 505 510

Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr 515 520 525

Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr 530 535 540

Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln 545 550 555 560

Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys
565 570 575

Leu Glu Trp His Ser Pro Trp Ala Val Val Pro Val Phe Val Ala Ile 580 585 590

Leu Gly Ile Ile Ala Thr Thr Phe Val Ile Val Thr Phe Val Arg Tyr 595 600 605

Asn Asp Thr Pro Ile Val Arg Ala Ser Gly Arg Glu Leu Ser Tyr Val 610 615 620

Leu Leu Thr Gly Ile Phe Leu Cys Tyr Ser Ile Thr Phe Leu Met Ile 625 630 635 640

Ala Ala Pro Asp Thr Ile Ile Cys Ser Phe Arg Arg Val Phe Leu Gly
645 650 655

Leu Gly Met Cys Phe Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn Arg 660 665 670

Ile His Arg Ile Phe Glu Gln Gly Lys Lys Ser Val Thr Ala Pro Lys
675 680 685

Phe Ile Ser Pro Ala Ser Gln Leu Val Ile Thr Phe Ser Leu Ile Ser 690 695 700

Val Gln Leu Leu Gly Val Phe Val Trp Phe Val Val Asp Pro Pro His 705 710 715 720

Ile Ile Ile Asp Tyr Gly Glu Gln Arg Thr Leu Asp Pro Glu Lys Ala 725 730 735

Arg Gly Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Ser 740 745 750

Leu Gly Tyr Ser Ile Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile 755 760 765

Lys Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly 770 780

Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Phe Ile Pro Ile 785 790 795 800

Phe Phe Gly Thr Ala Gln Ser Ala Glu Lys Met Tyr Ile Gln Thr Thr 805 810 815

Thr Leu Thr Val Ser Met Ser Leu Ser Ala Ser Val Ser Leu Gly Met 820 825 830

Leu Tyr Met Pro Lys Val Tyr Ile Ile Ile Phe His Pro Glu Gln Asn 835 840 845

Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val

860

	Ala 865	Ala	Arg	Ala	Thr	Leu 870	Arg	Arg	Ser	Asn	Val 875	Ser	Arg	Lys	Arg	Ser 880
	Ser	Ser	Leu	Gly	Gly 885	Ser	Thr	Gly	Ser	Thr 890	Pro	Ser	Ser	Ser	Ile 895	Ser
	Ser	Lys	Ser	Asn 900	Ser	Glu	Asp	Pro	Phe 905	Pro	Gln	Pro	Glu	Arg 910	Gln	Lys
	Gln	Gln	Gln 915	Pro	Leu	Ala	Leu	Thr 920	Gln	Gln	Glu	Gln	Gln 925	Gln	Gln	Pro
Ma.	Leu	Thr 930	Leu	Pro	Gln	Gln	Gln 935	Arg	Ser	Gln	Gln	Gln 940	Pro	Arg	Cys	Lys
	Gln 945	Lys	Val	Ile	Phe	Gly 950	Ser	Gly	Thr	Val	Thr 955	Phe	Ser	Leu	Ser	Phe 960
Soll Street week Street Street	Asp	Glu	Pro	Gln	Lys 965	Asn	Ala	Met	Ala	His 970	Gly	Asn	Ser	Thr	His 975	Gln
Total Marie	Asn	Ser	Leu	Glu 980	Ala	Gln	Lys	Ser	Ser 985	Asp	Thr	Leu	Thr	Arg 990	His	Gln
760 760 760 760	Pro	Leu	Leu 995	Pro	Leu	Gln	Cys	Gly 100		Thr	Asp	Leu	Asp 100		Thr	Val
A Kent Apr	Gln	Glu 101		Gly	Leu	Gln	Gly 101		Val	Gly	Gly	Asp 102		Arg	Pro	Glu
And Area And	Val 1025		Asp	Pro	Glu	Glu 103		Ser	Pro	Ala	Leu 103!		Val	Ser	Ser	Ser 1040
Trans.	Gln	Ser	Phe	Val	Ile 104		Gly	Gly	Gly	Ser 105		Val	Thr	Glu	Asn 105	
	Val	Asn	Ser													
			210>		-											
				425	/											
		< .	∠⊥∠>	DNA												

855

850

<400> 40 atggtatgcg agggaaagcg atcagcctct tgcccttgtt tcttcctctt gaccgccaag ttctactgga tcctcacaat gatgcaaaga actcacagcc aggagtatgc ccattccata

cgggtggatg gggacattat tttggggggt ctcttccctg tccacgcaaa gggagagaga

<213> Artificial Sequence

<223> Chimeric mGluR8//CaR\*G(qi5

60

120 180

240 ggggtgcctt gtggggagct gaagaaggaa aaggggattc acagactgga ggccatgctt 300 tatgcaattg accagattaa caaggaccct gatctccttt ccaacatcac tctgggtgtc 360 equatected acaceteete tagggacace tatgetttgg ageagtetet aacattegtg caggcattaa tagagaaaga tgcttcggat gtgaagtgtg ctaatggaga tccacccatt 420 ttcaccaagc ccgacaagat ttctggcgtc ataggtgctg cagcaagctc cgtgtccatc 480 atggttgcta acattttaag actttttaag atacctcaaa tcagctatgc atccacagcc 540 ccagagctaa gtgataacac caggtatgac tttttctctc gagtggttcc gcctgactcc 600 taccaagccc aagccatggt ggacatcgtg acagcactgg gatggaatta tgtttcgaca 660 ctggcttctg aggggaacta tggtgagagc ggtgtggagg ccttcaccca gatctcgagg 720 780 gagattggtg gtgtttgcat tgctcagtca cagaaaatcc cacgtgaacc aagacctgga 840 gaatttgaaa aaattatcaa acgcctgcta gaaacaccta atgctcgagc agtgattatg 900 tttgccaatg aggatgacat caggaggata ttggaagcag caaaaaaact aaaccaaagt 960 gggcattttc tctggattgg ctcagatagt tggggatcca aaatagcacc tgtctatcag 1020 caagaggaga ttgcagaagg ggctgtgaca attttgccca aacgagcatc aattgatgga 1080 tttgatcgat actttagaag ccgaactctt gccaataatc gaagaaatgt gtggtttgca 1140 gaattctggg aggagaattt tggctgcaag ttaggatcac atgggaaaag gaacagtcat 1200 ataaagaaat gcacagggct ggagcgaatt gctcgggatt catcttatga acaggaagga 1260 aaggtccaat ttgtaattga tgctgtatat tccatggctt acgccctgca caatatgcac aaagatetet geeetggata eattggeett tgteeacgaa tgagtaceat tgatgggaaa 1320 1380 gagctacttg gttatattcg ggctgtaaat tttaatggca gtgctggcac tcctgtcact 1440 tttaatgaaa acggagatgc tcctggacgt tatgatatct tccagtatca aataaccaac aaaagcacag agtacaaagt catcggccac tggaccaatc agcttcatct aaaagtggaa 1500 gacatgcagt gggctcatag agaacatact cacccggcgt ctgtctgcag cctgccgtgt 1560 1620 aaqccaqqqq agaggaagaa aacggtgaaa ggggtccctt gctgctggca ctgtgaacgc tgtgaaggtt acaactacca ggtggatgag ctgtcctgtg aactttgccc tctggatcag 1680 agacccaaca tgaaccgcac aggctgccag cttatcccca tcatcaaatt ggagtggcat 1740 1800 totocotqqq ctgtggtgcc tgtgtttgtt gcaatattgg gaatcatcgc caccaccttt gtgatcgtga cctttgtccg ctataatgac acacctatcg tgagggcttc aggacgcgaa 1860 1920 cttagttacg tgctcctaac ggggattttt ctctgttatt caatcacgtt tttaatgatt gcagcaccag atacaatcat atgctccttc cgacgggtct tcctaggact tggcatgtgt 1980 ttcagctatg cagcccttct gaccaaaaca aaccgtatcc accgaatatt tgagcagggg 2040 2100 aagaaatctg tcacagcgcc caagttcatt agtccagcat ctcagctggt gatcaccttc agecteatet cegtecaget cettggagtg tttgtetggt ttgttgtgga tecececeae 2160 2220 atcatcattg actatggaga gcagcggaca ctagatccag agaaggccag gggagtgctc 2280 aaqtqtgaca tttctgatct ctcactcatt tgttcacttg gatacagtat cctcttgatg 2340 gtcacttgta ctgtttatgc cattaaaacg agaggtgtcc cagagacttt caatgaagcc 2400 aaacctattg gatttaccat gtataccacc tgcatcattt ggttagcttt catccccatc 2460 ttttttqqta cagcccagtc agcagaaaag atgtacatcc agacaacaac acttactgtc 2520 tccatgagtt taagtgcttc agtatctctg ggcatgctct atatgcccaa ggtttatatt 2580 ataatttttc atccagaaca gaataccatc gaggaggtgc gttgcagcac cgcagctcac 2640 qctttcaagg tggctgcccg ggccacgctg cgccgcagca acgtctcccg caagcggtcc agcagcettg gaggetecae gggatecaee eceteeteet ceateageag caagagcaae 2700 agcgaagacc cattcccaca gcccgagagg cagaagcagc agcagccgct ggccctaacc 2760 2820 cagcaagagc agcagcagca gcccctgacc ctcccacagc agcaacgatc tcagcagcag 2880 cccagatgca agcagaaggt catctttggc agcggcacgg tcaccttctc actgagcttt 2940 gatgageete agaagaaege catggeeeae gggaatteta egeaceagaa etecetggag 3000 gcccagaaaa gcagcgatac gctgacccga caccagccat tactcccgct gcagtgcggg gaaacggact tagatctgac cgtccaggaa acaggtctgc aaggacctgt gggtggagac 3060 cageggeeag aggtggagga ceetgaagag ttgteeceag caettgtagt gteeagttea 3120 3180 cagagetttg teateagtgg tggaggeage actgttacag aaaacgtagt gaatteaatg 3240 actotggagt ccatcatggc gtgctgcctg agcgaggagg ccaaggaagc ccggcggatc 3300 aacgacgaga tcgagcggca gctccgcagg gacaagcggg acgcccgccg ggagctcaag 3360 ctgctgctgc tcgggacagg agagagtggc aagagtacgt ttatcaagca gatgagaatc 3420 atccatqqqt caqqatactc tgatgaagat aaaaggggct tcaccaagct ggtgtatcag 3480 aacatettea eggeeatgea ggeeatgate agageeatgg acacacteaa gateeeatae 3540 aagtatgagc acaataaggc tcatgcacaa ttagttcgag aagttgatgt ggagaaggtg 3600 tctgcttttg agaatccata tgtagatgca ataaagagtt tatggaatga tcctggaatc

3660

3720

3780

3840

3900

3960

4020

4080

4140 4200

4257

```
caggaatgct atgatagacg acgagaatat caattatctg actctaccaa atactatctt
aatgacttgg accgcgtagc tgaccctgcc tacctgccta cgcaacaaga tgtgcttaga
gttcgagtcc ccaccacagg gatcatcgaa tacccctttg acttacaaag tgtcattttc
agaatggtcg atgtaggggg ccaaaggtca gagagaagaa aatggataca ctgctttgaa
aatgtcacct ctatcatgtt tctagtagcg cttagtgaat atgatcaagt tctcgtggag
tcagacaatg agaaccgaat ggaggaaagc aaggctctct ttagaacaat tatcacatac
ccctggttcc agaactcctc ggttattctg ttcttaaaca agaaagatct tctagaggag
aaaatcatgt attcccatct agtcgactac ttcccagaat atgatggacc ccagagagat
gcccaggcag cccgagaatt cattctgaag atgttcgtgg acctgaaccc agacagtgac
aaaattatct actcccactt cacgtgcgcc acagacaccg agaatatccg ctttgtcttt
gctgccgtca aggacaccat cctccagttg aacctgaagg actgcggtct gttctaa
      <210> 41
      <211> 1418
      <212> PRT
      <213> Artificial Sequence
      <220>
      <223> Chimeric mGluR8//CaR*G(qi5
      <400> 41
Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu
Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His
                                2.5
Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu
                            40
Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys
                        55
Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu
                    70
Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile
                85
Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala
Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala
                                                 125
Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro
    130
                        135
Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile
                                         155
                     150
Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr
                165
Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe
```

185

180

190

Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp 195 200 205

Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu 210 215 220

Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg 225 230 235 240

Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu 245 250 255

Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr 260 265 270

Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg 275 280 285

Arg Ile Leu Glu Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu 290 295 300

Trp Ile Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln 305 310 315 320

Gln Glu Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala 325 330 335

Ser Ile Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn 340 345 350

Asn Arg Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly 355 360 365

Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys 370 375 380

Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly 385 390 395 400

Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu 405 410 415

His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro 420 425 430

Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala 435 440 445

Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn 450 455 460

Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn 465 470 475 480

Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His
485 490 495

Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro 500 505 510

Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr 515 520 525

Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr 530 535 540

Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln 545 550 555 560

Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys
565 570 575

Leu Glu Trp His Ser Pro Trp Ala Val Val Pro Val Phe Val Ala Ile 580 585 590

Leu Gly Ile Ile Ala Thr Thr Phe Val Ile Val Thr Phe Val Arg Tyr 595 600 605

Asn Asp Thr Pro Ile Val Arg Ala Ser Gly Arg Glu Leu Ser Tyr Val 610 615 620

Leu Leu Thr Gly Ile Phe Leu Cys Tyr Ser Ile Thr Phe Leu Met Ile 625 630 635 640

Ala Ala Pro Asp Thr Ile Ile Cys Ser Phe Arg Arg Val Phe Leu Gly 645 650 655

Leu Gly Met Cys Phe Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn Arg 660 665 670

Ile His Arg Ile Phe Glu Gln Gly Lys Lys Ser Val Thr Ala Pro Lys 675 680 685

Phe Ile Ser Pro Ala Ser Gln Leu Val Ile Thr Phe Ser Leu Ile Ser 690 695 700

Val Gln Leu Leu Gly Val Phe Val Trp Phe Val Val Asp Pro Pro His 705 710 715 720

Ile Ile Ile Asp Tyr Gly Glu Gln Arg Thr Leu Asp Pro Glu Lys Ala
725 730 735

Arg Gly Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Ser 740 745 750

Leu Gly Tyr Ser Ile Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile
755 760 765

Lys Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly 770 780

Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Phe Ile Pro Ile 785 790 795 800

Phe Phe Gly Thr Ala Gln Ser Ala Glu Lys Met Tyr Ile Gln Thr Thr 805 810 815

Thr Leu Thr Val Ser Met Ser Leu Ser Ala Ser Val Ser Leu Gly Met 820 825 830

Leu Tyr Met Pro Lys Val Tyr Ile Ile Ile Phe His Pro Glu Gln Asn 835 840 845

Thr Ile Glu Glu Val Arg Cys Ser Thr Ala Ala His Ala Phe Lys Val 850 855 860

Ala Ala Arg Ala Thr Leu Arg Arg Ser Asn Val Ser Arg Lys Arg Ser 865 870 875 880

Ser Ser Leu Gly Gly Ser Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser 885 890 895

Ser Lys Ser Asn Ser Glu Asp Pro Phe Pro Gln Pro Glu Arg Gln Lys 900 905 910

Gln Gln Gln Pro Leu Ala Leu Thr Gln Gln Gln Gln Gln Gln Pro 915 920 925

Leu Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Gln Pro Arg Cys Lys 930 935 940

Gln Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe 945 950 955 960

Asp Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln 965 970 975

Asn Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln 980 985 990

Pro Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val 995 1000 1005

Gln Glu Thr Gly Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu 1010 1015 1020

Val Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu Val Val Ser Ser Ser 1025 1030 1035 1040

Gln Ser Phe Val Ile Ser Gly Gly Gly Ser Thr Val Thr Glu Asn Val 1045 1050 1055

Val Asn Ser Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu 1060 1065 1070

Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu

Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu 1090 1095 1100

Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile 1105 1110 1115 1120

Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys 1125 1130 1135

Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala 1140 1145 1150

Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His 1155 1160 1165

Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu 1170 1180

Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile 1185 1190 1195 1200

Gln Glu Cys Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr 1205 1210 1215

Lys Tyr Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu 1220 1225 1230

Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile 1235 1240 1245

Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp 1250 1255 1260

Val Gly Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu 1265 1270 1275 1280

Asn Val Thr Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr Asp Gln 1285 1290 1295

Val Leu Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala 1300 1305 1310

Leu Phe Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val 1315 1320 1325

Ile Leu Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr 1330 1335 1340

Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp 1345 1350 1355 1360

Ala Gln Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn 1365 1370 1375

```
Pro Asp Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala Thr Asp
1380 1385 1390
```

Thr Glu Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu 1395 1400 1405

Gln Leu Asn Leu Lys Asp Cys Gly Leu Phe 1410 1415

> <210> 42 <211> 3909 <212> DNA <213> Artificial Sequence <220> <223> Chimeric GABA-BR2\*Gq05

<400> 42

atggettece egeggagete egggeagece gggeegeege egeegeegee acegeegeee 60 120 gegegeetge tactgetact getgetgeeg etgetgetge etetggegee eggggeetgg ggctgggcgc ggggcgccc ccggccgccg cccagcagcc cgccgctctc catcatgggc 180 ctcatqccqc tcaccaagga ggtggccaag ggcagcatcg ggcgcggtgt gctccccgcc 240 gtggaactgg ccatcgagca gatccgcaac gagtcactcc tgcgccctta cttcctcgac 300 ctgcggctct atgacacgga gtgcgacaac gcaaaagggt tgaaagcctt ctacgatgca 360 420 ataaaatacg ggccgaacca cttgatggtg tttggaggcg tctgtccatc cgtcacatcc atcattgcag agtccctcca aggctggaat ctggtgcagc tttcttttgc tgcaaccacg 480 cctqttctag ccgataagaa aaaataccct tatttctttc ggaccgtccc atcagacaat 540 gcggtgaatc cagccattct gaagttgctc aagcactacc agtggaagcg cgtgggcacg 600 ctgacgcaag acgttcagag gttctctgag gtgcggaatg acctgactgg agttctgtat 660 ggcgaggaca ttgagatttc agacaccgag agcttctcca acgatccctg taccagtgtc 720 aaaaagctga aggggaatga tgtgcggatc atccttggcc agtttgacca gaatatggca 780 840 gcaaaagtgt totgttgtgc atacgaggag aacatgtatg gtagtaaata toagtggato 900 attccqqqct qqtacqaqcc ttcttqqtqq qaqcaggtgc acacggaagc caactcatcc cgctgcctcc ggaagaatct gcttgctgcc atggagggct acattggcgt ggatttcgag 960 1020 cccctqaqct ccaaqcaqat caagaccatc tcaggaaaga ctccacagca gtatgagaga gagtacaaca acaagcggtc aggcgtgggg cccagcaagt tccacgggta cgcctacgat 1080 qqcatctqqq tcatcqccaa gacactqcaq agggccatqq agacactqca tqccaqcaqc 1140 1200 cqqcaccaqc ggatccagga cttcaactac acggaccaca cgctgggcag gatcatcctc aatgccatga acgagaccaa cttcttcggg gtcacgggtc aagttgtatt ccggaatggg 1260 gagagaatgg ggaccattaa atttactcaa tttcaagaca gcagggaggt gaaggtggga 1320 gagtacaacg ctgtggccga cacactggag atcatcaatg acaccatcag gttccaagga 1380 tecgaaceae caaaagacaa gaceateate etggageage tgeggaagat etecetaeet 1440 1500 ctctacagca tcctctctgc cctcaccatc ctcgggatga tcatggccag tgcttttctc ttcttcaaca tcaagaaccg gaatcagaag ctcataaaga tgtcgagtcc atacatgaac 1560 1620 aaccttatca tccttggagg gatgctctcc tatgcttcca tatttctctt tggccttgat 1680 qqatcctttg tctctgaaaa gacctttgaa acactttgca ccgtcaggac ctggattctc 1740 acceptagget acaceacege titteggagee atgittegeaa agacetagag agiteeacegee atcttcaaaa atgtgaaaat gaagaagaag atcatcaagg accagaaact gcttgtgatc 1800 qtqqqqqca tqctqctqat cqacctqtqt atcctgatct gctggcaggc tgtggacccc 1860 ctgcgaagga cagtggagaa gtacagcatg gagccggacc cagcaggacg ggatatctcc 1920 atccqcctc tcctqqaqca ctqtqaqaac acccatatga ccatctggct tggcatcgtc 1980 tatgcctaca agggacttct catgttgttc ggttgtttct tagcttggga gacccgcaac 2040 2100 qtcagcatcc ccgcactcaa cgacagcaag tacatcggga tgagtgtcta caacgtgggg

```
atcatgtgca tcatcggggc cgctgtctcc ttcctgaccc gggaccagcc caatgtgcag
                                                                      2160
ttctgcatcg tggctctggt catcatcttc tgcagcacca tcaccctctg cctggtattc
                                                                      2220
gtgccgaagc tcatcaccct gagaacaaac ccagatgcag caacgcagaa caggcgattc
                                                                      2280
cagttcactc agaatcagaa gaaagaagat tctaaaacgt ccacctcggt caccagtgtg
                                                                      2340
aaccaagcca gcacatcccg cctggagggc ctacagtcag aaaaccatcg cctgcgaatg
                                                                      2400
aagatcacag agctggataa agacttggaa gaggtcacca tgcagctgca ggacacacca
                                                                      2460
gaaaagacca cctacattaa acagaaccac taccaagagc tcaatgacat cctcaacctg
                                                                      2520
ggaaacttca ctgagagcac agatggagga aaggccattt taaaaaatca cctcgatcaa
                                                                      2580
aatccccagc tacagtggaa cacaacagag ccctctcgaa catgcaaaga tcctatagaa
                                                                      2640
qatataaact ctccagaaca catccagcgt cggctgtccc tccagctccc catcctccac
                                                                      2700
                                                                      2760
cacqcctacc tcccatccat cggaggcgtg gacgccagct gtgtcagccc ctgcgtcagc
cccaccgcca gccccgcca cagacatgtg ccaccctcct tccgagtcat ggtctcgggc
                                                                      2820
                                                                      2880
ctqqcqqccq ccatgactct ggagtccatc atggcgtgct gcctgagcga ggaggccaag
                                                                      2940
qaaqcccqqc qqatcaacqa cgagatcgag cggcagctcc gcagggacaa gcgggacgcc
cgccgggagc tcaagctgct gctgctcggg acaggagaga gtggcaagag tacgtttatc
                                                                      3000
aagcagatga gaatcatcca tgggtcagga tactctgatg aagataaaag gggcttcacc
                                                                      3060
                                                                      3120
aagctggtgt atcagaacat cttcacggcc atgcaggcca tgatcagagc catggacaca
ctcaagatcc catacaagta tgagcacaat aaggctcatg cacaattagt tcgagaagtt
                                                                      3180
gatgtggaga aggtgtctgc ttttgagaat ccatatgtag atgcaataaa gagtttatgg
                                                                      3240
aatgatcctg gaatccagga atgctatgat agacgacgag aatatcaatt atctgactct
                                                                      3300
accaaatact atcttaatga cttggaccgc gtagctgacc ctgcctacct gcctacgcaa
                                                                      3360
caagatgtgc ttagagttcg agtccccacc acagggatca tcgaataccc ctttgactta
                                                                      3420
                                                                      3480
caaaqtqtca ttttcaqaat ggtcgatgta gggggccaaa ggtcagagag aagaaaatgg
atacactgct ttgaaaatgt cacctctatc atgtttctag tagcgcttag tgaatatgat
                                                                      3540
                                                                      3600
caagttctgg tggagtcaga caatgagaac cgaatggagg aaagcaaggc tctctttaga
acaattatca catacccctg gttccagaac tcctcggtta ttctgttctt aaacaagaaa
                                                                      3660
qatcttctaq aqqaqaaaat catqtattcc catctagtcg actacttccc agaatatgat
                                                                      3720
ggaccccaga gagatgccca ggcagcccga gaattcattc tgaagatgtt cgtggacctg
                                                                      3780
aacccagaca gtgacaaaat taactactcc cacttcacgt gcgccacaga caccgagaat
                                                                      3840
atcogotttg totttgotgo ogtcaaggac accatoctoc agttgaacct gaagggotgo
                                                                      3900
                                                                      3909
ggtctgtac
```

```
<210> 43
      <211> 1303
      <212> PRT
     <213> Artificial Sequence
      <220>
      <223> Chimeric GABA-BR2*Gqo5
      <400> 43
Met Ala Ser Pro Arg Ser Ser Gly Gln Pro Gly Pro Pro Pro Pro Pro
                 5
                                    10
Pro Pro Pro Pro Ala Arg Leu Leu Leu Leu Leu Leu Pro Leu Leu
            2.0
Leu Pro Leu Ala Pro Gly Ala Trp Gly Trp Ala Arg Gly Ala Pro Arg
Pro Pro Pro Ser Ser Pro Pro Leu Ser Ile Met Gly Leu Met Pro Leu
                                            60
    50
```

Thr Lys Glu Val Ala Lys Gly Ser Ile Gly Arg Gly Val Leu Pro Ala 65 70 75 80

Val Glu Leu Ala Ile Glu Gln Ile Arg Asn Glu Ser Leu Leu Arg Pro 85 90 95

Tyr Phe Leu Asp Leu Arg Leu Tyr Asp Thr Glu Cys Asp Asn Ala Lys
100 105 110

Gly Leu Lys Ala Phe Tyr Asp Ala Ile Lys Tyr Gly Pro Asn His Leu 115 120 125

Met Val Phe Gly Gly Val Cys Pro Ser Val Thr Ser Ile Ile Ala Glu 130 135 140

Ser Leu Gln Gly Trp Asn Leu Val Gln Leu Ser Phe Ala Ala Thr Thr 145 150 155 160

Pro Val Leu Ala Asp Lys Lys Lys Tyr Pro Tyr Phe Phe Arg Thr Val 165 170 175

Pro Ser Asp Asn Ala Val Asn Pro Ala Ile Leu Lys Leu Leu Lys His 180 185 190

Tyr Gln Trp Lys Arg Val Gly Thr Leu Thr Gln Asp Val Gln Arg Phe
195 200 205

Ser Glu Val Arg Asn Asp Leu Thr Gly Val Leu Tyr Gly Glu Asp Ile 210 215 220

Glu Ile Ser Asp Thr Glu Ser Phe Ser Asn Asp Pro Cys Thr Ser Val 225 230 235 240

Lys Lys Leu Lys Gly Asn Asp Val Arg Ile Ile Leu Gly Gln Phe Asp 245 250 255

Gln Asn Met Ala Ala Lys Val Phe Cys Cys Ala Tyr Glu Glu Asn Met 260 265 270

Tyr Gly Ser Lys Tyr Gln Trp Ile Ile Pro Gly Trp Tyr Glu Pro Ser 275 280 285

Trp Trp Glu Gln Val His Thr Glu Ala Asn Ser Ser Arg Cys Leu Arg 290 295 300

Lys Asn Leu Leu Ala Ala Met Glu Gly Tyr Ile Gly Val Asp Phe Glu 305 310 315 320

Pro Leu Ser Ser Lys Gln Ile Lys Thr Ile Ser Gly Lys Thr Pro Gln 325 330 335

Gln Tyr Glu Arg Glu Tyr Asn Asn Lys Arg Ser Gly Val Gly Pro Ser 340 345 350

Lys Phe His Gly Tyr Ala Tyr Asp Gly Ile Trp Val Ile Ala Lys Thr 355 360 365 Leu Gln Arg Ala Met Glu Thr Leu His Ala Ser Ser Arg His Gln Arg 370 375 380

Ile Gln Asp Phe Asn Tyr Thr Asp His Thr Leu Gly Arg Ile Ile Leu 385 390 395 400

Asn Ala Met Asn Glu Thr Asn Phe Phe Gly Val Thr Gly Gln Val Val
405 410 415

Phe Arg Asn Gly Glu Arg Met Gly Thr Ile Lys Phe Thr Gln Phe Gln 420 425 430

Asp Ser Arg Glu Val Lys Val Gly Glu Tyr Asn Ala Val Ala Asp Thr 435 440 445

Leu Glu Ile Ile Asn Asp Thr Ile Arg Phe Gln Gly Ser Glu Pro Pro 450 455 460

Lys Asp Lys Thr Ile Ile Leu Glu Gln Leu Arg Lys Ile Ser Leu Pro 465 470 475 480

Leu Tyr Ser Ile Leu Ser Ala Leu Thr Ile Leu Gly Met Ile Met Ala 485 490 495

Ser Ala Phe Leu Phe Phe Asn Ile Lys Asn Arg Asn Gln Lys Leu Ile 500 505 510

Lys Met Ser Ser Pro Tyr Met Asn Asn Leu Ile Ile Leu Gly Gly Met 515 520 525

Leu Ser Tyr Ala Ser Ile Phe Leu Phe Gly Leu Asp Gly Ser Phe Val 530 540

Ser Glu Lys Thr Phe Glu Thr Leu Cys Thr Val Arg Thr Trp Ile Leu 545 550 555 560

Thr Val Gly Tyr Thr Thr Ala Phe Gly Ala Met Phe Ala Lys Thr Trp 565 570 575

Arg Val His Ala Ile Phe Lys Asn Val Lys Met Lys Lys Lys Ile Ile 580 585 590

Lys Asp Gln Lys Leu Leu Val Ile Val Gly Gly Met Leu Leu Ile Asp 595 600 605

Leu Cys Ile Leu Ile Cys Trp Gln Ala Val Asp Pro Leu Arg Arg Thr 610 615 620

Val Glu Lys Tyr Ser Met Glu Pro Asp Pro Ala Gly Arg Asp Ile Ser 625 630 635 640

Ile Arg Pro Leu Leu Glu His Cys Glu Asn Thr His Met Thr Ile Trp 645 650 655

Leu Gly Ile Val Tyr Ala Tyr Lys Gly Leu Leu Met Leu Phe Gly Cys

660 665 670 Phe Leu Ala Trp Glu Thr Arg Asn Val Ser Ile Pro Ala Leu Asn Asp Ser Lys Tyr Ile Gly Met Ser Val Tyr Asn Val Gly Ile Met Cys Ile Ile Gly Ala Ala Val Ser Phe Leu Thr Arg Asp Gln Pro Asn Val Gln Phe Cys Ile Val Ala Leu Val Ile Ile Phe Cys Ser Thr Ile Thr Leu Cys Leu Val Phe Val Pro Lys Leu Ile Thr Leu Arg Thr Asn Pro Asp Ala Ala Thr Gln Asn Arg Arg Phe Gln Phe Thr Gln Asn Gln Lys Lys 760 Glu Asp Ser Lys Thr Ser Thr Ser Val Thr Ser Val Asn Gln Ala Ser 775 Thr Ser Arg Leu Glu Gly Leu Gln Ser Glu Asn His Arg Leu Arg Met 790 Lys Ile Thr Glu Leu Asp Lys Asp Leu Glu Glu Val Thr Met Gln Leu Gln Asp Thr Pro Glu Lys Thr Thr Tyr Ile Lys Gln Asn His Tyr Gln Glu Leu Asn Asp Ile Leu Asn Leu Gly Asn Phe Thr Glu Ser Thr Asp Gly Gly Lys Ala Ile Leu Lys Asn His Leu Asp Gln Asn Pro Gln Leu 850 855 Gln Trp Asn Thr Thr Glu Pro Ser Arg Thr Cys Lys Asp Pro Ile Glu 870 875 Asp Ile Asn Ser Pro Glu His Ile Gln Arg Arg Leu Ser Leu Gln Leu 885 890 Pro Ile Leu His His Ala Tyr Leu Pro Ser Ile Gly Gly Val Asp Ala 900 905 Ser Cys Val Ser Pro Cys Val Ser Pro Thr Ala Ser Pro Arg His Arg 915 920 His Val Pro Pro Ser Phe Arg Val Met Val Ser Gly Leu Ala Ala Ala 935 Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys 945 950 955

- Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Asp 965 970 975
- Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly 980 985 990
- Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly 995 1000 1005
- Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr 1010 1015 1020
- Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr 1025 1030 1035 1040
- Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu 1045 1050 1055
- Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr 1060 1065 1070
- Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys 1075 1080 1085
- Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr 1090 1095 1100
- Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln 1105 1110 1115
- Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr 1125 1130 1135
- Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gly 1140 1145 1150
- Gln Arg Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr 1155 1160 1165
- Ser Ile Met Phe Leu Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val 1170 1175 1180
- Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg 1185 1190 1195 1200
- Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe 1205 1210 1215
- Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu 1220 1225 1230
- Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala 1235 1240 1245
- Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser 1250 1255 1260

```
Asp Lys Ile Asn Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn 1265 1270 1275 1280
```

Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn 1285 1290 1295

Leu Lys Gly Cys Gly Leu Tyr 1300

<400> 44

<210> 44
<211> 3969
<212> DNA
<213> Artificial Sequence
<220>
<223> Chimeric GABA-BR1a\*Gqo5

60 atgttgctgc tgctgctact ggcgccactc ttcctccgcc ccccgggcgc gggcgggggcg cagaccccca acgccacctc agaaggttgc cagatcatac acccgccctg ggaaggggc 120 atcaqqtacc qqqqcctgac tcgggaccag gtgaaggcta tcaacttcct gccagtggac 180 tatgagattg agtatgtgtg ccggggggag cgcgaggtgg tggggcccaa ggtccgcaag 240 300 tqcctggcca acggctcctg gacagatatg gacacaccca gccgctgtgt ccgaatctgc tccaagtctt atttgaccct ggaaaatggg aaggttttcc tgacgggtgg ggacctccca 360 gctctggacg gagcccgggt ggatttccgg tgtgaccccg acttccatct ggtgggcagc 420 tcccggagca tctgtagtca gggccagtgg agcaccccca agccccactg ccaggtgaat 480 cgaacgccac actcagaacg gcgcgcagtg tacatcgggg cactgtttcc catgagcggg 540 ggctggccag ggggccaggc ctgccagccc gcggtggaga tggcgctgga ggacgtgaat 600 agecgeaggg acatectgee ggaetatgag etcaagetea tecaecacga eageaagtgt 660 gatccaggcc aagccaccaa gtacctatat gagctgctct acaacgaccc tatcaagatc 720 atccttatgc ctggctgcag ctctgtctcc acgctggtgg ctgaggctgc taggatgtgg 780 aacctcattg tgctttccta tggctccagc tcaccagccc tgtcaaaccg gcagcgtttc 840 900 cccactttct tccgaacgca cccatcagcc acactccaca accctacccg cgtgaaactc tttgaaaagt ggggctggaa gaagattgct accatccagc agaccactga ggtcttcact 960 tcgactctgg acgacctgga ggaacgagtg aaggaggctg gaattgagat tactttccgc 1020 1080 cagaqtttct tctcagatcc agctgtgccc gtcaaaaacc tgaagcgcca ggatgcccga atcatcgtgg gacttttcta tgagactgaa gcccggaaag ttttttgtga ggtgtacaag 1140 1200 qaqcqtctct ttqqqaaqaa gtacgtctgg ttcctcattg ggtggtatgc tgacaattgg ttcaagatct acgacccttc tatcaactgc acagtggatg agatgactga ggcggtggag 1260 ggccacatca caactgagat tgtcatgctg aatcctgcca atacccgcag catttccaac 1320 atgacatccc aggaatttgt ggagaaacta accaagcgac tgaaaagaca ccctgaggag 1380 acaggagget tecaggagge acceptggee tatgatgeea tetgggeett ggeactggee 1440 ctgaacaaga catctggagg aggcggccgt tctggtgtgc gcctggagga cttcaactac 1500 aacaaccaga ccattaccga ccaaatctac cgggcaatga actcttcgtc ctttgagggt 1560 gtctctggcc atgtggtgtt tgatgccagc ggctctcgga tggcatggac gcttatcgag 1620 1680 cagcttcagg gtggcagcta caagaagatt ggctactatg acagcaccaa ggatgatctt 1740 tcctggtcca aaacagataa atggattgga gggtcccccc cagctgacca gaccctggtc atcaagacat teegetteet gteacagaaa etetttatet eegteteagt teteteeage 1800 ctgggcattg tcctagctgt tgtctgtctg tcctttaaca tctacaactc acatgtccgt 1860 1920 tatatccaga actcacagcc caacctgaac aacctgactg ctgtgggctg ctcactggct 1980 ttagctgctg tcttccccct ggggctcgat ggttaccaca ttgggaggaa ccagtttcct ttcgtctgcc aggcccgcct ctggctcctg ggcctgggct ttagtctggg ctacggttcc 2040

```
atgttcacca agatttggtg ggtccacacg gtcttcacaa agaaggaaga aaagaaggag
                                                                      2100
tggaggaaga ctctggaacc ctggaagctg tatgccacag tgggcctgct ggtgggcatg
                                                                      2160
qatqtcctca ctctcqccat ctqqcaqatc gtggaccctc tgcaccggac cattgagaca
                                                                      2220
tttgccaagg aggaacctaa ggaagatatt gacgtctcta ttctgcccca gctggagcat
                                                                      2280
tgcagctcca ggaagatgaa tacatggctt ggcattttct atggttacaa ggggctgctg
                                                                      2340
ctgctgctgg gaatcttcct tgcttatgag accaagagtg tgtccactga gaagatcaat
                                                                      2400
gatcaccggg ctgtgggcat ggctatctac aatgtggcag tcctgtgcct catcactgct
                                                                      2460
cctgtcacca tgattctgtc cagccagcag gatgcagcct ttgcctttgc ctctcttgcc
                                                                      2520
                                                                      2580
atagttttct cctcctatat cactcttgtt gtgctctttg tgcccaagat gcgcaggctg
atcacccgag gggaatggca gtcggaggcg caggacacca tgaagacagg gtcatcgacc
                                                                      2640
                                                                      2700
aacaacaacg aggaggagaa gtcccggctg ttggagaagg agaaccgtga actggaaaag
                                                                      2760
atcattqctq agaaaqagga gcgtgtctct gaactgcgcc atcaactcca gtctcggcag
cageteeget eeeggegeea eeeacegaea eeeceagaac eetetggggg eetgeeeagg
                                                                      2820
qqaccccctq agcccccqa ccggcttagc tgtgatggga gtcgagtgca tttgctttat
                                                                      2880
aaggeggeeg ceatgaetet ggagteeate atggegtget geetgagega ggaggeeaag
                                                                      2940
gaagecegge ggateaaega egagategag eggeagetee geagggaeaa gegggaegee
                                                                      3000
cgccgggagc tcaagctgct gctgctcggg acaggagaga gtggcaagag tacgtttatc
                                                                      3060
aaqcaqatqa gaatcatcca tgggtcagga tactctgatg aagataaaag gggcttcacc
                                                                      3120
aagctggtgt atcagaacat cttcacggcc atgcaggcca tgatcagagc catggacaca
                                                                      3180
ctcaagatcc catacaagta tgagcacaat aaggctcatg cacaattagt tcgagaagtt
                                                                      3240
                                                                      3300
gatgtggaga aggtgtctgc ttttgagaat ccatatgtag atgcaataaa gagtttatgg
aatgatcctg gaatccagga atgctatgat agacgacgag aatatcaatt atctgactct
                                                                      3360
                                                                      3420
accaaatact atcttaatga cttggaccgc gtagctgacc ctgcctacct gcctacgcaa
caagatgtgc ttagagttcg agtccccacc acagggatca tcgaataccc ctttgactta
                                                                      3480
caaaqtqtca ttttcaqaat qqtcqatqta gggggccaaa ggtcagagag aagaaaatgg
                                                                      3540
atacactgct ttgaaaatgt cacctctatc atgtttctag tagcgcttag tgaatatgat
                                                                      3600
caagttctcg tggagtcaga caatgagaac cgaatggagg aaagcaaggc tctctttaga
                                                                      3660
acaattatca catacccctg gttccagaac tcctcggtta ttctgttctt aaacaagaaa
                                                                      3720
                                                                      3780
qatcttctag aggagaaaat catgtattcc catctagtcg actacttccc agaatatgat
qqaccccaqa qagatgccca ggcagcccga gaattcattc tgaagatgtt cgtggacctg
                                                                      3840
aacccagaca gtgacaaaat tatctactcc cacttcacgt gcgccacaga caccgagaat
                                                                      3900
atcogctttg totttgctgc cgtcaaggac accatcctcc agttgaacct gaagggctgc
                                                                      3960
                                                                      3969
ggtctgtac
```

```
<210> 45
      <211> 1323
      <212> PRT
      <213> Artificial Sequence
      <220>
      <223> Chimeric GABA-BRa1*Gqo5
      <400> 45
Met Leu Leu Leu Leu Leu Ala Pro Leu Phe Leu Arg Pro Pro Gly
                 5
Ala Gly Gly Ala Gln Thr Pro Asn Ala Thr Ser Glu Gly Cys Gln Ile
```

20

Ile His Pro Pro Trp Glu Gly Gly Ile Arg Tyr Arg Gly Leu Thr Arg 40

10

3.0

Asp Gln Val Lys Ala Ile Asn Phe Leu Pro Val Asp Tyr Glu Ile Glu

	Val
	Phe
	Phe
	Cys 145
Mark Mark	Arg
gang gang gaan magp gang gang gang. Hali da kan Budi ad kast si ad buti kaci	Pro
Profit South	Glu
n die de	Tyr
Hand thook most thus that	Ala 225
A Property of the Control of the Con	Ile
	Ala
	Ala

	50					55					60				
Tyr 65	Val	Cys	Arg	Gly	Glu 70	Arg	Glu	Val	Val	Gly 75	Pro	Lys	Val	Arg	Lys 80
Cys	Leu	Ala	Asn	Gly 85	Ser	Trp	Thr	Asp	Met 90	Asp	Thr	Pro	Ser	Arg 95	Cys
Val	Arg	Ile	Cys 100	Ser	Lys	Ser	Tyr	Leu 105	Thr	Leu	Glu	Asn	Gly 110	Lys	Val
Phe	Leu	Thr 115	Gly	Gly	Asp	Leu	Pro 120	Ala	Leu	Asp	Gly	Ala 125	Arg	Val	Asp
Phe	Arg 130	Cys	Asp	Pro	Asp	Phe 135	His	Leu	Val	Gly	Ser 140	Ser	Arg	Ser	Ile
Cys 145	Ser	Gln	Gly	Gln	Trp 150	Ser	Thr	Pro	Lys	Pro 155	His	Cys	Gln	Val	Asn 160
Arg	Thr	Pro	His	Ser 165	Glu	Arg	Arg	Ala	Val 170	Tyr	Ile	Gly	Ala	Leu 175	Phe
Pro	Met	Ser	Gly 180	Gly	Trp	Pro	Gly	Gly 185	Gln	Ala	Cys	Gln	Pro 190	Ala	Val
Glu	Met	Ala 195	Leu	Glu	Asp	Val	Asn 200	Ser	Arg	Arg	Asp	Ile 205	Leu	Pro	Asp
Tyr	Glu 210	Leu	Lys	Leu	Ile	His 215	His	Asp	Ser	Lys	Cys 220	Asp	Pro	Gly	Gln
Ala 225	Thr	Lys	Tyr	Leu	Tyr 230	Glu	Leu	Leu	Tyr	Asn 235	Asp	Pro	Ile	Lys	Il∈ 240
Ile	Leu	Met	Pro	Gly 245	Cys	Ser	Ser	Val	Ser 250	Thr	Leu	Val	Ala	Glu 255	Ala
Ala	Arg	Met	Trp 260	Asn	Leu	Ile	Val	Leu 265	Ser	Tyr	Gly	Ser	Ser 270	Ser	Pro
Ala	Leu	Ser 275	Asn	Arg	Gln	Arg	Phe 280	Pro	Thr	Phe	Phe	Arg 285	Thr	His	Pro
Ser	Ala 290	Thr	Leu	His	Asn	Pro 295	Thr	Arg	Val	Lys	Leu 300	Phe	Glu	Lys	Trp
Gly 305	Trp	Lys	Lys	Ile	Ala 310	Thr	Ile	Gln	Gln	Thr 315	Thr	Glu	Val	Phe	Thr 320
Ser	Thr	Leu	Asp	Asp 325	Leu	Glu	Glu	Arg	Val 330	Lys	Glu	Ala	Gly	Ile 335	Glu
Ile	Thr	Phe	Arg 340	Gln	Ser	Phe	Phe	Ser 345	Asp	Pro	Ala	Val	Pro 350	Val	Lys

Asn Leu Lys Arg Gln Asp Ala Arg Ile Ile Val Gly Leu Phe Tyr Glu 355 360 365

Thr Glu Ala Arg Lys Val Phe Cys Glu Val Tyr Lys Glu Arg Leu Phe 370 375 380

Gly Lys Lys Tyr Val Trp Phe Leu Ile Gly Trp Tyr Ala Asp Asn Trp 385 390 395 400

Phe Lys Ile Tyr Asp Pro Ser Ile Asn Cys Thr Val Asp Glu Met Thr
405 410 415

Glu Ala Val Glu Gly His Ile Thr Thr Glu Ile Val Met Leu Asn Pro 420 425 430

Ala Asn Thr Arg Ser Ile Ser Asn Met Thr Ser Gln Glu Phe Val Glu 435 440 445

Lys Leu Thr Lys Arg Leu Lys Arg His Pro Glu Glu Thr Gly Gly Phe 450 455 460

Gln Glu Ala Pro Leu Ala Tyr Asp Ala Ile Trp Ala Leu Ala Leu Ala 465 470 475 480

Leu Asn Lys Thr Ser Gly Gly Gly Gly Arg Ser Gly Val Arg Leu Glu
485 490 495

Asp Phe Asn Tyr Asn Asn Gln Thr Ile Thr Asp Gln Ile Tyr Arg Ala 500 505 510

Met Asn Ser Ser Ser Phe Glu Gly Val Ser Gly His Val Val Phe Asp 515 520 525

Ala Ser Gly Ser Arg Met Ala Trp Thr Leu Ile Glu Gln Leu Gln Gly 530 540

Gly Ser Tyr Lys Lys Ile Gly Tyr Tyr Asp Ser Thr Lys Asp Asp Leu 545 550 560

Ser Trp Ser Lys Thr Asp Lys Trp Ile Gly Gly Ser Pro Pro Ala Asp 565 570 575

Gln Thr Leu Val Ile Lys Thr Phe Arg Phe Leu Ser Gln Lys Leu Phe 580 585 590

Ile Ser Val Ser Val Leu Ser Ser Leu Gly Ile Val Leu Ala Val Val 595 600 605

Cys Leu Ser Phe Asn Ile Tyr Asn Ser His Val Arg Tyr Ile Gln Asn 610 615 620

Ser Gln Pro Asn Leu Asn Asn Leu Thr Ala Val Gly Cys Ser Leu Ala 625 630 635 640

Leu Ala Ala Val Phe Pro Leu Gly Leu Asp Gly Tyr His Ile Gly Arg
645 650 655

Asn Gln Phe Pro Phe Val Cys Gln Ala Arg Leu Trp Leu Leu Gly Leu 660 665 670

Gly Phe Ser Leu Gly Tyr Gly Ser Met Phe Thr Lys Ile Trp Trp Val 675 680 685

His Thr Val Phe Thr Lys Lys Glu Glu Lys Lys Glu Trp Arg Lys Thr 690 695 700

Leu Glu Pro Trp Lys Leu Tyr Ala Thr Val Gly Leu Leu Val Gly Met 705 710 715 720

Asp Val Leu Thr Leu Ala Ile Trp Gln Ile Val Asp Pro Leu His Arg
725 730 735

Thr Ile Glu Thr Phe Ala Lys Glu Glu Pro Lys Glu Asp Ile Asp Val 740 745 750

Ser Ile Leu Pro Gln Leu Glu His Cys Ser Ser Arg Lys Met Asn Thr 755 760 765

Trp Leu Gly Ile Phe Tyr Gly Tyr Lys Gly Leu Leu Leu Leu Gly 770 775 780

Ile Phe Leu Ala Tyr Glu Thr Lys Ser Val Ser Thr Glu Lys Ile Asn 785 790 795 800

Asp His Arg Ala Val Gly Met Ala Ile Tyr Asn Val Ala Val Leu Cys 805 810 815

Leu Ile Thr Ala Pro Val Thr Met Ile Leu Ser Ser Gln Gln Asp Ala 820 825 830

Ala Phe Ala Phe Ala Ser Leu Ala Ile Val Phe Ser Ser Tyr Ile Thr 835 840 845

Leu Val Val Leu Phe Val Pro Lys Met Arg Arg Leu Ile Thr Arg Gly 850 855 860

Glu Trp Gln Ser Glu Ala Gln Asp Thr Met Lys Thr Gly Ser Ser Thr 865 870 875 880

Asn Asn Asn Glu Glu Lys Ser Arg Leu Leu Glu Lys Glu Asn Arg 885 890 895

Glu Leu Glu Lys Ile Ile Ala Glu Lys Glu Glu Arg Val Ser Glu Leu 900 905 910

Arg His Gln Leu Gln Ser Arg Gln Gln Leu Arg Ser Arg Arg His Pro 915 920 925

Pro Thr Pro Pro Glu Pro Ser Gly Gly Leu Pro Arg Gly Pro Pro Glu 930 935 940

Pro Pro Asp Arg Leu Ser Cys Asp Gly Ser Arg Val His Leu Leu Tyr

	945					950					955					960
	Lys	Ala	Ala	Ala	Met 965	Thr	Leu	Glu	Ser	Ile 970	Met	Ala	Cys	Cys	Leu 975	Ser
	Glu	Glu	Ala	Lys 980	Glu	Ala	Arg	Arg	Ile 985	Asn	Asp	Glu	Ile	Glu 990	Arg	Gln
	Leu	Arg	Arg 995	Asp	Lys	Arg	Asp	Ala 1000		Arg	Glu	Leu	Lys 1005		Leu	Leu
	Leu	Gly 1010	Thr	Gly	Glu	Ser	Gly 1015		Ser	Thr	Phe	Ile 1020		Gln	Met	Arg
	Ile 1025		His	Gly	Ser	Gly 1030		Ser	Asp	Glu	Asp 1035		Arg	Gly	Phe	Thr 1040
	Lys	Leu	Val	Tyr	Gln 1045		Ile	Phe	Thr	Ala 1050		Gln	Ala	Met	Ile 1055	
Street Speed	Ala	Met	Asp	Thr 1060		Lys	Ile	Pro	Tyr 1065		Tyr	Glu	His	Asn 1070		Ala
The state of the s	His	Ala	Gln 1075		Val	Arg	Glu	Val 1080		Val	Glu	Lys	Val 1085		Ala	Phe
7	Glu	Asn 1090	Pro	Tyr	Val	Asp	Ala 1095		Lys	Ser	Leu	Trp 1100		Asp	Pro	Gly
Andrew St. Manager	Ile 1105		Glu	Cys	Tyr	Asp 111		Arg	Arg	Glu	Tyr 111!		Leu	Ser	Asp	Ser 1120
Good Book Same South South	Thr	Lys	Tyr	Tyr	Leu 112!		Asp	Leu	Asp	Arg 1130		Ala	Asp	Pro	Ala 113	
10 mm	Leu	Pro	Thr	Gln 114		Asp	Val	Leu	Arg 114!		Arg	Val	Pro	Thr 115		Gly
	Ile	Ile	Glu 115		Pro	Phe	Asp	Leu 116		Ser	Val	Ile	Phe 116		Met	Val
	Asp	Val 117	Gly O	Gly	Gln	Arg	Ser 117		Arg	Arg	Lys	Trp 118		His	Cys	Phe
	Glu 118		Val	Thr	Ser	Ile 119		Phe	Leu	Val	Ala 119		Ser	Glu	Tyr	Asp 1200
	Gln	Val	Leu	Val	Glu 120		Asp	Asn	Glu	Asn 121		Met	Glu	Glu	Ser 121	
	Ala	Leu	Phe	Arg 122		Ile	Ile	Thr	Tyr 122		Trp	Phe	Gln	Asn 123		Ser
	Val	Ile	Leu 123		Leu	Asn	Lys	Lys 124		Leu	Leu	Glu	Glu 124		Ile	Met

Tyr Ser His Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg 1250 1255 Asp Ala Gln Ala Ala Arg Glu Phe Ile Leu Lys Met Phe Val Asp Leu 1265 1270 1275 Asn Pro Asp Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala Thr 1290 1285 Asp Thr Glu Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile 1305 1310 1300 Leu Gln Leu Asn Leu Lys Gly Cys Gly Leu Tyr 1315 1320 <210> 46 <211> 4231 <212> DNA <213> Artificial Sequence <220> <223> Chimeric pmGluR2//CaR\*G(qi5+3Ala <400> 46 60 atgggatcgc tgcttgcgct cccggcactg ctgctgctgt ggggtgctgt ggctgagggc ccagccaaga aggtgctgac cctggaggga gacttggtgc tgggtgggct gttcccagtg 120 180 caccagaagg gcggcccagc agaggactgt ggtcctgtca atgagcaccg tggcatccag cgcctggagg ccatgctttt tgcactggac cgcatcaacc gtgacccgca cctgctgcct 240 300 ggcgtgcgcc tgggtgcaca catcctcgac agttgctcca aggacacaca tgcgctggag 360 caggeactgg actitigting the tractic and the tractional control of the caggeactgraph activities and the caggeactgraph activities activities and the caggeactgraph activities activities and the caggeactgraph activities activ 420 tgccccgacg gctcttatgc gacccatggt gatgctccca ctgccatcac tggtgttatt ggcggttcct acagtgatgt ctccatccag gtggccaacc tcttgaggct atttcagatc 480 ccacagatta gctacgcctc taccagtgcc aagctgagtg acaagtcccg ctatgactac 540 600 tttqcccqca caqtqcctcc tqacttcttc caaqccaaqq ccatqqctqa gattctccgc ttcttcaact qqacctatqt qtccactqtq qcqtctgagq qcqactatqg cgagacaggc 660 720 attgaggcct ttgagctaga ggctcgtgcc cgcaacatct gtgtggccac ctcggagaaa 780 gtgggccgtg ccatgagccg cgcggccttt gagggtgtgg tgcgagccct gctgcagaag 840 cccaqtqccc qcqtqqctqt cctqttcacc cqttctqaqq atqcccqqqa qctqcttgct gccagccagc gcctcaatgc cagcttcacc tgggtggcca gtgatggttg gggggccctg 900 gagagtgtgg tggcaggcag tgagggggct gctgagggtg ctatcaccat cgagctggcc 960 1020 tectacecca teagtgaett tgeetectae ttecagagee tggaceettg gaacaacage cggaacccct ggttccgtga attctgggag cagaggttcc gctgcagctt ccggcagcga 1080 gactgcgcag cccactctct ccgggctgtg ccctttgagc aggagtccaa gatcatgttt 1140 gtggtcaatg cagtgtacgc catggcccat gcgctccaca acatgcaccg tgccctctgc 1200 cccaacacca cccqqctctq tqacqcqatq cqqccaqtta acqqqcqccq cctctacaaq 1260

gactttgtgc tcaacgtcaa gtttgatgcc ccctttcgcc cagctgacac ccacaatgag

gtccgctttg accgctttgg tgatggtatt ggccgctaca acatcttcac ctatctgcgt gcaggcagtg ggcgctatcg ctaccagaag gtgggctact gggcagaagg cttgactctg

gacaccaged teateceatg ggeeteaced teageogged dectgeooge etetegetge

agtgagccct gcctccagaa tgaggtgaag agtgtgcagc cgggcgaagt ctgctgctgg ctctgcattc cgtgccagcc ctatgagtac cgattggacg aattcacttg cgctgattgt

ggcctgggct actggcccaa tgccagcctg actggctgct tcgaactgcc ccaggaqtac

atcogctggg gcgatgcctg ggctgtggga cctqtcacca tcqcctqcct cgqtqccctg

gccaccetet ttgtgctggg tgtetttgtg cggcacaatg ccacaccagt ggtcaaggec

1320 1380

1440

1500 1560

1620

1680

1740

1800

```
1860
tcaggtcggg agctctgcta catcctgctg ggtggtgtct tcctctgcta ctgcatgacc
                                                                      1920
ttcatcttca ttgccaagcc atccacggca gtgtgtacct tacggcgtct tggtttgggc
                                                                      1980
actqccttct ctqtctqcta ctcagccctg ctcaccaaga ccaaccgcat tgcacgcatc
ttcggtgggg cccgggaggg tgcccagcgg ccacgcttca tcagtcctgc ctcacaggtg
                                                                      2040
qccatctgcc tggcacttat ctcgggccag ctgctcatcg tggtcgcctg gctggtggtg
                                                                      2100
gaggcaccgg gcacaggcaa ggagacagcc cccgaacggc gggaggtggt gacactgcgc
                                                                      2160
tgcaaccacc gcgatgcaag tatgttgggc tcgctggcct acaatgtgct cctcatcgcg
                                                                      2220
ctctgcacgc tttatgcctt caagactcgc aagtgccccg aaaacttcaa cgaggccaag
                                                                      2280
                                                                      2340
ttcattggct tcaccatgta caccacctgc atcatctggc tggcattcct gcccatcttc
tatgtcacct ccagtgacta ccgggtacag accaccacca tgtgcgtgtc agtcagcctc
                                                                      2400
                                                                      2460
aggggetecg tggtgettgg etgeetettt gegeecaage tgeacateat eetetteeag
                                                                      2520
ccqcaqaaqa acaccatcqa ggaggtgcgt tgcagcaccg cagctcacgc tttcaaggtg
gctgcccggg ccacgctgcg ccgcagcaac gtctcccgca agcggtccag cagccttgga
                                                                      2580
                                                                      2640
qqctccacgg gatccacccc ctcctcctcc atcagcagca agagcaacag cgaagaccca
ttcccacagc ccgagaggca gaagcagcag cagccgctgg ccctaaccca gcaagagcag
                                                                      2700
cagcagcagc ccctgaccct cccacagcag caacgatctc agcagcagcc cagatgcaag
                                                                      2760
                                                                      2820
caqaaqqtca tctttggcag cggcacggtc accttctcac tgagctttga tgagcctcag
                                                                      2880
aaqaacqcca tqqcccacqq gaattctacq caccagaact ccctggaggc ccagaaaagc
agcgatacgc tgacccgaca ccagccatta ctcccgctgc agtgcgggga aacggactta
                                                                      2940
gatctgaccg tccaggaaac aggtctgcaa ggacctgtgg gtggagacca gcggccagag
                                                                      3000
                                                                      3060
gtggaggacc ctgaagagtt gtccccagca cttgtagtgt ccagttcaca gagctttgtc
                                                                      3120
atcaqtqqtq qaqqcaqcac tqttacagaa aacgtagtga attcagcggc cgccatgact
                                                                      3180
ctqqaqtcca tcatqqcqtq ctgcctgagc gaggaggcca aggaagcccg gcggatcaac
                                                                      3240
gacgagatcg ageggcaget cegcagggac aagegggaeg ceegceggga getcaagetg
ctgctgctcg ggacaggaga gagtggcaag agtacgttta tcaagcagat gagaatcatc
                                                                      3300
catqqqtcaq gatactctga tgaaqataaa aggggcttca ccaaqctggt gtatcagaac
                                                                      3360
                                                                      3420
atcttcacqq ccatqcaqqc catgatcaga gccatggaca cactcaagat cccatacaag
                                                                      3480
tatqaqcaca ataaqgctca tgcacaatta gttcgagaag ttgatgtgga gaaggtgtct
                                                                      3540
gcttttgaga atccatatgt agatgcaata aagagtttat ggaatgatcc tggaatccag
gaatgctatg atagacgacg agaatatcaa ttatctgact ctaccaaata ctatcttaat
                                                                      3600
                                                                      3660
qacttggacc gcgtagctga ccctgcctac ctgcctacgc aacaagatgt gcttagagtt
                                                                      3720
cgagtcccca ccacagggat catcgaatac ccctttgact tacaaagtgt cattttcaga
atggtcgatg tagggggcca aaggtcagag agaagaaaat ggatacactg ctttgaaaat
                                                                      3780
                                                                      3840
gtcacctcta tcatgtttct agtagcgctt agtgaatatg atcaagttct cgtggagtca
gacaatgaga accgaatgga ggaaagcaag gctctcttta gaacaattat cacatacccc
                                                                      3900
                                                                      3960
tggttccaga actcctcggt tattctgttc ttaaacaaga aagatcttct agaggagaaa
                                                                      4020
atcatqtatt cccatctagt cgactacttc ccagaatatg atggacccca gagagatgcc
                                                                      4080
caqqcaqccc qaqaattcat tctgaagatg ttcgtggacc tgaacccaga cagtgacaaa
                                                                      4140
attatctact cccacttcac gtgcgccaca gacaccgaga atatccgctt tgtctttgct
                                                                      4200
qccqtcaaqq acaccatcct ccagttgaac ctgaaggact gcggtctgtt ctaattgtgc
                                                                      4231
ctcctagaca cccgccctgc ccttccctgg t
```

```
<210> 47

<211> 1397

<212> PRT

<213> Artificial Sequence

<220>

<223> Chimeric pmGluR2//CaR*G(qi5+3Ala

<400> 47
```

Met Gly Ser Leu Leu Ala Leu Pro Ala Leu Leu Leu Leu Trp Gly Ala
1 5 10 15

- Val Ala Glu Gly Pro Ala Lys Lys Val Leu Thr Leu Glu Gly Asp Leu 20 25 30
- Val Leu Gly Gly Leu Phe Pro Val His Gln Lys Gly Gly Pro Ala Glu 35 40 45
- Asp Cys Gly Pro Val Asn Glu His Arg Gly Ile Gln Arg Leu Glu Ala
  50 55 60
- Met Leu Phe Ala Leu Asp Arg Ile Asn Arg Asp Pro His Leu Leu Pro 65 70 75 80
- Gly Val Arg Leu Gly Ala His Ile Leu Asp Ser Cys Ser Lys Asp Thr 85 90 95
- His Ala Leu Glu Gln Ala Leu Asp Phe Val Arg Ala Ser Leu Ser Arg 100 105 110
- Gly Ala Asp Gly Ser Arg His Ile Cys Pro Asp Gly Ser Tyr Ala Thr 115 120 125
- His Gly Asp Ala Pro Thr Ala Ile Thr Gly Val Ile Gly Gly Ser Tyr 130 135 140
- Ser Asp Val Ser Ile Gln Val Ala Asn Leu Leu Arg Leu Phe Gln Ile 145 150 155 160
- Pro Gln Ile Ser Tyr Ala Ser Thr Ser Ala Lys Leu Ser Asp Lys Ser 165 170 175
- Arg Tyr Asp Tyr Phe Ala Arg Thr Val Pro Pro Asp Phe Phe Gln Ala 180 185 190
- Lys Ala Met Ala Glu Ile Leu Arg Phe Phe Asn Trp Thr Tyr Val Ser 195 200 205
- Thr Val Ala Ser Glu Gly Asp Tyr Gly Glu Thr Gly Ile Glu Ala Phe 210 215 220
- Glu Leu Glu Ala Arg Ala Arg Asn Ile Cys Val Ala Thr Ser Glu Lys 225 230 235 240
- Val Gly Arg Ala Met Ser Arg Ala Ala Phe Glu Gly Val Val Arg Ala 245 250 255
- Leu Leu Gln Lys Pro Ser Ala Arg Val Ala Val Leu Phe Thr Arg Ser 260 265 270
- Glu Asp Ala Arg Glu Leu Leu Ala Ala Ser Gln Arg Leu Asn Ala Ser 275 280 285
- Phe Thr Trp Val Ala Ser Asp Gly Trp Gly Ala Leu Glu Ser Val Val 290 295 300
- Ala Gly Ser Glu Gly Ala Ala Glu Gly Ala Ile Thr Ile Glu Leu Ala

305	31	0		315		320
Ser Tyr Pro	Ile Ser As 325	p Phe Ala	Ser Tyr 330	Phe Gln	Ser Leu	Asp Pro 335
Trp Asn Asn	Ser Arg As 340	n Pro Trp	Phe Arg 345	Glu Phe	Trp Glu 350	Gln Arg
Phe Arg Cys 355	Ser Phe Ar	g Gln Arg 360	Asp Cys	Ala Ala	His Ser 365	Leu Arg
Ala Val Pro 370	Phe Glu Gl	n Glu Ser 375	Lys Ile	Met Phe 380	Val Val	Asn Ala
Val Tyr Ala 385	Met Ala Hi 39		His Asn	Met His 395	Arg Ala	Leu Cys 400
Pro Asn Thr	Thr Arg Le	u Cys Asp	Ala Met 410	Arg Pro	Val Asn	Gly Arg 415
Arg Leu Tyr	Lys Asp Ph 420	e Val Leu	Asn Val 425	Lys Phe	Asp Ala 430	Pro Phe
Arg Pro Ala 435	Asp Thr Hi	s Asn Glu 440	Val Arg	_	Arg Phe 445	Gly Asp
Gly Ile Gly 450	Arg Tyr As	n Ile Phe 455	Thr Tyr	Leu Arg 460	Ala Gly	Ser Gly
Arg Tyr Arg 465	Tyr Gln Ly 47	_	Tyr Trp	Ala Glu 475	Gly Leu	Thr Leu 480
Asp Thr Ser	Leu Ile Pr 485	o Trp Ala	Ser Pro 490	Ser Ala	Gly Pro	Leu Pro 495
Ala Ser Arg	Cys Ser Gl 500	u Pro Cys	Leu Gln 505	Asn Glu	Val Lys 510	Ser Val
Gln Pro Gly 515	Glu Val Cy	s Cys Trp 520	Leu Cys	Ile Pro	Cys Gln 525	Pro Tyr
Glu Tyr Arg 530	Leu Asp Gl	u Phe Thr 535	Cys Ala	Asp Cys 540	Gly Leu	Gly Tyr
Trp Pro Asn 545	Ala Ser Le 55	<del>-</del>	Cys Phe	Glu Leu 555	Pro Gln	Glu Tyr 560
Ile Arg Trp	Gly Asp Al 565	a Trp Ala	Val Gly 570	Pro Val	Thr Ile	Ala Cys 575
Leu Gly Ala	Leu Ala Th 580	r Leu Phe	Val Leu 585	Gly Val	Phe Val 590	Arg His
Asn Ala Thr 595	Pro Val Va	l Lys Ala 600	Ser Gly		Leu Cys 605	Tyr Ile

Leu Leu Gly Gly Val Phe Leu Cys Tyr Cys Met Thr Phe Ile Phe Ile 610 615 620

Ala Lys Pro Ser Thr Ala Val Cys Thr Leu Arg Arg Leu Gly Leu Gly 625 630 635 640

Thr Ala Phe Ser Val Cys Tyr Ser Ala Leu Leu Thr Lys Thr Asn Arg 645 650 655

Ile Ala Arg Ile Phe Gly Gly Ala Arg Glu Gly Ala Gln Arg Pro Arg
660 665 670

Phe Ile Ser Pro Ala Ser Gln Val Ala Ile Cys Leu Ala Leu Ile Ser 675 680 685

Gly Gln Leu Leu Ile Val Val Ala Trp Leu Val Val Glu Ala Pro Gly 690 695 700

Thr Gly Lys Glu Thr Ala Pro Glu Arg Arg Glu Val Val Thr Leu Arg 705 710 715 720

Cys Asn His Arg Asp Ala Ser Met Leu Gly Ser Leu Ala Tyr Asn Val 725 730 735

Leu Leu Ile Ala Leu Cys Thr Leu Tyr Ala Phe Lys Thr Arg Lys Cys 740 745 750

Pro Glu Asn Phe Asn Glu Ala Lys Phe Ile Gly Phe Thr Met Tyr Thr
755 760 765

Thr Cys Ile Ile Trp Leu Ala Phe Leu Pro Ile Phe Tyr Val Thr Ser 770 780

Ser Asp Tyr Arg Val Gln Thr Thr Thr Met Cys Val Ser Val Ser Leu 785 790 795 800

Ser Gly Ser Val Val Leu Gly Cys Leu Phe Ala Pro Lys Leu His Ile 805 810 815

Ile Leu Phe Gln Pro Gln Lys Asn Thr Ile Glu Glu Val Arg Cys Ser 820 825 830

Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu Arg Arg 835 840 845

Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser Thr Gly 850 855 860

Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu Asp Pro 865 870 875 880

Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala Leu Thr 885 890 895

Gln Gln Gln Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln Gln Arg 900 905 910

- Ser Gln Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly Ser Gly 915 920 925
- Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn Ala Met 930 940
- Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln Lys Ser 945 950 955 960
- Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln Cys Gly 965 970 975
- Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln Gly Pro 980 985 990
- Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu Leu Ser 995 1000 1005
- Pro Ala Leu Val Val Ser Ser Ser Gln Ser Phe Val Ile Ser Gly Gly 1010 1015 1020
- Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser Ala Ala Ala Met Thr 1025 1030 1035 1040
- Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys Glu Ala 1045 1050 1055
- Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp Lys Arg 1060 1065 1070
- Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly Glu Ser 1075 1080 1085
- Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly Ser Gly 1090 1095 1100
- Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr Gln Asn 1105 1110 1115 1120
- Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr Leu Lys
  1125 1130 1135
- Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu Val Arg
  1140 1145 1150
- Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr Val Asp 1155 1160 1165
- Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys Tyr Asp 1170 1175 1180
- Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr Leu Asn 1185 1190 1195 1200
- Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln Gln Asp

1205 1210 1215 Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr Pro Phe 1220 Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gln Arg 1240 Ser Glu Arg Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile 1255 Met Phe Leu Val Ala Leu Ser Glu Tyr Asp Gln Val Leu Val Glu Ser 1270 1275 Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile 1285 Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn 1305 1300 Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp 1320 Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg 1335 1330 Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser Asp Lys 1350 Ile Ile Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn Ile Arg 1370 1365 Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn Leu Lys 1385 1380 Asp Cys Gly Leu Phe 1395 <210> 48 <211> 905 <212> PRT <213> Chimeric construct ph8SPmGluR4 <400> 48 Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu 10 Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His 25 Ser Gln Glu Tyr Ala His Ser Ile Arg Ile Asp Gly Asp Ile Thr Leu

35 40 45 Gly Gly Leu Phe Pro Val His Gly Arg Gly Ser Glu Gly Lys Pro Cys

Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu

55

70

60

75

11

The Free AF

Phe Ala Leu Asp Arg Ile Asn Asn Asp Pro Asp Leu Leu Pro Asn Ile Thr Leu Gly Ala Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr His Ala Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Gly Thr Glu Val Arg Cys Gly Ser Gly Gly Pro Pro Ile Ile Thr Lys Pro Glu Arg Val Val Gly Val Ile Gly Ala Ser Gly Ser Ser Val Ser Ile Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr Ala Ser Thr Ala Pro Asp Leu Ser Asp Asn Ser Arg Tyr Asp Phe Phe Ser Arg Val Val Pro Ser Asp Thr Tyr Gln Ala Gln Ala Met Val Asp Ile Val Arg Ala Leu Lys Trp Asn Tyr Val Ser Thr Val Ala Ser Glu Gly Ser Tyr Gly Glu Ser Gly Val Glu Ala Phe Ile Gln Lys Ser Arg Glu Asp Gly Gly Val Cys Ile Ala Gln Ser Val Lys Ile Pro Arg Glu Pro Lys Ala Gly Glu Phe Asp Lys Ile Ile Arg Arg Leu Leu Glu Thr Ser Asn Ala Arg Ala Val Ile Ile Phe Ala Asn Glu Asp Asp Ile Arg Arg Val Leu Glu Ala Ala Arg Arg Ala Asn Gln Thr Gly His Phe Phe Trp Met Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Leu His Leu Glu Glu Val Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Met Ser Val Arg Gly Phe Asp Arg Tyr Phe Ser Ser Arg Thr Leu Asp Asn Asn Arg Arg Asn Ile Trp Phe Ala Glu Phe Trp Glu Asp Asn Phe His Cys Lys Leu Ser Arg His Ala Leu Lys Lys Gly Ser His Val Lys Lys Cys Thr Asn Arg Glu Arg Ile Gly Gln Asp Ser Ala Tyr Glu Gln Glu Gly Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ala Met Gly His Ala Leu His Ala Met His Arg Asp Leu Cys Pro Gly Arg Val Gly Leu Cys Pro Arg Met Asp Pro Val Asp Gly Thr Gln Leu Leu Lys Tyr Ile Arg Asn Val Asn Phe Ser Gly Ile Ala Gly Asn Pro Val Thr Phe Asn Glu Asn Gly Asp Ala Pro Gly Arg Tyr Asp Ile Tyr Gln Tyr Gln Leu Arg Asn Asp Ser Ala Glu Tyr Lys Val Ile Gly Ser Trp Thr Asp His Leu His Leu Arg Ile Glu Arg Met His Trp Pro Gly Ser Gly Gln Gln Leu Pro Arg Ser Ile Cys Ser Leu Pro Cys Gln Pro Gly Glu Arg Lys Lys Thr Val Lys Gly Met Pro Cys Cys Trp His Cys Glu Pro Cys Thr Gly

535

```
The street of th
```

530

```
Tyr Gln Tyr Gln Val Asp Arg Tyr Thr Cys Lys Thr Cys Pro Tyr Asp
                   550
                                       555
Met Arg Pro Thr Glu Asn Arg Thr Gly Cys Arg Pro Ile Pro Ile Ile
                565
                                    570
Lys Leu Glu Trp Gly Ser Pro Trp Ala Val Leu Pro Leu Phe Leu Ala
                                585
Val Val Gly Ile Ala Ala Thr Leu Phe Val Val Ile Thr Phe Val Arg
                           600
Tyr Asn Asp Thr Pro Ile Val Lys Ala Ser Gly Arg Glu Leu Ser Tyr
                        615
                                           620
Val Leu Leu Ala Gly Ile Phe Leu Cys Tyr Ala Thr Thr Phe Leu Met
                   630
                                      635
Ile Ala Glu Pro Asp Leu Gly Thr Cys Ser Leu Arg Arg Ile Phe Leu
                                   650
               645
Gly Leu Gly Met Ser Ile Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn
                                665
Arg Ile Tyr Arg Ile Phe Glu Gln Gly Lys Arg Ser Val Ser Ala Pro
                            680
Arg Phe Ile Ser Pro Ala Ser Gln Leu Ala Ile Thr Phe Ser Leu Ile
                        695
                                            700
Ser Leu Gln Leu Leu Gly Ile Cys Val Trp Phe Val Val Asp Pro Ser
                   710
                                       715
His Ser Val Val Asp Phe Gln Asp Gln Arg Thr Leu Asp Pro Arg Phe
                725
                                   730
Arg Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Leu Leu
            740
                                745
Gly Tyr Ser Met Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile Lys
                           760
Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly Phe
                        775
                                            780
Thr Met Tyr Thr Thr Cys Ile Val Trp Leu Ala Phe Ile Pro Ile Phe
                    790
                                        795
Phe Gly Thr Ser Gln Ser Ala Asp Lys Leu Tyr Ile Gln Thr Thr Thr
                805
                                   810
Leu Thr Val Ser Val Ser Leu Ser Ala Ser Val Ser Leu Gly Met Leu
           820
                               825
Tyr Met Pro Lys Val Tyr Ile Ile Leu Phe His Pro Glu Gln Asn Val
                           840
Pro Lys Arg Lys Arg Ser Leu Lys Ala Val Val Thr Ala Ala Thr Met
                                            860
                        855
Ser Asn Lys Phe Thr Gln Lys Gly Asn Phe Arg Pro Asn Gly Glu Ala
                    870
                                        875
Lys Ser Glu Leu Cys Glu Asn Leu Glu Ala Pro Ala Thr Lys Gln Thr
                885
                                    890
Tyr Val Thr Tyr Thr Asn His Ala Ile
            900
<210> 49
<211> 1416
<212> PRT
<213> Chimeric phmGluR4//CaR*AAA*G gi5
<400> 49
```

Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu

Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His 25 Ser Gln Glu Tyr Ala His Ser Ile Arg Ile Asp Gly Asp Ile Thr Leu Gly Gly Leu Phe Pro Val His Gly Arg Gly Ser Glu Gly Lys Pro Cys Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu 70 75 Phe Ala Leu Asp Arg Ile Asn Asn Asp Pro Asp Leu Leu Pro Asn Ile Thr Leu Gly Ala Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr His Ala 100 105 Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Gly 120 125 Thr Glu Val Arg Cys Gly Ser Gly Gly Pro Pro Ile Ile Thr Lys Pro 135 140 Glu Arg Val Val Gly Val Ile Gly Ala Ser Gly Ser Ser Val Ser Ile 150 155 Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr 165 170 Ala Ser Thr Ala Pro Asp Leu Ser Asp Asn Ser Arg Tyr Asp Phe Phe 185 Ser Arg Val Val Pro Ser Asp Thr Tyr Gln Ala Gln Ala Met Val Asp 195 200 205 Ile Val Arg Ala Leu Lys Trp Asn Tyr Val Ser Thr Val Ala Ser Glu 215 Gly Ser Tyr Gly Glu Ser Gly Val Glu Ala Phe Ile Gln Lys Ser Arg 230 235 Glu Asp Gly Gly Val Cys Ile Ala Gln Ser Val Lys Ile Pro Arg Glu 250 Pro Lys Ala Gly Glu Phe Asp Lys Ile Ile Arg Arg Leu Leu Glu Thr 265 260 Ser Asn Ala Arg Ala Val Ile Ile Phe Ala Asn Glu Asp Asp Ile Arg 280 285 Arg Val Leu Glu Ala Ala Arg Arg Ala Asn Gln Thr Gly His Phe Phe 295 300 Trp Met Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Leu His 310 315 Leu Glu Glu Val Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Met 325 330 Ser Val Arg Gly Phe Asp Arg Tyr Phe Ser Ser Arg Thr Leu Asp Asn 345 Asn Arg Arg Asn Ile Trp Phe Ala Glu Phe Trp Glu Asp Asn Phe His 360 Cys Lys Leu Ser Arg His Ala Leu Lys Lys Gly Ser His Val Lys Lys 375 Cys Thr Asn Arg Glu Arg Ile Gly Gln Asp Ser Ala Tyr Glu Gln Glu 390 395 Gly Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ala Met Gly His Ala 410 Leu His Ala Met His Arg Asp Leu Cys Pro Gly Arg Val Gly Leu Cys 420 425 Pro Arg Met Asp Pro Val Asp Gly Thr Gln Leu Leu Lys Tyr Ile Arg 440 Asn Val Asn Phe Ser Gly Ile Ala Gly Asn Pro Val Thr Phe Asn Glu 455 Asn Gly Asp Ala Pro Gly Arg Tyr Asp Ile Tyr Gln Tyr Gln Leu Arg

4.65					470					475					400
465 Agn	Asp	Ser	Δla	Glu	470	Larg	Va l	Tle	Glv	475	Trn	Thr	Agn	ије	480 Len
, Apri	Mpp	DCL	ALG	485	- Y -	цур	val	110	490	SCI	TTD	TIIT	App	495	пса
His	Leu	Arg	Ile 500		Arg	Met	His	Trp 505		Gly	Ser	Gly	Gln 510		Leu
Pro	Arg	Ser 515		Cys	Ser	Leu	Pro 520		Gln	Pro	Gly	Glu 525		Lys	Lys
Thr	Val 530	Lys	Gly	Met	Pro	Cys 535	Cys	Trp	His	Cys	Glu 540		Cys	Thr	Gly
Tyr 545	Gln	Tyr	Gln	Val	Asp 550	Arg	Tyr	Thr	Cys	Lys 555	Thr	Cys	Pro	Tyr	Asp 560
Met	Arg	Pro	Thr	Glu 565	Asn	Arg	Thr	Gly	Cys 570	Arg	Pro	Ile	Pro	Ile 575	Ile
Lys	Leu	Glu	Trp 580	Gly	Ser	Pro	Trp	Ala 585	Val	Leu	Pro	Leu	Phe 590	Leu	Ala
	Val	595					600					605			_
	Asn 610					615	_			_	620				_
625	Leu			_	630			_	_	635					640
	Ala			645					650			_		655	
_	Leu	_	660				_	665					670		
	Ile	675					680					685			
_	Phe 690					695					700				
705	Leu				710		_		_	715			_		720
	Ser			725					730					735	
	Val		740					745					750		
-	Tyr	755					760		_			765			-
	Arg 770 Met					775					780			_	
785		_			790			_		795					800
	Gly			805					810					815	
	Thr		820					825					830		
	Met	835					840					845			
	Glu 850					855					860				
865	Arg				870					875					880
	Leu			885					890					895	
	Ser		900					905					910		
CTII	Gln	915	⊓∈ű	wia	теп	TIIT	920	GIII	GIU	GTII	GIII	925	GIII	LTO.	ъeи

Thr Leu Pro Gln Gln Gln Arg Ser Gln Gln Pro Arg Cys Lys Gln 935 Lys Val Ile Phe Gly Ser Gly Thr Val Thr Phe Ser Leu Ser Phe Asp 955 950 Glu Pro Gln Lys Asn Ala Met Ala His Gly Asn Ser Thr His Gln Asn 970 Ser Leu Glu Ala Gln Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro 985 980 Leu Leu Pro Leu Gln Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln 1000 Glu Thr Gly Leu Gln Gly Pro Val Gly Gly Asp Gln Arg Pro Glu Val 1020 1010 1015 Glu Asp Pro Glu Glu Leu Ser Pro Ala Leu Val Val Ser Ser Ser Gln 1030 1035 1040 Ser Phe Val Ile Ser Gly Gly Gly Ser Thr Val Thr Glu Asn Val Val 1045 1050 Asn Ser Ala Ala Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu 1070 1060 1065 Ser Glu Glu Ala Lys Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg 1080 1085 Gln Leu Arg Arg Asp Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu 1095 1100 Leu Leu Gly Thr Gly Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met 1110 1115 Arg Ile Ile His Gly Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe 1125 1130 Thr Lys Leu Val Tyr Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile 1140 1145 1150 Arg Ala Met Asp Thr Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys 1160 1165 Ala His Ala Gln Leu Val Arg Glu Val Asp Val Glu Lys Val Ser Ala 1175 1180 1170 Phe Glu Asn Pro Tyr Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro 1195 1190 Gly Ile Gln Glu Cys Tyr Asp Arg Arg Arg Glu Tyr Gln Leu Ser Asp 1210 1205 Ser Thr Lys Tyr Tyr Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala 1220 1225 1230 Tyr Leu Pro Thr Gln Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr 1235 1240 1245 Gly Ile Ile Glu Tyr Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met 1255 1260 Val Asp Val Gly Gly Gln Arg Ser Arg Lys Trp Ile His Cys Phe Glu 1275 1270 Asn Val Thr Ser Ile Met Phe Leu Val Ser Glu Tyr Asp Gln Val Leu 1285 1290 Val Glu Ser Asp Asn Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe 1305 Arg Thr Ile Ile Thr Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu 1320 1325 Phe Leu Asn Lys Lys Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His 1330 1335 1340 Leu Val Asp Tyr Phe Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln 1350 1355 1360 Ala Ala Arq Glu Phe Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp 1370 Ser Asp Lys Ile Ile Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu

```
1380
                               1385
Asn Ile Arg Phe Val Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu
                           1400
                                                1405
        1395
Asn Leu Lys Asp Cys Gly Leu Phe
                        1415
<210> 50
<211> 1411
<212> PRT
<213> Chimeric phmGluR8//CaR*AAA*G _{\alpha}i5
<400> 50
Met Val Cys Glu Gly Lys Arg Ser Ala Ser Cys Pro Cys Phe Phe Leu
Leu Thr Ala Lys Phe Tyr Trp Ile Leu Thr Met Met Gln Arg Thr His
                                2.5
Ser Gln Glu Tyr Ala His Ser Ile Arg Val Asp Gly Asp Ile Ile Leu
Gly Gly Leu Phe Pro Val His Ala Lys Gly Glu Arg Gly Val Pro Cys
Gly Glu Leu Lys Lys Glu Lys Gly Ile His Arg Leu Glu Ala Met Leu
                                        75
                    70
Tyr Ala Ile Asp Gln Ile Asn Lys Asp Pro Asp Leu Leu Ser Asn Ile
                85
                                    90
Thr Leu Gly Val Arg Ile Leu Asp Thr Cys Ser Arg Asp Thr Tyr Ala
                                105
Leu Glu Gln Ser Leu Thr Phe Val Gln Ala Leu Ile Glu Lys Asp Ala
                            120
Ser Asp Val Lys Cys Ala Asn Gly Asp Pro Pro Ile Phe Thr Lys Pro
                        135
                                            140
Asp Lys Ile Ser Gly Val Ile Gly Ala Ala Ala Ser Ser Val Ser Ile
                                        155
                    150
Met Val Ala Asn Ile Leu Arg Leu Phe Lys Ile Pro Gln Ile Ser Tyr
                                   170
                165
Ala Ser Thr Ala Pro Glu Leu Ser Asp Asn Thr Arg Tyr Asp Phe Phe
                                185
           180
Ser Arg Val Val Pro Pro Asp Ser Tyr Gln Ala Gln Ala Met Val Asp
                            200
Ile Val Thr Ala Leu Gly Trp Asn Tyr Val Ser Thr Leu Ala Ser Glu
                                            220
Gly Asn Tyr Gly Glu Ser Gly Val Glu Ala Phe Thr Gln Ile Ser Arg
                                         235
                    230
Glu Ile Gly Gly Val Cys Ile Ala Gln Ser Gln Lys Ile Pro Arg Glu
                                     250
Pro Arg Pro Gly Glu Phe Glu Lys Ile Ile Lys Arg Leu Leu Glu Thr
                                 265
Pro Asn Ala Arg Ala Val Ile Met Phe Ala Asn Glu Asp Asp Ile Arg
                             280
Arg Ile Ala Ala Lys Lys Leu Asn Gln Ser Gly His Phe Leu Trp Ile
                                            300
                        295
Gly Ser Asp Ser Trp Gly Ser Lys Ile Ala Pro Val Tyr Gln Glu
                                         315
                    310
Glu Ile Ala Glu Gly Ala Val Thr Ile Leu Pro Lys Arg Ala Ser Ile
                                    330
Asp Gly Phe Asp Arg Tyr Phe Arg Ser Arg Thr Leu Ala Asn Asn Arg
```

345

340

Arg Asn Val Trp Phe Ala Glu Phe Trp Glu Glu Asn Phe Gly Cys Lys Leu Gly Ser His Gly Lys Arg Asn Ser His Ile Lys Lys Cys Thr Gly Leu Glu Arg Ile Ala Arg Asp Ser Ser Tyr Glu Gln Glu Gly Lys Val Gln Phe Val Ile Asp Ala Val Tyr Ser Met Ala Tyr Ala Leu His Asn Met His Lys Asp Leu Cys Pro Gly Tyr Ile Gly Leu Cys Pro Arg Met Ser Thr Ile Asp Gly Lys Glu Leu Leu Gly Tyr Ile Arg Ala Val Asn Phe Asn Gly Ser Ala Gly Thr Pro Val Thr Phe Asn Glu Asn Gly Asp Ala Pro Gly Arg Tyr Asp Ile Phe Gln Tyr Gln Ile Thr Asn Lys Ser Thr Glu Tyr Lys Val Ile Gly His Trp Thr Asn Gln Leu His Leu Lys Val Glu Asp Met Gln Trp Ala His Arg Glu His Thr His Pro Ala Ser Val Cys Ser Leu Pro Cys Lys Pro Gly Glu Arg Lys Lys Thr Val Lys Gly Val Pro Cys Cys Trp His Cys Glu Arg Cys Glu Gly Tyr Asn Tyr Gln Val Asp Glu Leu Ser Cys Glu Leu Cys Pro Leu Asp Gln Arg Pro Asn Met Asn Arg Thr Gly Cys Gln Leu Ile Pro Ile Ile Lys Leu Glu Trp His Ser Pro Trp Ala Val Val Pro Val Phe Val Ala Ile Leu Gly Ile Ile Ala Thr Thr Phe Val Ile Val Thr Phe Val Arg Tyr Asn Asp Thr Pro Ile Val Arg Ala Ser Gly Arg Glu Leu Ser Tyr Val Leu Leu Thr Gly Ile Phe Leu Cys Ile Thr Phe Leu Met Ile Ala Ala Pro Asp Thr Ile Ile Cys Ser Phe Arg Arg Val Phe Leu Gly Leu Gly Met Cys Phe Ser Tyr Ala Ala Leu Leu Thr Lys Thr Asn Arg Ile His Arg Ile Phe Glu Gln Gly Lys Lys Ser Val Thr Ala Pro Lys Phe Ile Ser Pro Ala Ser Gln Leu Val Ile Thr Phe Ser Leu Ile Ser Val Gln Leu Leu Gly Val Phe Val Trp Phe Val Val Asp Pro Pro His Ile Ile Asp Tyr Gly Glu Gln Arg Thr Leu Asp Pro Glu Lys Arg Val Leu Lys Cys Asp Ile Ser Asp Leu Ser Leu Ile Cys Ser Leu Gly Tyr Ser Ile Leu Leu Met Val Thr Cys Thr Val Tyr Ala Ile Lys Thr Arg Gly Val Pro Glu Thr Phe Asn Glu Ala Lys Pro Ile Gly Phe Thr Met Tyr Thr Thr Cys Ile Ile Trp Leu Ala Phe Ile Pro Ile Phe Phe Gly Thr Ala Gln Ser Ala Glu Lys Met Tyr Ile Gln Thr Thr Leu Thr Val Ser Met

```
805
                                  810
Ser Leu Ser Ala Ser Val Ser Leu Gly Met Leu Tyr Met Pro Lys Val
           820
                              825
Tyr Ile Ile Ile Phe His Pro Glu Gln Asn Thr Ile Glu Glu Val Arg
                           840
Cys Ser Thr Ala Ala His Ala Phe Lys Val Ala Ala Arg Ala Thr Leu
                       855
Arg Arg Ser Asn Val Ser Arg Lys Arg Ser Ser Ser Leu Gly Gly Ser
                   870
                                       875
Thr Gly Ser Thr Pro Ser Ser Ser Ile Ser Ser Lys Ser Asn Ser Glu
                                  890
               885
Asp Pro Phe Pro Gln Pro Glu Arg Gln Lys Gln Gln Gln Pro Leu Ala
           900
                               905
Leu Thr Gln Gln Gln Gln Gln Gln Pro Leu Thr Leu Pro Gln Gln
                           920
                                              925
Gln Arg Ser Gln Gln Gln Pro Arg Cys Lys Gln Lys Val Ile Phe Gly
                       935
Ser Gly Thr Val Thr Phe Ser Leu Ser Phe Asp Glu Pro Gln Lys Asn
                   950
                                      955
Ala Met Ala His Gly Asn Ser Thr His Gln Asn Ser Leu Glu Ala Gln
                                   970
                965
Lys Ser Ser Asp Thr Leu Thr Arg His Gln Pro Leu Leu Pro Leu Gln
                              985
Cys Gly Glu Thr Asp Leu Asp Leu Thr Val Gln Glu Thr Gly Leu Gln
       995
                          1000
                                              1005
Gly Pro Val Gly Gly Asp Gln Arg Pro Glu Val Glu Asp Pro Glu Glu
                      1015
                                          1020
Leu Ser Pro Ala Leu Val Val Ser Ser Gln Ser Phe Val Ile Ser
                  1030
                                      1035
Gly Gly Gly Ser Thr Val Thr Glu Asn Val Val Asn Ser Ala Ala Ala
               1045
                                  1050
Met Thr Leu Glu Ser Ile Met Ala Cys Cys Leu Ser Glu Glu Ala Lys
            1060
                               1065
Glu Ala Arg Arg Ile Asn Asp Glu Ile Glu Arg Gln Leu Arg Arg Asp
                          1080
                                              1085
       1075
Lys Arg Asp Ala Arg Arg Glu Leu Lys Leu Leu Leu Gly Thr Gly
                      1095
                                          1100
Glu Ser Gly Lys Ser Thr Phe Ile Lys Gln Met Arg Ile Ile His Gly
                   1110
                                     1115
Ser Gly Tyr Ser Asp Glu Asp Lys Arg Gly Phe Thr Lys Leu Val Tyr
                                  1130
               1125
                                                     1135
Gln Asn Ile Phe Thr Ala Met Gln Ala Met Ile Arg Ala Met Asp Thr
           1140
                              1145
Leu Lys Ile Pro Tyr Lys Tyr Glu His Asn Lys Ala His Ala Gln Leu
                           1160
                                             1165
        1155
Val Arg Glu Val Asp Val Glu Lys Val Ser Ala Phe Glu Asn Pro Tyr
                       1175
                                          1180
Val Asp Ala Ile Lys Ser Leu Trp Asn Asp Pro Gly Ile Gln Glu Cys
                   1190
                                     1195
Tyr Asp Arg Arg Glu Tyr Gln Leu Ser Asp Ser Thr Lys Tyr Tyr
               1205
                                  1210
Leu Asn Asp Leu Asp Arg Val Ala Asp Pro Ala Tyr Leu Pro Thr Gln
            1220
                               1225
Gln Asp Val Leu Arg Val Arg Val Pro Thr Thr Gly Ile Ile Glu Tyr
                          1240
                                              1245
Pro Phe Asp Leu Gln Ser Val Ile Phe Arg Met Val Asp Val Gly Gly
    1250
                       1255
```

Gln Arg Ser Arg Lys Trp Ile His Cys Phe Glu Asn Val Thr Ser Ile 1275 1270 Met Phe Leu Val Ser Glu Tyr Asp Gln Val Leu Val Glu Ser Asp Asn 1285 1290 Glu Asn Arg Met Glu Glu Ser Lys Ala Leu Phe Arg Thr Ile Ile Thr 1300 1305 Tyr Pro Trp Phe Gln Asn Ser Ser Val Ile Leu Phe Leu Asn Lys Lys 1315 1320 1325 Asp Leu Leu Glu Glu Lys Ile Met Tyr Ser His Leu Val Asp Tyr Phe 1330 1335 1340 Pro Glu Tyr Asp Gly Pro Gln Arg Asp Ala Gln Ala Ala Arg Glu Phe 1345 1350 1355 1360 Ile Leu Lys Met Phe Val Asp Leu Asn Pro Asp Ser Asp Lys Ile Ile 1365 1370 1375 Tyr Ser His Phe Thr Cys Ala Thr Asp Thr Glu Asn Ile Arg Phe Val 1390 1385 1380 Phe Ala Ala Val Lys Asp Thr Ile Leu Gln Leu Asn Leu Lys Asp Cys 1405 1400 1395 Gly Leu Phe 1410

Hard the first that that the state H is the first that the state with the state of